District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office				
	Pit, Closed-Loop System, Below-Grade Tank, or				
V0293 Propo	sed Alternative Method Permit or Closure Plan Application				
Type of action:	 X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method 				
Instructions: Please submit one at		uest			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances					
Operator: ConocoPhillips Company	OGRID#: 217817				
Address: PO Box 4289, Farmingto	n, NM 87499				
Facility or well name: San Juan 32-	8 Unit 207				
API Number: 30	-045-27447 OCD Permit Number				
U/L or Qtr/Qtr: N(SE/SW) Section Center of Proposed Design: Latitude: Surface Owner: Federal		1983			
Lined Unlined Lin String-Reinforced Liner Seams Welded Fa		DIV.			
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other					
4 Below-grade tank: Subsection I Volume bi Tank Construction material Secondary containment with leak det Visible sidewalls and liner Liner Type Thickness					
Submittal of an exception request is requ	uired Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner). Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	□No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		,		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map 	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	□No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15 17.9 NMAC and 19.15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC				
Nusance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative				
Proposed Closure Method				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC Confirmation Sampling Plan (if applicable) based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16						
	Closed-loop Systems That Utilize Above Ground the facility or facilities for the disposal of liquids, and the disposal of liquids of liquids of liquids.			,		
Disposal Facility Name	Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-0	010B		
Disposal Facility Name	Basın Dısposal Facılıty	Disposal Facility Permit #	NM-01-005			
Will any of the proposed clo Yes (If yes, please p	osed-loop system operations and associated acrovide the information No	ctivities occur on or in areas that i	will not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC						
Instructions Each siting criteria certain siting criteria may requir	g on-site closure methods only: 19 15 17 10 requires a demonstration of compliance in the closure administrative approval from the appropriate distributed Justifications and/or demonstrations of equivalen	e plan Recommendations of acceptable ct office or may be considered an excep	tion which must be submitted to			
Ground water is less than 5	0 feet below the bottom of the buried waste			Yes No		
- NM Office of the State	Engineer - iWATERS database search, USGS: Da	ta obtained from nearby wells		∐N/A		
Ground water is between 50	and 100 feet below the bottom of the buried	waste		Yes No		
- NM Office of the State I	Engineer - iWATERS database search, USGS, Dat	a obtained from nearby wells		□N/A		
Ground water is more than	100 feet below the bottom of the buried waste	;		Yes No		
- NM Office of the State I	Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells		N/A		
Within 300 feet of a continuou (measured from the ordinary h	usly flowing watercourse, or 200 feet of any other sigh-water mark)	ngnificant watercourse or lakebed, so	nkhole, or playa lake	Yes No		
- Topographic map, Visua	al inspection (certification) of the proposed site					
-	nent residence, school, hospital, institution, or churcation) of the proposed site, Aerial photo, satellite		pplication.	Yes No		
				Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
pursuant to NMSA 1978, Sect			ipal ordinance adopted	Yes No		
Written confirmation or Within 500 feet of a wetlan	verification from the municipality, Written approva	al obtained from the municipality				
- US Fish and Wildlife W	Yes No					
Within the area overlying a	subsurface mine	, , , , , ,	•	Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division						
Within an unstable area				Yes No		
 Engineering measures in Topographic map 	corporated into the design, NM Bureau of Geology	& Mineral Resources; USGS, NM	Geological Society,			
Within a 100-year floodplai - FEMA map	ın			Yes No		
18	ecklist: (19 15 17 13 NMAC) Instructions:	Each of the following items mu.	st bee attached to the clos	ure plan. Please indicate,		
by a check mark in the box	c, that the documents are attached.			•		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17.11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Faculty Name and Permit Number (for liquids drilling fluids and drill cuttings or in case on site closure standards cannot be achieved)						
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC						
Ste Reclamation Plans, based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

19			
	ation Certification:	surate and complete to the	a heat of my knowledge and belief
	the information submitted with this application is true, acc	curate and complete to the	REGULATORY TECHNICIAN
Name (Print)	DENISE JOURNEY		
Signature _	1) energy journey	Date	8/3/2012
e-mail address _	Denise Journey@conocophllips com	Telephone:	(505) 326-9556
	V		
20 OCD Approval:	Permit Application (including closuse plan)	Closure Plan (only	() OCD Conditions (see attachment)
			~ /- /m
OCD Representa	tive Signature:	Kllly	Approval Date: \(\sigma \big(\O \sigma \omega \big(\O \sigma \omega \o
Title:	mossing (Colored	COCD Po	rmit Number:
Title:	rightance of thereof	OCD FE	rint Number:
21			
Closure Report (required within 60 days of closure completion): Su	ubsection K of 19 15 17 13 NM	IAC
			osure activities and submitting the closure report. The closure
	o be submitted to the division within 60 days of the complete an has been obtained and the closure activities have been	•	ies Please do not complete this section of the form until an
		· —	re Completion Date:
22			
Closure Method:			
l	vation and Removal On-site Closure Method	Alternative Closu	re Method Waste Removal (Closed-loop systems only)
If different f	from approved plan, please explain		
23			
	garding Waste Removal Closure For Closed-loop Syste		
Instructions: Please were utilized.	e identify the facility or facilities for where the liquids, dr	illing fluids and drill cui	ttings were disposed. Use attachment if more than two facilities
Disposal Facility	Name	Disposal Facili	ty Permit Number
Disposal Facility		-	ty Permit Number
	loop system operations and associated activities performed	-	
	please demonstrate complilane to the items below)	No	ov aced for ratione service and openinons
Required for imp	oacted areas which will not be used for future service and	onerations.	
	ation (Photo Documentation)	· per arron	
Soil Backfill	ling and Cover Installation		
Re-vegetation	on Application Rates and Seeding Technique		
24			
	rt Attachment Checklist: Instructions: Each of the fo	ollowing items must be a	ttached to the closure report. Please indicate, by a check mark in
—	documents are attached.		
=	osure Notice (surface owner and division)		
	eed Notice (required for on-site closure)		
Plot Plan (1	for on-site closures and temporary pits)		
Confirmati	on Sampling Analytical Results (if applicable)		
	erial Sampling Analytical Results (if applicable)		
Disposal Fa	acility Name and Permit Number		
Soil Backfi	illing and Cover Installation		
= -	ion Application Rates and Seeding Technique		
—	mation (Photo Documentation)		
On-site Clo	osure Location: Latitude	Longitude	NAD 1927 1983
L			
25			
Operator Closure			
	the information and attachments submitted with this closus with all applicable closure requirements and conditions		te and complete to the best of my knowledge and belief. I also certify that
•	з жил ан аррноате сняше гецинетення ана conantons	ърсодиси т те арргочеа	cassure pun
Name (Print)		Title	
Signature [.]		Date	
- Jignature		Date	
e-mail address		Telephone	

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.