<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 State of New Mexico
Energy Minerals and Natural Resources
Department

Form C-144 July 21, 2008

<u>District II</u> 1301 W Grand Ave , Artesia, NM 88210

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd , Aztec, NM 87410

<u>District IV</u>
1220 S. St. Francis Dr , Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

10297
-------

District III

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other applications.	-
Operator: Burlington Resources Oil & Gas Company, LP  Address: PO Box 4289, Farmington, NM 87499	OGRID#: <u>14538</u>
Facility or well name: Culpepper Martin 8B	
	abor
<del></del>	
U/L or Qtr/Qtr: O(SW/SE) Section: 19 Township: 32N Range:	12W County: San Juan 106.133418 °W NAD: X 1927 1983
Center of Proposed Design: Latitude: 36.966372 °N Longitude:	
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type. Thickness mil LLDPE String-Reinforced Liner Scams Welded Factory Other Volume	RCVD AUG 7 '12 OIL CONS. DIV. DIST. 3  HDPE PVC Other bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other  Lined Unlined Liner type. Thickness mil LLDPE Liner Seams: Welded Factory Other	to activities which require prior approval of a permit or  HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume: bbl Type of fluid:  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and at Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other	utomatic overflow shut-off
Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environment of the Santa Fe En	onmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15 3 103 NMAC				
9				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA	_		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	☐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	Yes	No		
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society; Topographic map</li> </ul>	Yes	∐No		
Within a 100-year floodplain - FEMA map	Yes	∏No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions, Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19 15.17 13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan  Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative   Proposed Closure Method:				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
AMMIZET TO COMPANY AND A DESCRIPTION OF THE OPPOSITION OF THE PROPERTY OF THE				

Form C-144 Oil Conservation Division Page 3 of 5

16  Waste Removal Closure For Cl Instructions Please identify the f	losed-loop Systems That Utilize Above Ground St facility or facilities for the disposal of liquids, drillin	eel Tanks or Haul-off Bins On g fluids and drill cuttings Use	lv: (19 15 17 13 D NMAC) attachment if more than two			
facilities are required.		D 1 E . 12 . D 19	NN 4 04 0044 4 NN 4 04 06	100		
	Isposal Facility Name   Envirotech / JFJ Landfarm / IEI   Disposal Facility Permit #   NM-01-0011 / NM-01-0010B    Basin Disposal Facility   Disposal Facility Permit #   NM-01-005					
Disposal Facility Name B	· - · · · · · · · · · · · · · · · · · ·	•		earwae and		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						
Instructions Each siting criteria rec certain siting criteria may require a	m-site closure methods only: 19 15 17 10 NMA quires a demonstration of compliance in the closure plan idministrative approval from the appropriate district officients of the demonstrations of equivalency are sometimes of equivalency are sometimes.	Recommendations of acceptable ce or may be considered an excep-	tion which must be submitted to			
	eet below the bottom of the buried waste gineer - iWATERS database search, USGS Data ob	tained from nearby wells		Yes N/A	No	
	nd 100 feet below the bottom of the buried wast gineer - iWATERS database search; USGS; Data obt			Yes	No	
	0 feet below the bottom of the buried waste. gineer - iWATERS database search, USGS, Data obt	ained from nearby wells		Yes	No	
Within 300 feet of a continuously (measured from the ordinary high-	flowing watercourse, or 200 feet of any other signifi-water mark).	•	nkhole, or playa lake	Yes	No	
	respection (certification) of the proposed site			Пv	□N <sub>2</sub>	
•	t residence, school, hospital, institution, or church in ion) of the proposed site, Aerial photo; satellite image	•	oplication.	∐Yes ∏Yes	∐No ∏No	
purposes, or within 1000 horizont - NM Office of the State Engi	rivate, domestic fresh water well or spring that less that fee of any other fresh water well or spring, in existincer - (WATERS database, Visual inspection (certifoundaries or within a defined municipal fresh water with 3-27-3, as amended	tence at the time of the initial ap- ication) of the proposed site	plication.	Yes	□No	
- Written confirmation or verification from the municipality. Written approval obtained from the municipality  Within 500 feet of a wetland		Yes	□ No			
	- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a sul	bsurface mine fication or map from the NM EMNRD-Mining and N	Ameral Division		Yes	L_No	
Within an unstable area	porated into the design, NM Bureau of Geology & M		Geological Society	Yes	□No	
Topographic map	pointed into the design, 1111 Sinetit of Geology & 11		scological Boolety,		_	
Within a 100-year floodplain - FEMA map				Yes	No	
18	list: (19   5   7   3 NMAC) Instructions: Each	of the following items mus	t hee attached to the closu	re plan Plea	se indicate	
	hat the documents are attached.			,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	ance Demonstrations - based upon the appropria	•				
=	r Notice - based upon the appropriate requireme				1	
	lan of Burial Trench (if applicable) based upon t					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					MAC	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					İ	
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
	and Permit Number (for liquids, drilling fluids			innot be achiev	/ed)	
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
=	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan -	<ul> <li>based upon the appropriate requirements of Su</li> </ul>	bsection G of 19 15 17 13 N	MAC			

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dolfiè L Busse Title Staff Regulatory Technician
Signature Milia Cousse Date 8/7/12
e-mail address; dollie I busse@conocophillips com Telephone 505-324-6104
C-flail address. defice the desired control of the first the second control of the second control
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/10/2012
Title: COMPIGNICE COLOR OCD Permit Number:
21  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
Coourt Compilion Date.
Cleane Methods
Closure Method:    Waste Excavation and Removal   On-site Closure Method   Alternative Closure Method   Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
I different from approved plant, please explain
Change Beneat Becauting Weste Beneated Cleaner For Cleand Ion Systems That Utilize About Course I Stad Tonks on Hard of Pine Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate complifiane to the items below)  No
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title.
Signature: Date.
e-mail addressTelephone

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

# Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.