District I

1625 N French Dr , Hobbs NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV 1220 S St Francis Di , Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks submit to the appropriate NMOCD District Office

Form C-144

July 21, 2008

tanks submit to the appropriate NWOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

250	<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>	
10350	Type of action:  X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit	

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

below-grade tank, or proposed alternative method

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator ConocoPhillips Company OGRID# 217817
Address PO Box 4289, Farmington, NM 87499
Facility or well name. Howell L # 1
API Number 30-045-09277 OCD Permit Number
U/L or Qtr/Qtr N(SE/SW) Section. 23 Township 30N Range 8W County Rio Arriba
Center of Proposed Design Latitude 36.79257 °N Longitude -107.64792 °W NAD X 1927 1983
Surface Owner: Federal State Trivate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC   RCVD AUG 30 '12     Temporary
X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other  Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other  Liner Seams Welded Factory Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or chirch)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	ideration of ap	proval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval Applicant must attach justification for request. Please refer to 19 15.17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA	1		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	Yes	∐No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Nulsance of Hazardous Odors, including H2S, Prevention Plan   Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16  Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions Please identify the facility of facilities for the disposal of liquids, drilli	teel Fanks or Haul-off Bins On ing fluids and drill cuttings Use	ly: (19 15 17 13 D NMAC) attachment if more than two			
facilities are required					
Disposal Facility Name Envirotech / IFJ Landfarm % IEI	Disposal Facility Permit #		010B		
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activity Yes (If yes, please provide the information No		will not be used for future	service and		
Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specification - based upon the appropriate to the service and operation in the service and operation in the service areas which will not be used for future service and operation.		ion H of 19 15 17 13 NM/	AC.		
Re-vegetation Plan - based upon the appropriate requirements of Sub-	•				
Site Reclamation Plan - based upon the appropriate requirements of S					
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NM	AC				
Instructions Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district of affice for consideration of approval—Justifications and/or demonstrations of equivalency of	fice or may be considered an excep	tion which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste			Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS Data of	btained from nearby wells		□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried was	ste		∏Yes ∏No		
- NM Office of the State Engineer - 1WA FERS database search, USGS, Data of	otained from nearby wells		∏n/a		
Ground water is more than 100 feet below the bottom of the buried waste			☐Yes ☐No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data of	otained from nearby wells		□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi	ficent watercourse or lakehod su	nt hole, or playa let e	□ □Yes □No		
(measured from the ordinary high-water mark)	meant watercourse of takebed, si	iknoic, or playa take	∐Yes ∐No		
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in	n existence at the time of initial a	pplication	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo, satellite ima	ge				
Widow 500 losses and the control of	d		∐Yes ∐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database, Visual inspection (cert	istence at the time of the initial ap				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
- Written confirmation or verification from the municipality, Written approval of	otained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual in	spection (certification) of the pro	posed site	∐Yes ∐No		
Within the area overlying a subsurface mine		∏Yes ∏No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area			Yes No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Topographic map</li> </ul>	Mineral Resources, USGS, NM (	Geological Society,			
Within a 100-year floodplain			∏Yes ∏No		
- ГЕМА тар					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each	ch of the following items mu	st bee attached to the closi	ure plan. Please indicate,		
by a check mark in the box, that the documents are attached.		10 NIMA C			
Siting Criteria Compliance Demonstrations - based upon the appropr	•				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
			19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropri		on F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirem	•				
Disposal Facility Name and Permit Number (for liquids, drilling fluid			annot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subs	_				
Re-vegetation Plan - based upon the appropriate requirements of Sub					
Site Reclamation Plan - based upon the appropriate requirements of S	Subsection G of 19 15 17 13 N	IMAC			

Form C-144

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true accurate and complete to the best of my knowledge and belief
Name (Print) Denise Journey Title Regulatory Technician
Signature Date
c-mail address Denise Journey@conocophillips com Telephone 505-326-9556
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: System ), Kelly Approval Date: 8/31/2012—
Title: Com Ja we Chick och Permit Number:
Title: 15 mm runiber.
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.  Disposed Feathty Pound Number
Disposal Facility Name Disposal Facility Permit Number  Disposal Facility Permit Number  Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on oi in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfüling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print)  Title
Signature Date
e-mail address Telephone

Form C-144

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.