District I

1625 N French Dr , Hobbs, NM 88240

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

Energy Minerals and Natural Resources Department Oil Conservation Division

State of New Mexico

1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

dipp	,
------	---

Center of Proposed Design: Latitude: 36.63045 °N Longitude: 107.79959 °W NAD: X 192 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Unlined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced	to the			
Proposed Alternative Method Permit or Closure Plan Application Type of action:				
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	Type of action: Permit of a pit. closed-loop system, below-grade tank, or proposed alternative method			
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop syst below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative				
below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pir, closed-loop system, below-grade tank or atternative. Please be advised that approval of this request does not relieve the operator of habitity should appetutions result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of the steponsibility to comply with any other applicable governmental authority's rules, regulations or ordinance. Proposed Design and the proposed Design. NM 87499 Facility or well name: Hancock B 12 API Number: 30-045-21561 OCD Permit Number U/L or Qtr/Qtr: Lixwysiy. Section: 28 Township: 28N Range: 9W County: San Juan Center of Proposed Design: Latitude: 36.63045 N. Longitude: 107.79959 N. NAD: X 192 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment 2 Pits: Subsection For G of 19 15.17.11 NMAC RCUD SEI Pits: Subsection For G of 19 15.17.11 NMAC Permanent Emergency Cavitation P&A DIST				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative Please be advised that approval of this request does not relieve the operator of flability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinate environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinate or other continuous or ordinate or other proposed possing. The proposed possing is a surface or other proposed Design: Latitude: OCD Permit Number	em,			
Please be advised that approval of this request does not relieve the operator of habitiny should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance in the control of the provided authority's rules, regulations or ordinance. Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Jancock B 12 API Number: Journal N				
environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance. In Operator: Surfington Resources Oil & Gas Company, LP	•			
Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Hancock B 12 API Number: 30-045-21561 OCD Permit Number U/L or Qtr/Qtr: L(NW/SW) Section: 28 Township: 28N Range: 9W County: San Juan Center of Proposed Design: Latitude: 36.63045 °N Longitude: 107.79959 °W NAD: X 192 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pfit: Subsection F or G of 19 15.17.11 NMAC Temporary: Dorilling Workover OIL CON Permanent Emergency Cavitation P&A DIST Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x 3X Closed-toop System: Subsection H of 19 15 17 11 NMAC Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a per notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Seams Welded Factory Other 4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-nich lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls, liner, 6-nich lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls, liner, 6-nich lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls, liner, 6-nich lift and automatic overflow shut-off				
Facility or well name: Hancock B 12 API Number: 30-045-21561 OCD Permit Number U/L or Qtr/Qtr: L(NWSW) Section: 28 Township: 28N Range: 9W County: San Juan Center of Proposed Design: Latitude: 36.63045 °N Longitude: 107.79959 °W NAD: X] 192 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pitt: Subsection F or G of 19 15.17.11 NMAC Temporary: DrIlling Workover OIL CON Permanent Emergency Cavitation P&A DIST Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x 3X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a per notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Seams Welded Factory Other Liner Seams Welded Factory Other Morkover or Drilling (Applies to activities which require prior approval of a per notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Seams Welded Factory Other Morkover or Drilling (Applies to activities which require prior approval of a per notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Seams Welded Factory Other Morkover or Drilling (Applies to activities which require prior approval of a per notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Liner Seams Welded Factory Other Morkover or Drilling (Applies to activities which require prior approval of a per notice of intent) Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-neh lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls intenty Other				
API Number: 30-045-21561 OCD Permit Number				
U/L or Qtr/Qtr: L(NW/SW) Section: 28 Township: 28N Range: 9W County: San Jun Center of Proposed Design: Latitude: 36.63045				
Center of Proposed Design: Latitude: 36.63045				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15.17.11 NMAC RCVD SEI				
Pit: Subsection F or G of 19 15.17.11 NMAC	27 1983			
Pit: Subsection F or G of 19 15.17.11 NMAC				
Lined Unlined Liner type Thickness mil LLDPE HDPE PVD Other Liner Seams Welded Factory Other 4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other	S. DIV. 1. 3 *D			
Below-grade tank: Subsection 1 of 19 15 17 11 NMAC Volume bbl				
5 Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approximately approxim	oval			
5				

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	dution or church)
7	
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8	
Signs: Subsection C of 19.15 17 11 NMAC	
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
X Signed in compliance with 19.15 3 103 NMAC	
9	
Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consing/BGT Liner)	deration of approval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting) 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes . No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applied to permanent pits)	∐NA
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	YesNo
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	YesNo
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.	☐Yes ☐No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design, NM Burcau of Goology & Mineral Resources; USGS, NM Goological	Yes No
Society, Topographic map Within a 100-year floodplain	Yes No
- FEMA map	i

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9
NMAC and 19 15.17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17.13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16	1		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings Use attachment if more than to facilities are required			
Disposal Facility Name Disposal Facility Permit #			
Disposal Facility Name Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future. Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC			
17			
Siting Criteria (Regarding on-site closure methods only: Instructions: Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable source material are provide certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted office for consideration of approval. Justifications and/or demonstrations of equivalency are required—Please refer to 19 15 17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	│		
Ground water is more than 100 feet below the bottom of the buried waste	☐Yes ☐No		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	∏N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo; satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted	Yes No		
pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society;	Yes No		
Topographic map Within a 100-year floodplain - FEMA map	Ycs No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure was the box, that the documents are attached.	osure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards	cannot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan)
OCD Representative Signature:Approval Date:Approval Date:
Title: Ompliance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: 8/20/2012
A Closure competion bate.
22 Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u>
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Dianaged Feather Names - Environment / IELL and Comm 9/ IEL - Dianaged Feather Desput Number - NA 01 0011 / NA 01 0010D
Disposal Facility Name Envirotech / JFJ Landfarm % 1E1 Disposal Facility Permit Number NM-01-0011 / NM-01-0010B Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below) X No
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan