District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec. NM 87410 District IV 1220 S St. Francis Dr. Santa Fe. NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

			^	2
	,	3'	V	
\	U			

# Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Applica  Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed altern	<u>tion</u>						
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method							
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request							
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority.	e water, ground water or the y's rules, regulations or ordinances.						
Operator Four Star Oil and Gas Company OGRID #. 131994							
Address: Post Office Box 36366 Houston, TX 77236							
Facility or well name: _Jicarilla C 35 (BGT 2)							
API Number: 30-039-23433 OCD Permit Number:							
U/L or Qtr/Qtr <u>L</u> Section <u>21</u> Township <u>25N</u> Range <u>5W</u> County. <u>Rio Arriba</u>							
Center of Proposed Design <sup>o</sup> Latitude <u>36.383292°</u> Longitude <u>-107 370308°</u>	NAD □1927 ☑ 1983						
Surface Owner. ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment							
2.    Pit: Subsection F or G of 19.15.17 11 NMAC    Temporary.   Drilling   Workover    Permanent   Emergency   Cavitation   P&A	RCVD AUG 9 '12 OIL CONS. DIV. DIST. 3						
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other							
☐ String-Reinforced							
Liner Seams: Welded Factory Other Volume. bbl Dimensions: L_	x W x D						
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior ap intent)   Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thicknessmit LLDPE HDPE PVC Other	proval of a permut or notice of						
Subsection   of 19.15.17.11 NMAC							
5.							

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify	hospital.				
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15 3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for				
Siting Criteria (regarding permitting): 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)					
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site</li> </ul>					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map					

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API Number:
interiously Approved Design (attach copy of design) Art Humber or Termit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15 17.13 NMAC
Previously Approved Design (attach copy of design) API Number.
Previously Approved Operating and Maintenance Plan API Number
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17 11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
<ul> <li>□ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC</li> <li>□ Quality Control/Quality Assurance Construction and Installation Plan</li> <li>□ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>□ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC</li> <li>□ Nuisance or Hazardous Odors, including H₂S, Prevention Plan</li> <li>□ Emergency Response Plan</li> <li>□ Oil Field Waste Stream Characterization</li> </ul>
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15 17.13 NMAC
14. Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids,	Steel Tanks or Haul-off Bins Only: (19 15.17.13.I drilling fluids and drill cuttings. Use attachment if n	O NMAC) nore than two					
facilities are required.	Disposal Facility Parmit Number						
Disposal Facility Name.	Disposal Facility Permit Number:						
Disposal Facility Name Disposal Facility Permit Number							
Yes (If yes, please provide the information below) No	ccur on or in areas that <i>will not</i> be used for future serv	vice and operations?					
Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15.17.13 NMA T of 19.15 17.13 NMAC	С					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist l Bureau office for consideration of approval. Justi	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - 1WATERS database search, USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search; USGS, Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other siglake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	mificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No					
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo; Satellit		☐ Yes ☐ No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or so NM Office of the State Engineer - 1WATERS database; Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No					
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approx		☐ Yes ☐ No					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map; Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No					
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ☐ No					
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geolog Society; Topographic map	y & Mineral Resources; USGS; NM Geological	Yes No					
Within a 100-year floodplain. - FEMA map		Yes No					
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying protocols and Procedures - based upon the appropriate requirements of 19.1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Confirmation Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	urrements of 19.15.17 10 NMAC  f Subsection F of 19 15.17 13 NMAC  propriate requirements of 19.15.17.11 NMAC  ad) - based upon the appropriate requirements of 19  5.17.13 NMAC  uirements of Subsection F of 19.15.17.13 NMAC  Subsection F of 19.15.17.13 NMAC  frill cuttings or in case on-site closure standards cannot of 19.15.17.13 NMAC  I of 19.15.17.13 NMAC	15.17.11 NMAC					

is. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address:Telephone:
10.  OCD Approval: ☐ Permit Application (including closure plan) ☑ Closure Plan (cally) ☐ OCD Conditions (see attachment)
OCD Representative Signature: Signature: Approval Date: 9/20/2012
Title: Compliance Office OCD Permit Number:
it.  Clasure Report (required within 60 days of clasure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☑ Closure Completion Date: July 23, 2012
22. Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23.  Closure Report Reparding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) \( \sumsymbol{\substack} \) No
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Bach of the following items must be attached to the closure report. Please Indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) See Attached Notices  Proof of Deed Notice (required for on-site closure) Not Required  Plot Plan (for on-site closures and temporary pits) Not Required  Confirmation Sampling Analytical Results (if applicable) See Attached Analytical Results  Waste Material Sampling Analytical Results (required for on-site closure) Not Required  Disposal Facility Name and Permit Number Envirotech's Landfarm #2, Permit #: NM-01-0011  Soil Backfilling and Cover Installation See Attached Site Photography
Re-vegetation Application Rates and Seeding Technique Pursuant to the BLM MOU and Approved Closure Plan Upon Abandonment of Site  Site Reclamation (Photo Documentation) See Attached Site Photography On-site Closure Location: Latitude Longitude NAD: [] 1927 [] 1983
Decretor Closure Certification:  1 hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Ms. Laura Clenney Title: Facilities Engineer
Signature: Date: 8/6/12
e-mail address: laura.clenney@chevron.com Telephone: (281) 881- 0322

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back side of form

Form C-141 Revised October 10, 2003

Release Notification and Corrective Action										
						OPERATOR Initial Report I Fina				
Name of Company: Four Star Oil and Gas Company						Contact: Ms. Laura Clenney				
	Address: Post Office Box 36366, Houston, TX 77236						Vo. (281) 881-0	322		
Facility Na	ne: Jicaril	la C 35 (BG	Γ2)			Facility Typ	e: Gas Well			
Surface Ow	ner: Jicari	lla		Mineral C	)wner:			Lease 1	ło.:	
				LOCA	TIO	N OF RE	LEASE			
Unit Letter	Section	Township	Range	Feet from the		/South Line	Feet from the	East/West Line	County	
1	21	25N	5W	1850		South	1190	East	Rio Arriba	
Latitude_36,383292°° Longitude107.370308°										
P'	+ ~	, ,		NAT	URE	OF REL				
Type of Rele					,-		Release: Unknow		Recovered: Not Applicable	
Source of Re	lease: Belo	w Grade Tonk	•				iour of Occurrent		Hour of Discovery:	
Was Immédia	etā Nasiaa (	Times 0				Historical If YES, To	Whom?	Not Appl	ICADIE	
Mas Hannean	are Modice (		Yes [	No 🛛 Not R	equired		MIOH:			
By Whom?		<del> </del>		·····		Date and I	lour			
Was a Water	course Read	hed?					olume Impacting	the Watercourse.		
	,		Yes 🔀	No						
If a Watercou		pacted, Descr d.	ibe Fully.	*				- NAME NAME		
Describe Cause of Problem and Remedial Action Taken.*  Produced water from a gas well at the above mentioned location formerly discharged into a Below Grade Tank (BGT) on location. The Below Grade Tank was removed on July 9, 2012. Soil sampling from directly beneath the tank in accordance with Subsection E of 19.15.17.13 NMAC was performed on July 9, 2012, and indicated that a release had occurred. Please reference the final C-141 documentation for remedial action taken.										
Describe Area Affected and Cleanup Action Taken.*  A five (5)-point composite sample was collected from directly beneath the former BGT immediately once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for TPH using USEPA Method 8015, for benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results at or below the "Pit Rule" standards of 0.2 mg/kg benzene, 50 mg/kg total BTEX and 250 mg/kg total chlorides. The sample returned results above the 100 mg/kg TPH "Pit Rule" standard using USEPA Method 418.1, confirming that a release had occurred. Please reference the final C-141 documentation for cleanup action taken.										
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.										
Signatures Printed Name	e: Lium Ci	SQ		3		Approved by	OIL CON  District Supervis	SERVATION	DIVISION	
Title: Facilit					_	Approval Da	ie:	Expiration	Date:	
4.04	wateries	<del></del>	<del> </del>		一十		<u> </u>	1		
E-mail Address: laura.clenney@chevron.com				Conditions o	f Approval:		Attached			

Phone: 281-881-0322

<sup>\*</sup> Attach Additional Sheets If Necessary

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Azzec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

		S. gand	Rele	ase Notific	ation	and Co	rrective A	ction				
						OPERA'	ror		Initi	al Report	Ø	Final Repor
						Laura Clenney		······				
							No. (281) 881-0 ne: <b>Gas</b> Well	322		····		······································
				Minoral C					Lease N	Jo:		
Surface Ow												
Unit Letter	Castion	Township	Danes .	LOCA		OF RE	Feet from the	East/W	est Line	County		
L L	Section 21	Township 25N	Range 5W	1850		South	1190		est Line	Rio Arriba		
	Latitude_36,383292° Longitude107,370308°											
	-	-		NAT	URE	OF REL	EASE.	_				
Type of Rele							Release: Unknow			Recovered: N		
20nce of Ke	lease: Belo/	w Grade Tank				Historical	lour of Occurrent		Not Appl	Hour of Dis- icable	covery	•
Was Immedi	nte Notice (		Yes [	No 🛛 Not Re	equired	If YES, To	Whom?					
By Whom?		·				Date and i-						
Was a Water	course Reac		Yes 🔀	No		If YES, Vo	olume impacting	the Water	course.			
If a Watercou		pacted, Descr	ibe Fully.	•		.t						
was removed	Describe Cause of Problem and Remedial Action Taken.*  Produced water from a gas well at the above mentioned location formerly discharged into a Below Grade Tank (BGT) on location. The Below Grade Tank was removed on July 19, 2012. Soil sampling from directly beneath the tank in accordance with Subsection E of 19.15.17.13 NMAC was performed on July 19 <sup>th</sup> and 23 <sup>rd</sup> , 2012, and indicated that a release had occurred. However, the sample returned results below the regulatory cleanup standards determined for the site.											
A five (5)-px hydrocarbon BTEX using of 0.2 mg/kg using USEP	Describe Area Affected and Cleanup Action Taken.*  A five (5)-point composite sample was collected from directly beneath the former BGT. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for TPH using USEPA Method 8015, for benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results at or below the "Pit Rule" standards of 0.2 mg/kg benzene, 50 mg/kg total BTEX and 250 mg/kg total chlorides. The sample returned results above the 100 mg/kg TPH "Pit Rule" standard using USEPA Method 418.1, confirming that a release had occurred. However, the sample returned results below the "Pit Rule" cleanup standard of 100 ppm TPH determined for this site using USEPA Method 8015. Analytical results are attached for your reference.											
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local local and/or regulations.												
Signature	OIL CONSERVATION DIVISION											
Printed Nam	Printed Name: Laura Clenney					Approved by	District Supervis	sor:				
Title: Facili	ies Enginee	<b></b>		· · · · · · · · · · · · · · · · · · ·		Approval Da	ete: Expiration l		Date:			
E-mail Address:, laura.clenney@chevron.com  Date: Phone: 281-881-0322				_ Conditions of Approval: Attached □								
Attach Add	Hoffel She	ets If Necess	arv									

# CHEVRON SAN JUAN BASIN BELOW GRADE TANK CLOSURE PLAN JICARILLA C #35 BGT 2

#### INTRODUCTION

In accordance with NMAC 19.15.17 9 (B) (4) and 19.15 17.13, Chevron (representing Chevron USA Inc, Chevron Midcontinent, L.P., and Four Star Oil and Gas Company) submits this Closure Plan for below grade tanks (BGTs) in New Mexico. This Closure Plan contains standard conditions that attach to multiple BGTs. If needed for a particular BGT, a modified Closure Plan for a proposed alternative closure will be submitted to the New Mexico Oil Conservation Division (NMOCD or the division) for approval prior to closure.

#### CLOSURE PLAN PROCEDURES AND PROTOCOLS (NMAC 19.15.17.9 (c) AND 19.15.17.13)

- 1) Chevron, or a contractor acting on the behalf of Chevron, will close a BGT within the time periods provided in NMAC 19.15.17.13 (A), or by an earlier date required by NMOCD to prevent an imminent danger to fresh water, public health, or the environment. NMAC 19.15.17.13 (A).
- 2) Chevron, or a contractor acting on behalf of Chevron, will close as existing BGT that does not meet the requirements of NMAC 19.15.17 11 (I) (1 through 4) or is not included in NMAC 19.15.17.11 (I) (5) within five years after June 16, 2008, if not retrofitted to comply with NMAC 19.15.17.11 (I) (1 through 4). NMAC 19.15.17.13 (A) (4).
- 3) Chevron shall close an existing below-grade tank that does not meet the requirements of Paragraphs (1) though (4) of Subsection I of 19.15.17.11 NMAC. If not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, prior to any sale or change of operator pursuant to 19.15.9.9 NMAC.
  - a. The Jicarilla C #35 BGT 2 is being closed in accordance to 1 and 2 above. The site was not up for sale or change of operator prior to closure activities.
- 4) Chevron, or a contractor acting on behalf of Chevron, will close a permitted BGT within 60 days of cessation of the BGT's operation or as required by the transitional provisions of NMAC 19.15.17.17
   (B) in accordance with a closure plan that the appropriate division district office approves. NMAC 19.15.17.13 (A)(9) and 19.15.17.9 (C).
  - a. The Closure Plan was submitted on March 4, 2010, to the division's environmental bureau, in accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC. The Closure Plan was approved on July 5, 2012, by Mr. Brad Jones with the NMOCD, Santa Fe Office.
- 5) In accordance with NMAC 19.15.17.13 (J)(1), Chevron will notify the surface owner by certified mail, return receipt requested, of its plans to close a BGT prior to beginning closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance. Chevron will notify the appropriate division district office verbally or by other means at least 72 hours, but no more than one (1) week, prior to any closure operation. The notice shall include the operator's name and the location to be closed by unit letter, section, township and range. If the closure is associated with a particular well, then the notice shall also include the well's name, number and API number. NMAC 19.15.17.13 (J)(2).
  - a. Please find attached the written notification to the district office sent on July 12, 2012.
  - b. Please find attached the written notification to the landowner sent on July 10, 2012.

- 6) Chevron North America, or a contractor acting on behalf of Chevron, will remove all liquids and sludge from a BGT prior to implementing a closure method and will dispose of the liquids and sludge in a division approved facility. NMAC 19.15.17.13(E)(1). A list of Chevron currently approved disposal facilities is included at the end of this document.
  - a. All waste material was removed from the BGT by Riley Services and transported to Envirotech's NMOCD approved Landfarm #2 on July 18, 2012; see attached Bill of Lading.
- 7) The proposed method of closure for this Closure Plan is waste excavation and removal. NMAC 19.15.17.13(E)(1).
  - a. Soil samples collected from below the BGT were below the NMOCD Guidelines for the Remediation of Spills, Leaks, and Releases. No waste was excavated or removed from this site for closure.
- 8) Chevron North America, or a contractor acting on behalf of Chevron, shall remove the BGT and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves. When required, prior approval for disposal will be obtained. NMAC 19.15.17.13(E)(2). Documentation regarding disposal of the BGT and its associated liner, if any, will be included in the closure report.
  - a. A liner was not associated with this BGT. The BGT was made of fiber-glass material and will be disposed of at the San Juan Regional Landfill in compliance with NMAC 19.15.35.8 allowable materials.
- 9) Waste generated during closure will be handled and disposed of in accordance with applicable laws. NMAC 19.15.35.8 (C)(1)(m) provides that plastic pit liners may be disposed at a solid waste facility without testing before disposal, provided they are cleaned well.
  - a. A plastic liner was not associated with this BGT.
- 10) Chevron, or a contractor acting on behalf of Chevron, will remove on-site equipment associated with a BGT unless the equipment is required for some other purpose. NMAC 19.15.17.13(E)(3).
  - a. <u>Chevron has removed the BGT and associated equipment that will not be reused on-site;</u> see attached Site Photography.
- 11) Chevron, or a contractor acting on behalf of Chevron, will test the soils beneath the BGT to determine whether a release has occurred. At a minimum, 5 point composite samples will be collected along with individual grab samples from any area that is wet, discolored, or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA Method 418.1 or other EPA method that the division approves, does not exceed 100 mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg; or the background concentration, whichever is greater. Chevron, or a contractor acting on behalf of Chevron, will notify the NMOCD Division District office of its results on form C-141. NMAC 19.15.17.13(E)(4).

Sample ID	TPH (418.1)	TPH (8015)	Benzene	Total BTEX	Chlorides
5 Pt. Composite	1610 ppm	47 ppm	<0.01 ppm	0.0154 ppm	140 ppm

- 12) If Chevron or the division determines that a release has occurred, Chevron will comply with NMAC 19.15.29 and 19.15.30, as appropriate. NMAC 19.15.17.13(E)(5).
  - a. The closure standards for the Jicarilla C 35 well site were determined to be 100 ppm TPH and 100 ppm organic vapors or 10 ppm benzene and 50 ppm total BTEX in accordance with the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases and the location of the site on the Jicarilla Apache Reservation. The sample collected returned results below the regulatory cleanup standards determined for the site.
- 13) If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in NMAC 19.15.17.13(E)(4), Chevron will backfill the excavation with compacted, non-waste containing, earthen materials; construct a division prescribed soil cover; recontour and re-vegetate the site. The division prescribed soil cover, re-contouring and re-vegetation requirements shall comply with NMAC 19.15.17.13(G, H and I). NMAC 19.15.17.13 (E)(6).
  - a. BGT pit was backfilled with clean earthen material in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
  - b. Well site is still in use re-vegetation will occur upon the decommissioning of the well site.
- 14) As per NMAC 19.15.17.13(G)(1), once Chevron has closed a BGT or is no longer using the BGT or an area associated with the BGT, Chevron will reclaim the BGT location and all areas associated with it including associated access roads not needed by the surface estate owner to a safe and stable condition the blends with the surrounding undisturbed area. Chevron will substantially restore impacted surface area to the condition that existed prior to its oil and gas operations by placement of soil cover as provided in NMAC 19.15.17.13(H) (see below), re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography, and revegetate according to NMAC 19.15.17.13(J). NMAC 19.15.17.13(G)(1).
- 15) Chevron may propose an alternative to the re-vegetation requirement of NMAC 19.15.17.13(G)(1) if it demonstrates that the proposed alternative effectively prevents erosion, and protects fresh water, human health and the environment. The proposed alternative must be agreed upon in writing by the surface owner. Chevron will submit the proposed alternative, with written documentation that the surface owner agrees to the alternative, to the division for approval. NMAC 19.15.17.13(G)(2).
- 16) Soil cover for closures where Chevron has removed the pit contents or remediated the contaminated soil to the division's satisfaction will consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. NMAC 19.15.17.13(H)(1).
- 17) Chevron will construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. NMAC 19.15.17.13(H)(3).
- 18) As per NMAC 19.15.17.13(I)(1) and 19.15.17.13(G)(2), Chevron will seed or plant disturbed areas during the first growing season after it is no longer using a BGT or an area associated with the BGT including access roads unless needed by the surface estate owner as evidenced by a written agreement with the surface estate owner, if any and written approval by NMOCD.
- 19) Seeding will be accomplished by drilling on the contour whenever practical or by other division approved methods. Chevron will obtain vegetative cover that equals 70% or the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, Chevron will not artificially irrigate the vegetation. NMAC

19.15.17.13(I)(2)

- 20) Chevron will notify the division when it has seeded or planted and when it successfully achieves revegetation. NMAC 19.15.17.13(I)(5)
- 21) Seeding or planting will be repeated until Chevron successfully achieves the required vegetative cover. NMAC 19.15.17.13(I)(3)
- 22) When conditions are not favorable for the establishment of vegetation, such as periods of drought, the division may allow Chevron to delay seeding or planting until soil moisture conditions become favorable or may require Chevron to use additional cultural techniques such as mulching, fertilizing, irrigating, fencing or other practices. NMAC 19.15.17.13(I)(4).
  - a. The well site and area around the BGT are still in use and will be re-contoured and revegetated in accordance with steps 14 through 22 upon decommissioning of the well site.
- 23) As per NMAC 19.15.17.13(K), within 60 days of closure completion, Chevron will submit a closure report containing the elements required by NMAC 19.15.17.13(K) including:
  - a. Confirmation sampling results,
  - b. A plot plan, Not Required for Below-Grade Tanks
  - Details on back-filling, capping and covering, where applicable, including re-vegetation
    application rates and seeding technique, BGT Area still in use for Daily Operational
    Activities
  - d. Proof of closure notice to the surface owner, if any, and the division,
  - e. Name and permit number of disposal facility, and
  - f. Photo documentation.
- 24) The closure report will be filed on NMOCD Form C-144. Chevron will certify that all information in the closure report and attachments is correct and that it has been complied with all applicable closure requirements and conditions specified in the approved closure plan. NMAC 19.15.17.13(K)
  - a. Please find attached the C-144 BGT Closure Documentation.
- 25) As requested, the following are the current Chevron approved Waste Disposal Sites for the identified waste streams:

#### Soils and Sludges

1) Envirotech, Inc. Soil Remediation Facility, Permit No. NM-01-0011

#### Solids

ii) San Juan County Regional Landfill (NMAC 19.15.35.8 items only, with prior NMOCD approval when required)

#### Liquids

- iii) Key Energy Disposal Facility, Permit No. NM-01-0009
- iv) Basin Disposals Facility, Permit No. NM-01-005
- 26) These waste disposal sites are subject to change if their certification is lost or they are closed or other more appropriate, equally protective sites become available. Chevron will provide notice if such a change is affected.



**April E. Pohl**Regulatory Specialist
Midcontinent Business Unit

Chevron North America Exploration and Production Company

(A Chevron U.S.A. Inc. Division) 332 Road 3100

Aztec, New Mexico 87410 Tel: 505-333-1941 Fax: 505-334-7134 April.Pohl@chevron.com

VIA EMAIL

July 10, 2012

Sherrie Landon US Bureau of Land Management 6251 College Blvd, Ste A Farmington, New Mexico 87402

**RE: BELOW GRADE TANK CLOSURE NOTIFICATION** 

JICARILLA C #28E	WELL SITE API 30-039-23434
JICARILLA C #26	WELL SITE API 30-039-05918
JICARILLA C #35	WELL SITE API 30-039-23433

Dear Ms. Landon,

This letter serves as surface owner notification for Below Grade Tank closure activities at the following well sites:

JICARILLA C #28E	API 30-039-23434	S 34, T 25N, R 5W	RIO ARRIBA COUNTY
JICARILLA C #26	API 30-039-05918	S21, T 25N, R 5W	RIO ARRIBA COUNTY
JICARILLA C #35	API 30-039-23433	S21, T 25N, R 5W	RIO ARRIBA COUNTY

These wells are operated by Four Star Oil & Gas Co. Closure activities are anticipated to occur and be completed during July, 2012.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact me at (505) 333-1941.

Respectfully submitted,

April E. Pohl Regulatory Specialist Midcontinent Business Unit 32 Road 3100 Aztec, New Mexico 87410

#### Toni McKnight

From:

Pohl, April E [April.Pohl@chevron.com]

Sent: To: Monday, July 09, 2012 9:58 AM Powell, Brandon, EMNRD

Cc:

Clenney, Laura E; Macurdy, David W; Oliver, Adam W.

Subject:

RE: BGT closures planned for week of July 9-13

Thank you very much, I will relay the information. April

From: Powell, Brandon, EMNRD [mailto:Brandon.Powell@state.nm.us]

**Sent:** Monday, July 09, 2012 9:46 AM

To: Pohl, April E

Subject: RE: BGT closures planned for week of July 9-13

Good Morning Mrs. Pohl-

This being the initial notification for Chevron to comply with rule 19.15.17.13. J closures can commence between July 12<sup>th</sup> and July 16<sup>th</sup>. Please also ensure you have a copy of the approved closure plan for each wells prior to closure.

Thank You Brandon Powell I & E Supervisor New Mexico Oil Conservation Office: (505) 334-6178 ext. 116

"He who wishes to gain knowledge is wiser than he who thinks he has knowledge (unknown)"

From: Pohl, April E [mailto:April.Pohl@chevron.com]

Sent: Monday, July 09, 2012 9:37 AM

To: Powell, Brandon, EMNRD

Subject: BGT closures planned for week of July 9-13

Mr. Powell:

Please be advised Chevron will be closing below grade tanks at the following locations during the week of July 9-13, 2012:

Jicarilla C 26

30-039-05918

Jicarilla C 28E

30-039-23434

### Jicarilla C 35 30-039-23433

Thank you,

April E. Pohl
Regulatory Specialist
Aztec, NM
Office 505-333-1941
Fax 505-334-7134
Cell 505-386-8074
April.Pohl@chevron.com

#### Toni McKnight

From:

Pohl, April E [April.Pohl@chevron.com]

Sent:

Thursday, July 12, 2012 7:41 AM

To: Cc: Powell, Brandon, EMNRD; Landon, Sherrie C Clenney, Laura E; Oliver, Adam W.; Macurdy, David W

Subject:

Tank removal notification

Please be advised Chevron will begin the closure process on the Jicarilla C 25 (API 30-039-23433) on July 18. Notification on this site was first done on July 9 but the removal schedule changed and this well will fall outside of the notification parameters. A copy of the approval for both tanks will be onsite.

JICARILLA C #35

RIO ARRIBA COUNTY

April E. Pohl

**Regulatory Specialist** 

Aztec, NM

Office 505-333-1941

Fax 505-334-7134 · Cell 505-386-8074

April.Pohl@chevron.com



#### Field Chloride

Client:

Chevron North America

92270-0985

Sample No.:

1

Date Reported:

Project #:

7/04/0040

Sample ID:

BGT 2 Composite

7/31/2012 7/19/2012

Sample Matrix:

Soil

Date Sampled: Date Analyzed

7/19/2012

Preservative:

Cool

Analysis Needed:

Chloride

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Field Chloride** 

39

32.0

ND = Parameter not detected at the stated detection limit.

References:

"Standard Methods for the Examination of Water and Wastewater", 18th ed., 1992

Hach Company Quantab Titrators for Chloride

Comments:

Jicarilla C 35

Kory Peine

Printed

Review

Toni McKnight, EIT

Printed





# CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

$\sim$	<b>-</b>	
1 2	Dat	Δ.
$\mathbf{v}_{\mathbf{a}}$	 பவ	┗.

19-Jul-12

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
ТРН	100		
	200	200	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

//	W	w	
Analyst	0		

7/31/2012

7/31/2012

Kory Peine

Print Name

Date

Date

Review

Toni McKnight, EIT

Print Name





# **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client<sup>1</sup>

Chevron North America

92270-0985

Sample No.:

Project #: Date Reported:

Sample ID:

**BGT 2 Composite** 

7/31/2012

Sample Matrix:

**Parameter** 

Soil

Date Sampled: 7/19/2012

Preservative:

Cool

Date Analyzed: 7/19/2012 Analysis Needed: TPH-418.1

Condition:

Cool and Intact

	Det.
Concentration	Limit
(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

1,610

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Jicarilla C 35

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Kory Peine

Toni McKnight, EIT Printed

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865





# EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Chevron	Project #:	92270-0985
Sample ID:	BGT #2	Date Reported:	07-24-12
Laboratory Number:	62676	Date Sampled:	07-23-12
Chain of Custody No:	14145	Date Received:	07-23-12
Sample Matrix:	Soil	Date Extracted:	07-24-12
Preservative:	Cool	Date Analyzed:	07-24-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	47.0	0.1
Total Petroleum Hydrocarbons	47.0	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Jicarilla C #35 BGT Closure





# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Chevron	Project #:	92270-0985
Sample ID:	BGT #2	Date Reported:	07-24-12
Laboratory Number:	62676	Date Sampled:	07-23-12
Chain of Custody:	14145	Date Received:	07-23-12
Sample Matrix:	Soil	Date Analyzed:	07-24-12
Preservative:	Cool	Date Extracted:	07-24-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

	Dilution:	50
		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	ND	10.0
Toluene	15.4	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	15.4	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	82.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	91.6 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846

USEPA, December 1996.

Comments:

Jicarilla C #35 BGT Closure





# Chloride

Client:	Chevron	Project #:	92270-0985
Sample ID:	BGT #2	Date Reported:	07-25-12
Lab ID#:	62676	Date Sampled:	07-23-12
Sample Matrix:	Soil	Date Received:	07-23-12
Preservative:	Cool	Date Analyzed:	07-24-12
Condition:	Intact	Chain of Custody:	14145

Parameter Concentration (mg/Kg)	

Total Chloride 140

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.


Comments: Jicarilla C #35 BGT Closure



Site Photography Chevron North America Jicarilla C 35 Well Site (BGT 2) Below Grade Tank Closure Project Number 92270-0985 July 19 and 23, 2012



Picture 1: Jicarilla C 35 Well Site



Picture 2: Reclaimed area from BGT 2.



RCVD AUG 9'12 OIL CONS. DTU

DIST. 3

August 2, 2012

Project Number 92270-0985

Phone: (505) 334-6178

Mr. Brandon Powell New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: BELOW-GRADE TANK CLOSURE DOCUMENTATION FOR THE JICARILLA C 35 WELL SITE (BGT 2), RIO ARRIBA COUNTY, NEW MEXICO

Dear Mr. Powell:

On behalf of Chevron North America, please find enclosed the Below-Grade Tank (BGT) Closure Documentation for BGT closure activities conducted at the Jicarilla C 35 well site located in Section 21, Township 25 North, Range 5 West, Rio Arriba County, New Mexico.

This report details results above the release determination limit of 100 parts per million (ppm) for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, confirming a release had occurred; see attached *BGT Closure Documentation*. The closure standard for the site was determined to be 100 ppm TPH in accordance with the NMOCD Guidelines for Remediation of Leaks, Spill and Releases and the location of the well site on the Jicarilla Apache Reservation. The sample returned results below the closure standard determined for this site using USEPA Method 8015; see attached *Analytical Results*. Envirotech, Inc. recommends no further action in regards to this incident.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTECH, INC.

Toni McKnight, EIT

Environmental Project Manager tmcknight@envirotech-inc.com

Enclosures: Below-Grade Tank Closure Documentation

Email Cc: Ms. Laura Clenney – Chevron NA

Mr. Don Lindsey – Chevron NA