

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office to
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

| | |
|---|-------------------------------------|
| Name of Company Burlington Resources Oil & Gas Company | Contact Crystal Tafoya |
| Address 3401 East 30th St, Farmington, NM | Telephone No. (505) 326-9837 |
| Facility Name: San Juan 28-6 Unit 39 | Facility Type: Gas Well |

| | | |
|--------------------------|--------------------------------------|-----------------------------|
| Surface Owner BLM | Mineral Owner BLM (SF-079051) | API No. 30-039-07156 |
|--------------------------|--------------------------------------|-----------------------------|

LOCATION OF RELEASE

| | | | | | | | | |
|-------------------------|---------------------|------------------------|--------------------|------------------------------|----------------------------------|------------------------------|-------------------------------|-----------------------------|
| Unit Letter N | Section 5 | Township 27N | Range 6W | Feet from the 1055 | North/South Line South | Feet from the 1465 | East/West Line West | County Rio Arriba |
|-------------------------|---------------------|------------------------|--------------------|------------------------------|----------------------------------|------------------------------|-------------------------------|-----------------------------|

Latitude **36.59845** Longitude **107.49298**

NATURE OF RELEASE

| | | |
|--|---|----------------------------|
| Type of Release Produced Fluids | Volume of Release 552 yds | Volume Recovered |
| Source of Release Below Grade Tank | Date and Hour of Occurrence 2/23/2012 | Date and Hour of Discovery |
| Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required | If YES, To Whom? | |
| By Whom? | Date and Hour | |
| Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | If YES, Volume Impacting the Watercourse. | |

If a Watercourse was Impacted, Describe Fully.*
N/A

RCVD AUG 29 '12

OIL CONS. DIV.



DIST. 3

Describe Cause of Problem and Remedial Action Taken.*
Below Grade Tank Closure Activities

Describe Area Affected and Cleanup Action Taken.*

Historical hydrocarbon impacted soil was found during the BGT closure for the subject well. The excavation was 40'X60'X6' and 552 yds of soil was transported to IEL landfarm and 522 yds of clean soil was transported from Aztec Machine and placed in the excavation site. The soil sampling report is attached for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| | | | |
|--|--|---|-----------------------------------|
| Signature:  | | OIL CONSERVATION DIVISION | |
| Printed Name: Crystal Tafoya | | Approved by Environmental Specialist:  | |
| Title: Field Environmental Specialist | | Approval Date: 9/06/2012 | Expiration Date: |
| E-mail Address: crystal.tafoya@conocophillips.com | | Conditions of Approval: | Attached <input type="checkbox"/> |
| Date: 8/28/12 Phone: (505) 326-9837 | | | |

* Attach Additional Sheets If Necessary

n5K1225052930



March 16, 2012

Project Number 92115-2094

Ms. Shelly Cowden
ConocoPhillips
3401 East 30th Street
Farmington, New Mexico 87401

Phone: (505) 599-3403
Cell: (505) 320-2461

RE: CONFIRMATION SAMPLING DOCUMENTATION FOR THE SAN JUAN 28-6 #39 (hBr), SAN JUAN COUNTY, NEW MEXICO


Dear Ms. Cowden,

Enclosed please find the field notes and analytical results for confirmation sampling activities performed at the San Juan 28-6 #39 (hBr) well site located in Section 5, Township 27 North, Range 6 West, San Juan County, New Mexico. Upon Envirotech's personnel arrival, a brief site assessment was conducted, and the regulatory standards for the site were determined to be 5000 parts per million (ppm) total petroleum hydrocarbons (TPH) and 100 ppm organic vapors due to a horizontal distance to surface water greater than 1000 feet and depth to ground water greater than 100 feet, pursuant to New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills, and Releases.

Prior to Envirotech's personnel arrival on February 24, 2012, the area of release had been excavated to extents of approximately 42 feet by 54 feet by seven (7) feet deep. Five (5) composite samples were collected from the excavation. One (1) sample was collected from each of the four (4) walls, and one (1) sample was collected from the bottom at seven (7) feet below ground surface (BGS). The samples were analyzed in the field for TPH using USEPA Method 418.1 and for organic vapors using a photoionization detector (PID). All composite samples returned results below the regulatory standards for TPH. The composite samples from the south wall and bottom of the excavation returned results below the regulatory standards for organic vapors. The composite samples from the north, east and west walls returned results above the regulatory standards for organic vapors; see enclosed *Field Notes*. The composite samples collected from the north, east and west walls were then each collected into a four (4)-ounce glass jar, capped headspace free, and transported on ice, under chain of custody, to Envirotech's Analytical Laboratory to be analyzed for benzene and BTEX using USEPA Method 8021. The composite samples returned results below the regulatory standards for all constituents analyzed; see enclosed *Analytical Results*. Therefore, Envirotech, Inc. recommends no further action in regards to this incident.

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted,
ENVIROTECH, INC.



John Rollins
Senior Environmental Field Technician
jrollins@envirotech-inc.com

Enclosure(s): Field Notes
Analytical Results

Cc: Client File 92115

| | | |
|---|---|--|
| Client: COPC | <small>(505) 832-0815 (800) 362-1879</small> <small>5786 U.S. Hwy 64, Farmington, NM 87401</small> | Project No: 92115-2094 COC No: |
|---|---|--|

FIELD REPORT: SPILL CLOSURE VERIFICATION

PAGE NO: 1 OF 1
 DATE STARTED: 2/24/12
 DATE FINISHED: 2/24/12
 ENVIRONMENTAL SPECIALIST: SK

LOCATION: NAME: SS 28-6 WELL # 39
 QUAD/UNIT: N SEC: 5 TWP: 27N RNG: 60 PM: NM CNTY: ST: NM
 QTR/FOOTAGE: 1055 FSL & 1465 FUL CONTRACTOR:

EXCAVATION APPROX: 42 FT. X 54 FT. X 7 FT. DEEP CUBIC YARDAGE:

DISPOSAL FACILITY: - REMEDIATION METHOD: -

LAND USE: - LEASE: - LAND OWNER: -

CAUSE OF RELEASE: Historical MATERIAL RELEASED: Historical

SPILL LOCATED APPROXIMATELY: 127 FT. NW FROM Wellhead

DEPTH TO GROUNDWATER: 320' NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:


3003907156

| SAMPLE DESCRIPTION | TIME | SAMPLE I.D. | LAB NO. | WEIGHT (g) | mL FREON | DILUTION | READING | CALC. ppm |
|--------------------|------|-------------|---------|------------|----------|----------|---------|-----------|
| 200 STD | 9:10 | STD | - | - | - | - | 200 | 200 |
| Point A | 9:23 | 1 | - | 5 | 20 | 4 | 6 | 24 |
| North Wall | 9:30 | 2 | - | 5 | 20 | 4 | 29 | 116 |
| EAST wall | 9:31 | 3 | - | 5 | 20 | 4 | 44 | 176 |
| SOUTH wall | 9:38 | 4 | - | 5 | 20 | 4 | 18 | 72 |
| WEST WALL | | 5 | | | | | 39 | 156 |

SPILL PERIMETER

OVM RESULTS


SPILL PROFILE



| SAMPLE ID | FIELD HEADSPACE PID (ppm) |
|-----------|---------------------------|
| 1 | 32.1 |
| 2 | 45.5 |
| 3 | 34.0 |
| 4 | 22.4 |
| 5 | 34.3 |
| | |
| | |
| | |

| LAB SAMPLES | | |
|-------------|----------|------|
| SAMPLE ID | ANALYSIS | TIME |
| 2 | 8021 | |
| 3 | 8021 | |
| 5 | 8021 | |
| | | |
| | | |
| | | |
| | | |

X = sample points



TRAVEL NOTES: _____ CALLED OUT: _____ ONSITE: _____



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

| | | | |
|----------------|-----------------|------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample No.: | 1 | Date Reported: | 2/27/2012 |
| Sample ID: | Bottom | Date Sampled: | 2/24/2012 |
| Sample Matrix: | Soil | Date Analyzed: | 2/24/2012 |
| Preservative: | Cool | Analysis Needed: | TPH-418.1 |
| Condition: | Cool and Intact | | |


| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|------------------------------|--------------------------|--------------------------|
| Total Petroleum Hydrocarbons | 24 | 5.0 |

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-6 #39 (hBr)**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

John Rollins
Printed


Review

Toni McKnight, EIT
Printed



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

| | | | |
|----------------|-----------------|------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample No.: | 2 | Date Reported: | 2/27/2012 |
| Sample ID: | North Wall | Date Sampled: | 2/24/2012 |
| Sample Matrix: | Soil | Date Analyzed: | 2/24/2012 |
| Preservative: | Cool | Analysis Needed: | TPH-418.1 |
| Condition: | Cool and Intact | | |

| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|-----------|--------------------------|--------------------------|
|-----------|--------------------------|--------------------------|

| | | |
|------------------------------|-----|-----|
| Total Petroleum Hydrocarbons | 116 | 5.0 |
|------------------------------|-----|-----|

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-6 #39 (hBr)**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

John Rollins
Printed


Review

Toni McKnight, EIT
Printed



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

| | | | |
|----------------|-----------------|------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample No.: | 3 | Date Reported: | 2/27/2012 |
| Sample ID: | East Wall | Date Sampled: | 2/24/2012 |
| Sample Matrix: | Soil | Date Analyzed: | 2/24/2012 |
| Preservative: | Cool | Analysis Needed: | TPH-418.1 |
| Condition: | Cool and Intact | | |


| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|------------------------------|--------------------------|--------------------------|
| Total Petroleum Hydrocarbons | 176 | 5.0 |

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-6 #39 (hBr)**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

John Rollins
Printed


Review

Toni McKnight, EIT
Printed



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

| | | | |
|----------------|-----------------|------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample No.: | 4 | Date Reported: | 2/27/2012 |
| Sample ID: | South Wall | Date Sampled: | 2/24/2012 |
| Sample Matrix: | Soil | Date Analyzed: | 2/24/2012 |
| Preservative: | Cool | Analysis Needed: | TPH-418.1 |
| Condition: | Cool and Intact | | |

| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|-----------|--------------------------|--------------------------|
|-----------|--------------------------|--------------------------|


| | | |
|------------------------------|----|-----|
| Total Petroleum Hydrocarbons | 72 | 5.0 |
|------------------------------|----|-----|

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-6 #39 (hBr)**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

John Rollins
Printed


Review

Toni McKnight, EIT
Printed



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

| | | | |
|----------------|-----------------|------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample No.: | 5 | Date Reported: | 2/27/2012 |
| Sample ID: | West Wall | Date Sampled: | 2/24/2012 |
| Sample Matrix: | Soil | Date Analyzed: | 2/24/2012 |
| Preservative: | Cool | Analysis Needed: | TPH-418.1 |
| Condition: | Cool and Intact | | |


| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|------------------------------|--------------------------|--------------------------|
| Total Petroleum Hydrocarbons | 156 | 5.0 |

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **San Juan 28-6 #39 (hBr)**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

John Rollins
Printed


Review

Toni McKnight, EIT
Printed



CONTINUOUS CALIBRATION
EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Cal. Date: 24-Feb-12

| Parameter | Standard Concentration mg/L | Concentration Reading mg/L |
|-----------|-----------------------------------|----------------------------------|
| TPH | 100 | 200 |
| | 200 | |
| | 500 | |
| | 1000 | |

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.


Analyst

2/27/2012
Date

John Rollins

Print Name


Review

2/27/2012
Date

Toni McKnight, EIT

Print Name



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|----------------|---------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample ID: | North | Date Reported: | 02-27-12 |
| Laboratory Number: | 61225 | Date Sampled: | 02-24-12 |
| Chain of Custody: | 13482 | Date Received: | 02-24-12 |
| Sample Matrix: | Soil | Date Analyzed: | 02-27-12 |
| Preservative: | Cool | Date Extracted: | 02-24-12 |
| Condition: | Intact | Analysis Requested: | BTEX |
| | | Dilution: | 10 |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|-------------------|--------------------------|--------------------------|
| Benzene | ND | 10.0 |
| Toluene | ND | 10.0 |
| Ethylbenzene | ND | 10.0 |
| p,m-Xylene | 30.1 | 10.0 |
| o-Xylene | ND | 10.0 |
| Total BTEX | 30.1 | |


ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 93.1 % |
| | 1,4-difluorobenzene | 96.3 % |
| | Bromochlorobenzene | 96.6 % |


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: San Juan 28-6 #39



Analyst



Review

| | | | |
|--------------------|----------------|---------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample ID: | West | Date Reported: | 02-27-12 |
| Laboratory Number: | 61226 | Date Sampled: | 02-24-12 |
| Chain of Custody: | 13482 | Date Received: | 02-24-12 |
| Sample Matrix: | Soil | Date Analyzed: | 02-27-12 |
| Preservative: | Cool | Date Extracted: | 02-24-12 |
| Condition: | Intact | Analysis Requested: | BTEX |
| | | Dilution: | 10 |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|-------------------|--------------------------|--------------------------|
| Benzene | ND | 10.0 |
| Toluene | 59.0 | 10.0 |
| Ethylbenzene | 36.3 | 10.0 |
| p,m-Xylene | 381 | 10.0 |
| o-Xylene | 92.6 | 10.0 |
| Total BTEX | 570 | |


ND - Parameter not detected at the stated detection limit.


| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 100 % |
| | 1,4-difluorobenzene | 98.3 % |
| | Bromochlorobenzene | 100 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: San Juan 28-6 #39


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|----------------|---------------------|------------|
| Client: | ConocoPhillips | Project #: | 92115-2094 |
| Sample ID: | East | Date Reported: | 02-27-12 |
| Laboratory Number: | 61227 | Date Sampled: | 02-24-12 |
| Chain of Custody: | 13482 | Date Received: | 02-24-12 |
| Sample Matrix: | Soil | Date Analyzed: | 02-27-12 |
| Preservative: | Cool | Date Extracted: | 02-24-12 |
| Condition: | Intact | Analysis Requested: | BTEX |
| | | Dilution: | 10 |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene | ND | 10.0 |
| Toluene | 15.8 | 10.0 |
| Ethylbenzene | ND | 10.0 |
| p,m-Xylene | 91.5 | 10.0 |
| o-Xylene | 24.4 | 10.0 |
| Total BTEX | 132 | |

ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 93.4 % |
| | 1,4-difluorobenzene | 98.7 % |
| | Bromochlorobenzene | 100 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: San Juan 28-6 #39

Analyst

Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|----------------|----------------|----------|
| Client: | N/A | Project #: | N/A |
| Sample ID: | 0227BCAL QA/QC | Date Reported: | 02-27-12 |
| Laboratory Number: | 61225 | Date Sampled: | N/A |
| Sample Matrix: | Soil | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 02-24-12 |
| Condition: | N/A | Analysis: | BTEX |
| | | Dilution: | 10 |

| Calibration and Detection Limits (ug/L) | I-Cal RF | C-Cal RF | %Diff | Blank Conc | Detect Limit |
|--|-----------------------|------------|-------|---------------|-----------------|
| | (Accept. Range 0-15%) | | | | |
| Benzene | 4.5790E-06 | 4.5790E-06 | 0.000 | ND | 1 |
| Toluene | 4.4610E-06 | 4.4610E-06 | 0.000 | ND | 1 |
| Ethylbenzene | 5.0084E-06 | 5.0084E-06 | 0.000 | ND | 1 |
| p,m-Xylene | 3.6939E-06 | 3.6939E-06 | 0.000 | ND | 1 |
| o-Xylene | 5.3829E-06 | 5.3829E-06 | 0.000 | ND | 1 |

| Duplicate Conc. (ug/Kg) | Sample | Duplicate | %Diff | Accept Range | Detect Limit |
|-------------------------|--------|-----------|-------|--------------|--------------|
| Benzene | ND | ND | 0.00 | 0 - 30% | 10 |
| Toluene | ND | ND | 0.00 | 0 - 30% | 10 |
| Ethylbenzene | ND | ND | 0.00 | 0 - 30% | 10 |
| p,m-Xylene | 45.9 | 44.2 | 0.04 | 0 - 30% | 10 |
| o-Xylene | 19.3 | 20.1 | 0.04 | 0 - 30% | 10 |


| Spike Conc. (ug/Kg) | Sample | Amount Spiked | Spiked Sample | % Recovery | Accept Range |
|---------------------|--------|---------------|---------------|------------|--------------|
| Benzene | ND | 500 | 464 | 92.9 | 39 - 150 |
| Toluene | ND | 500 | 469 | 93.8 | 46 - 148 |
| Ethylbenzene | ND | 500 | 456 | 91.3 | 32 - 160 |
| p,m-Xylene | 45.9 | 1000 | 965 | 92.2 | 46 - 148 |
| o-Xylene | 19.3 | 500 | 463 | 89.2 | 46 - 148 |


ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.


Comments: QA/QC for Samples 61225-61227


Analyst


Review

CHAIN OF CUSTODY RECORD

13482

| Client: <i>ConocoPhillips</i> | | | Project Name / Location: <i>San Juan 28-6 #39</i> | | | ANALYSIS / PARAMETERS | | | | | | | | | | | | | |
|--|----------------|--------------|--|--------------------------|------------------------|-----------------------|--|-------------------|---------------|----------------|-----|------------------------|----------------------|--|----------|--|--|-------------|---------------|
| Email results to: | | | Sampler Name: <i>SchnR</i> | | | TPH (Method 8015) | BTEX (Method 8021) | VOC (Method 8260) | RCRA 8 Metals | Cation / Anion | RCI | TCLP with H/P | CO Table 910-1 | TPH (418.1) | CHLORIDE | | | Sample Cool | Sample Intact |
| Client Phone No.: | | | Client No.: <i>92115-2094</i> | | | | | | | | | | | | | | | | |
| Sample No./ Identification | Sample Date | Sample Time | Lab No. | No./Volume of Containers | Preservative | | | | | | | | | | | | | | |
| | | | | | HgCl ₂ | HCl | C ₂ H ₅ I | | | | | | | | | | | | |
| <i>North</i> | <i>2/24/12</i> | <i>10:00</i> | <i>U1225</i> | <i>4 0.2 SAE</i> | | | X | | X | | | | | | | | | X | X |
| <i>West</i> | <i>2/24/12</i> | <i>10:05</i> | <i>U1226</i> | <i>4 0.2 SAE</i> | | | X | | X | | | | | | | | | X | X |
| <i>East</i> | <i>2/24/12</i> | <i>10:10</i> | <i>U1227</i> | <i>4 0.2 SAE</i> | | | X | | X | | | | | | | | | X | X |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Relinquished by: (Signature) <i>[Signature]</i> | | | | | Date <i>2/24/12</i> | Time <i>12:25</i> | Received by: (Signature) <i>Mini am Joe</i> | | | | | Date <i>2/24/12</i> | Time <i>12:25</i> | | | | | | |
| Relinquished by: (Signature) | | | | | | | Received by: (Signature) | | | | | | | | | | | | |
| Sample Matrix Soil <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Sludge <input type="checkbox"/> Aqueous <input type="checkbox"/> Other <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Sample(s) dropped off after hours to secure drop off area. <i>*RUSH*</i> | | | | | | | | | | | | | |  | | | | | |
| 5795 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301 • laboratory@envirotech-inc.com | | | | | | | | | | | | | | | | | | | |