District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised October 10, 2003

abmit 2 Copies to appropriate

Form C-141

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action									
30-()39-	2127	3			OPERATO	R	Initial Rep	oort 🛛 Final Report
	Name of Company: Energen Resources, Inc.				Ed Hasely				
						Felephone No: 5			
Facility Nar	Facility Name: Jicarilla 96 #8A (Tank BGT) Facility Type: Oil/Gas Well Site								
Surface Ow	ner: Jicarill	a		Mineral Ow	ner:	Jicarilla		Lease No. Jic	arilla 96
				LOCAT	ION	OF RELEA	SE		
Unit Letter M	Section 12	Township 26N	Range 3W	Feet from the	No	rth/South Line	Feet from the	East/West Line	County Rio Arriba
			Latit	ude36.49454		Longitud	e107.09989		
				NATU	RE	OF RELEAS			
Type of Rele						Volume of Rele		Volume Recove	
Source of Re	lease: Produc	tion Pit Tank				Date and Hour Unknown	of Occurrence:	Date and Hour 7/5/12	of Discovery:
Was Immedi	ate Notice G		es 🗌 ì	No Not Requ	ired	If YES, To Who	om? NMOCD -		icarılla EPO – Hobson
By Whom?	Ed Hasely					Date and Hour:			
Was a Water	course Reac		Yes 🛛 1	No		If YES, Volume	Impacting the W	atercourse. NA	
	If a Watercourse was Impacted, Describe Fully.* NA RCVD AUG 30 '12 OIL CONS. DIV. DIST. 3								
Describe Are	ath the tank d	uring the belo	w-grade to	ank closure were v	ately		soil were excavate	e, this is an indication of the control of the cont	on of a release.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations									
Signature:	Signature: 57 Hasch								
Printed Name	Printed Name: Ed Hasely Approved by District Supervisor: Approved by District Supervisor:								
Title:	Title: Sr. Environmental Engineer Approval Date: Approval Date:					<u> </u>			
E-mail Address: ed.hasely@energen.com Conditions of Approval: Attached			ched						
	Date: 8/28/12 Phone: 505-324-4131 / 505-330-3584(cell)								
Auach Addit	ionai Sneets	Attach Additional Sheets If Necessary NJK 1225056221				v2	x 12250	56821	



Chloride

Client: Energen Resources Project #: 03022-0001 Sample ID: Jicarilla 96 #8A Tank BGT Sides Date Reported: 07-26-12 Lab ID#: 62683 Date Sampled: 07-24-12 Sample Matrix: Soil Date Received: 07-24-12 Preservative: Cool Date Analyzed: 07-26-12 Condition: Intact Chain of Custody: 14150

Parameter Concentration (mg/Kg)

Total Chloride

10

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Jicarilla BGT





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen Resources	Project #:	03022-0001
Sample ID:	Jicarilla 96 #8A Tank BGT Sides	Date Reported:	07-26-12
Laboratory Number:	62683	Date Sampled:	07-24-12
Chain of Custody:	14150	Date Received:	07-24-12
Sample Matrix:	Soil	Date Analyzed:	07-26-12
Preservative:	Cool	Date Extracted:	07-25-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

	Dilution.	20
		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	104 %
	1,4-difluorobenzene	103 %
	Bromochlorobenzene	87.7 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846

USEPA, December 1996.

Comments: Jicarilla BGT





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen Resources	Project #:	03022-0001
Sample ID:	Jicarilla 96 #8A Tank BGT Sides	Date Reported:	07-26-12
Laboratory Number:	62683	Date Sampled:	07-24-12
Chain of Custody No:	14150	Date Received:	07-24-12
Sample Matrix:	Soil	Date Extracted:	07-25-12
Preservative:	Cool	Date Analyzed:	07-25-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating

Solid Waste, SW-846, USEPA, December 1996.

Comments:

Jicarilla BGT





Chloride

Client: **Energen Resources** Project #: 03022-0001 Jicarilla 96 #8A Tank BGT Bottom Date Reported: 07-26-12 Sample ID: Lab ID#: 62682 Date Sampled: 07-24-12 Sample Matrix: Soil Date Received: 07-24-12 Preservative: Cool Date Analyzed: 07-26-12 Condition: Intact Chain of Custody: 14150

Parameter Concentration (mg/Kg)

Total Chloride

20

Reference.

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Jicarilla BGT





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

50
- · - · ·
sted: BTEX
07-25-12
07-26-12
07-24-12
07-24-12
07-26-12
03022-0001

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	w
Benzene	ND	10.0	
Toluene	ND	10.0	
Ethylbenzene	ND	10.0	
p,m-Xylene	69.6	10.0	
o-Xylene	23.6	10.0	
Total BTEX	93.2		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	101 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	88.3 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846

USEPA, December 1996.

Comments: Jicarilla BGT





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen Resources	Project #:	03022-0001
Sample ID:	Jicarilla 96 #8A Tank BGT Bottom	Date Reported:	07-26-12
Laboratory Number:	62682	Date Sampled:	07-24-12
Chain of Custody No:	14150	Date Received:	07-24-12
Sample Matrix:	Soil	Date Extracted:	07-25-12
Preservative:	Cool	Date Analyzed:	07-25-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1.6	0.1
Total Petroleum Hydrocarbons	1.6	

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating

Solid Waste, SW-846, USEPA, December 1996.

Comments: Jicarilla BGT



Ed Hasely

From:

Powell, Brandon, EMNRD [Brandon.Powell@state.nm.us]

Sent: To: Friday, August 03, 2012 2:54 PM Ed Hasely; Kelly, Jonathan, EMNRD

Cc:

'Hobson Sandoval'

Subject:

RE: APPROVAL REQUEST - Jicarilla 96 #8A

You have approval from us because you are at sandstone

Thank You Brandon Powell I & E Supervisor

New Mexico Oil Conservation Office: (505) 334-6178 ext. 116

From: Ed Hasely [mailto:Ed.Hasely@energen.com]

Sent: Friday, August 03, 2012 8:27 AM

To: Powell, Brandon, EMNRD; Kelly, Jonathan, EMNRD

Cc: 'Hobson Sandoval'

Subject: APPROVAL REQUEST - Jicarilla 96 #8A

Still waiting to hear on this request. Please let me know soon so we can get the excavation backfilled. Thanks.

Ed Hasely

Energen Resources Corporation

From: Ed Hasely

Sent: Friday, July 27, 2012 4:09 PM

To: 'Powell, Brandon, EMNRD'; 'Kelly, Jonathan, EMNRD' **Cc:** 'Hobson Sandoval'; Jason Peace; Michael Dean **Subject:** Approval Request - Jicarilla 96 #8A

Brandon / Hobson – This is a request for approval to backfill and close the excavation associated w/ the Separator BGT closure on the Jicarilla 96 #8A. Impacted soils were excavated down to hard sandstone approximately 15 feet deep. Samples were collected from the bottom and the side walls. The following are the results:

	Bottom	Sides
TPH (8015)	175	ND
BTEX	.014	ND
Chlorides	ND	20

All numbers are in ppm. Since we hit bedrock, the sides are clean, and the TPH of the bottom was only 175 ppm, we request approval to close this excavation. Please let me know your concurrence. Thanks.

Ed Hasely

Energen Resources Corporation

From: Ed Hasely

Sent: Thursday, July 05, 2012 8:29 AM

[&]quot;He who wishes to gain knowledge is wiser than he who thinks he has knowledge (unknown)"

To: 'Powell, Brandon, EMNRD'; 'Kelly, Jonathan, EMNRD'

Cc: 'Hobson Sandoval'; Jason Peace

Subject: Jicarilla 96 #8A - Possible Past Release Notification

Brandon – This is to notify you that impacted soils were discovered under the BGT on the Jicarilla 96 #8A. We are proceeding w/ closure per 19.15.29 and 19.15.30.

Ed Hasely

Energen Resources Corporation

From: Ed Hasely

Sent: Friday, June 29, 2012 7:19 AM

To: 'Kelly, Jonathan, EMNRD'

Cc: 'hsandoval_99@yahoo.com'; Michael Dean **Subject:** BGT Closure Notifications - Jicarilla

Jonathan – Energen plans to close the below listed BGT's in the near future. Let me know if you have questions. Thanks.

Jica rilla 96 #3A - Unit Letter J, Section 12, Township 26N, Range 3W

Jicarilla 96 #8A - Unit Letter D, Section 13, Township 26N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen.com
Office: (505) 324-4131

Cell: (505) 330-3584