

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised July 10, 2010

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit one copy to appropriate
District Office

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

AMENDED REPORT

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-039-31080	Pool Code 71599/72319/97232	Pool Name BASIN DAKOTA/BLANCO MESAVERDE/MANCOS
Property Code 7465	Property Name SAN JUAN 29-7 UNIT	Well Number 82M
GRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	Elevation 6209'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	4	29N	7W		775'	SOUTH	1535'	EAST	RIO ARriba


11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	4	29N	7W		1969'	SOUTH	729'	EAST	RIO ARriba

Dedicated Acres 317.38 Acres - (E/2)	Joint or Infill	Consolidation Code	Order No. RCVD SEP 19'12 OIL CONS. DIV.
---	-----------------	--------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Tamra Sessions* Date: 9/14/12

Printed Name: Tamra Sessions

E-mail Address: tamra.d.sessions@conocophillip.com


18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 17, 2011

Date of Survey: OCTOBER 17, 2011

Signature and Seal of Registered Professional Land Surveyor



DAVID RUSSELL

Certificate Number: 10201



COP Deviation Report
SAN JUAN 29-7 UNIT #82M

ROUND SEP 19 '12
OIL CONS. DIV.

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 29-7 UNIT #82M	API / UWI 3003931080	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 004-029N-007W-O	N/S Dist (ft) 775 00	N/S Ref FSL	E/W Dist (ft) 1,535.00	E/W Ref FEL

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
6/21/2012	128 00	1.00		Inc-Drop	MO-TE DRILLING INC
6/21/2012	231 00	0.50		Inc-Drop	MO-TE DRILLING INC
7/2/2012	262 00	0.26	233.81	Inc-MWD	Scientific Drilling
7/2/2012	323 00	0.51	17.37	Inc-MWD	Scientific Drilling
7/2/2012	353.00	1.08	29 24	Inc-MWD	Scientific Drilling
7/2/2012	384 00	1.61	37.75	Inc-MWD	Scientific Drilling
7/2/2012	414 00	2.06	34.12	Inc-MWD	Scientific Drilling
7/2/2012	445 00	2 72	31.25	Inc-MWD	Scientific Drilling
7/2/2012	475 00	3.68	31.46	Inc-MWD	Scientific Drilling
7/2/2012	506 00	4.44	30 46	Inc-MWD	Scientific Drilling
7/2/2012	567 00	6.14	32 34	Inc-MWD	Scientific Drilling
7/2/2012	628.00	7.82	34 56	Inc-MWD	Scientific Drilling
7/2/2012	689 00	9.68	33 44	Inc-MWD	Scientific Drilling
7/2/2012	750 00	11.37	33 16	Inc-MWD	Scientific Drilling
7/2/2012	811 00	13.27	33.85	Inc-MWD	Scientific Drilling
7/2/2012	874 00	14 96	35 63	Inc-MWD	Scientific Drilling
7/2/2012	938.00	16.78	35 32	Inc-MWD	Scientific Drilling
7/2/2012	1,001 00	18.77	35 36	Inc-MWD	Scientific Drilling
7/2/2012	1,064 00	20.92	35.03	Inc-MWD	Scientific Drilling
7/2/2012	1,127.00	22.94	34.63	Inc-MWD	Scientific Drilling
7/2/2012	1,190.00	25.15	35 41	Inc-MWD	Scientific Drilling
7/2/2012	1,253.00	25.46	35.97	Inc-MWD	Scientific Drilling
7/2/2012	1,316 00	27.07	36.08	Inc-MWD	Scientific Drilling
7/2/2012	1,379.00	28.33	37.02	Inc-MWD	Scientific Drilling
7/2/2012	1,442.00	28.51	36.83	Inc-MWD	Scientific Drilling
7/2/2012	1,506 00	28.57	35.81	Inc-MWD	Scientific Drilling
7/2/2012	1,569.00	28.74	35 23	Inc-MWD	Scientific Drilling
7/2/2012	1,633 00	27.58	34 99	Inc-MWD	Scientific Drilling
7/2/2012	1,727.00	24.27	33.63	Inc-MWD	Scientific Drilling
7/2/2012	1,822 00	24.82	33.23	Inc-MWD	Scientific Drilling
7/2/2012	1,885 00	25.40	32.93	Inc-MWD	Scientific Drilling
7/2/2012	1,949.00	26.49	33.00	Inc-MWD	Scientific Drilling
7/2/2012	2,012.00	26.86	32.93	Inc-MWD	Scientific Drilling
7/2/2012	2,075.00	26.74	32.88	Inc-MWD	Scientific Drilling
7/2/2012	2,138.00	26.01	31.84	Inc-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

COP Deviation Report
SAN JUAN 29-7 UNIT #82M

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
7/2/2012	2,201.00	26.60	31.76	Inc-MWD	Scientific Drilling
7/2/2012	2,264.00	27.45	31.89	Inc-MWD	Scientific Drilling
7/2/2012	2,327.00	28.32	31.74	Inc-MWD	Scientific Drilling
7/2/2012	2,391.00	29.00	31.68	Inc-MWD	Scientific Drilling
7/2/2012	2,453.00	28.56	32.08	Inc-MWD	Scientific Drilling
7/2/2012	2,517.00	27.11	32.65	Inc-MWD	Scientific Drilling
7/3/2012	2,581.00	26.85	32.84	Inc-MWD	Scientific Drilling
7/3/2012	2,644.00	27.28	33.65	Inc-MWD	Scientific Drilling
7/3/2012	2,706.00	27.28	35.51	Inc-MWD	Scientific Drilling
7/3/2012	2,769.00	26.69	32.51	Inc-MWD	Scientific Drilling
7/3/2012	2,832.00	25.86	31.36	Inc-MWD	Scientific Drilling
7/3/2012	2,894.00	25.28	31.76	Inc-MWD	Scientific Drilling
7/3/2012	2,957.00	24.96	33.31	Inc-MWD	Scientific Drilling
7/3/2012	3,021.00	24.68	34.48	Inc-MWD	Scientific Drilling
7/3/2012	3,084.00	24.12	34.66	Inc-MWD	Scientific Drilling
7/3/2012	3,148.00	22.93	33.46	Inc-MWD	Scientific Drilling
7/3/2012	3,211.00	22.73	35.63	Inc-MWD	Scientific Drilling
7/3/2012	3,274.00	23.13	37.12	Inc-MWD	Scientific Drilling
7/3/2012	3,338.00	24.95	37.63	Inc-MWD	Scientific Drilling
7/3/2012	3,401.00	26.45	37.14	Inc-MWD	Scientific Drilling
7/3/2012	3,464.00	26.64	36.89	Inc-MWD	Scientific Drilling
7/3/2012	3,528.00	25.23	35.61	Inc-MWD	Scientific Drilling
7/3/2012	3,591.00	23.44	34.12	Inc-MWD	Scientific Drilling
7/3/2012	3,654.00	21.24	32.73	Inc-MWD	Scientific Drilling
7/3/2012	3,717.00	19.04	31.74	Inc-MWD	Scientific Drilling
7/3/2012	3,780.00	17.69	32.10	Inc-MWD	Scientific Drilling
7/3/2012	3,843.00	17.10	32.60	Inc-MWD	Scientific Drilling
7/3/2012	3,907.00	15.44	32.44	Inc-MWD	Scientific Drilling
7/3/2012	3,970.00	14.57	32.62	Inc-MWD	Scientific Drilling
7/3/2012	4,033.00	13.68	34.09	Inc-MWD	Scientific Drilling
7/3/2012	4,097.00	12.21	33.88	Inc-MWD	Scientific Drilling
7/3/2012	4,160.00	11.26	34.10	Inc-MWD	Scientific Drilling
7/3/2012	4,224.00	9.27	34.09	Inc-MWD	Scientific Drilling
7/3/2012	4,287.00	8.24	32.68	Inc-MWD	Scientific Drilling
7/3/2012	4,351.00	6.88	34.99	Inc-MWD	Scientific Drilling
7/3/2012	4,414.00	5.80	39.17	Inc-MWD	Scientific Drilling
7/3/2012	4,477.00	4.37	39.11	Inc-MWD	Scientific Drilling
7/3/2012	4,500.00	3.94	40.59	Inc-MWD	Scientific Drilling
7/11/2012	7,805.00	1.50		Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Daniel J. Grier for ConocoPhillips Company, am authorized by said Company to make this report, and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this 9/16/12

Notary Public in and for San Juan County, New Mexico

My Commission expires 7/20/14



RCVD SEP 19 '12

OIL CONS. DIV.

DIST. 3

ConocoPhillips

SJB (NM Central)

SEC 04-T29N-R7W

San Juan 29-7 Unit 82M

OH

AD1# 3003931020

Design: OH


Standard Survey Report

27 July, 2012

This survey is correct to the best of my knowledge and is supported by actual field data.


Notarized this date 30th of July, 2012.

Notary Signature
County of Natrona
State of Wyoming





ConocoPhillips

Project: SJB (NM Central)
 Site: SEC 04-T29N-R7W
 Well: San Juan 29-7 Unit 82M
 Wellbore: OH
 Design: OH



WELL DETAILS: San Juan 29-7 Unit 82M
 GL 6209' & KB 15' @ 6224.0ft (AWS 730)
 Ground Level: 6209.0

Northing	Easting	Latitude	Longitude
2094754.55	112713.24	36° 44' 58.610 N	107° 34' 18.919 W



REFERENCE INFORMATION
 Co-ordinate (N/E) Reference: Well San Juan 29-7 Unit 82M, True North
 Vertical (TVD) Reference: GL 6209' & KB 15' @ 6224.0ft (AWS 730)
 Section (VS) Reference: Slot - (0.0N, 0.0E)
 Measured Depth Reference: GL 6209' & KB 15' @ 6224.0ft (AWS 730)
 Calculation Method: Minimum Curvature

PROJECT DETAILS: SJB (NM Central)
 Geodetic System: US State Plane 1927 (Exact solution)
 Datum: NAD 1927 (NADCON CONUS)
 Ellipsoid: Clarke 1866
 Zone: New Mexico Central 3002
 System Datum: Mean Sea Level

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 29-7 Unit 82M
Project:	SJB (NM Central)	TVD Reference:	GL 6209' & KB 15' @ 6224.0ft (AWS 730)
Site:	SEC 04-T29N-R7W	MD Reference:	GL 6209' & KB 15' @ 6224 0ft (AWS 730)
Well:	San Juan 29-7 Unit 82M	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003 21 Single User Db

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site	SEC 04-T29N-R7W		
Site Position:		Northing:	2,094,754.55 ft
From:	Lat/Long	Easting:	112,713.24 ft
Position Uncertainty:	0 0 ft	Slot Radius:	"
		Latitude:	36° 44' 58.610 N
		Longitude:	107° 34' 18.919 W
		Grid Convergence:	-0.79 °

Well	San Juan 29-7 Unit 82M, 775' FSL 1535' FEL		
Well Position	+N/-S	0 0 ft	Northing: 2,094,754.55 ft
	+E/-W	0.0 ft	Easting: 112,713.24 ft
Position Uncertainty	0.0 ft	Wellhead Elevation:	ft
		Latitude:	36° 44' 58.610 N
		Longitude:	107° 34' 18.919 W
		Ground Level:	6,209.0 ft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	BGGM2012	2012/06/29	9.73	63.47	50,619

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0 0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction
	(ft)	(ft)	(ft)	(°)
	0.0	0 0	0.0	34.58

Survey Program	Date 2012/07/27			
From	To	Survey (Wellbore)	Tool Name	Description
(ft)	(ft)			
262.0	4,500.0	Survey #1 (OH)	MWD SDI	MWD - Standard ver 1 0 1

Survey										
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate	
(ft)	(°)	(°)	(ft)	(ft)	(ft)	(ft)	(°/100ft)	(°/100ft)	(°/100ft)	
0.0	0.00	0 00	0.0	0.0	0.0	0 0	0.00	0.00	0.00	
262.0	0 26	233.81	262.0	-0.4	-0.5	-0.6	0 10	0.10	0 00	
First SDI MWD Survey										
323.0	0.51	17.37	323.0	-0.2	-0.5	-0.4	1 21	0 41	235.34	
353.0	1.08	29.24	353.0	0 2	-0.3	0 0	1 97	1 90	39.57	
384.0	1.61	37.75	384.0	0 8	0 1	0 7	1 82	1 71	27 45	
414.0	2.06	34.12	414.0	1 6	0 6	1 7	1 55	1 50	-12 10	
445.0	2.72	31.25	444.9	2 7	1 3	3 0	2 16	2 13	-9 26	
475.0	3.68	31.46	474.9	4 1	2 2	4 6	3 20	3 20	0 70	
506.0	4.44	30.46	505.8	6 0	3 3	6 8	2 46	2 45	-3 23	
567.0	6.14	32 34	566.6	10 8	6 3	12 4	2 80	2 79	3 08	
628.0	7.82	34 56	627.1	16 9	10 4	19 8	2 79	2 75	3 64	
689.0	9 68	33 44	687.4	24 6	15 6	29 1	3 06	3 05	-1 84	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 29-7 Unit 82M
Project:	SJB (NM Central)	TVD Reference:	GL 6209' & KB 15' @ 6224.0ft (AWS 730)
Site:	SEC 04-T29N-R7W	MD Reference:	GL 6209' & KB 15' @ 6224.0ft (AWS 730)
Well:	San Juan 29-7 Unit 82M	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003.21 Single User Db

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
750.0	11.37	33.16	747.4	34.0	21.7	40.3	2.77	2.77	-0.46
811.0	13.27	33.85	807.0	44.8	28.9	53.3	3.12	3.11	1.13
874.0	14.96	35.63	868.1	57.4	37.6	68.6	2.77	2.68	2.83
938.0	16.78	35.32	929.6	71.7	47.8	86.1	2.85	2.84	-0.48
1,001.0	18.77	35.36	989.6	87.4	58.9	105.4	3.16	3.16	0.06
1,064.0	20.92	35.03	1,048.9	104.8	71.2	126.7	3.42	3.41	-0.52
1,127.0	22.94	34.63	1,107.3	124.2	84.7	150.3	3.22	3.21	-0.63
1,190.0	25.15	35.41	1,164.8	145.2	99.4	175.9	3.54	3.51	1.24
1,253.0	25.46	35.97	1,221.8	167.0	115.1	202.9	0.62	0.49	0.89
1,316.0	27.07	36.08	1,278.3	189.6	131.5	230.7	2.56	2.56	0.17
1,379.0	28.33	37.02	1,334.0	213.1	148.9	260.0	2.12	2.00	1.49
1,442.0	28.51	36.83	1,389.5	237.1	167.0	290.0	0.32	0.29	-0.30
1,506.0	28.57	35.81	1,445.7	261.7	185.1	320.5	0.77	0.09	-1.59
1,569.0	28.74	35.23	1,501.0	286.3	202.6	350.7	0.52	0.27	-0.92
1,633.0	27.58	34.99	1,557.4	311.0	220.0	380.9	1.82	-1.81	-0.38
1,727.0	24.27	33.63	1,641.9	344.9	243.2	422.0	3.58	-3.52	-1.45
1,822.0	24.82	33.23	1,728.3	377.9	264.9	461.5	0.60	0.58	-0.42
1,885.0	25.40	32.93	1,785.4	400.3	279.5	488.2	0.94	0.92	-0.48
1,949.0	26.49	33.00	1,842.9	423.8	294.7	516.2	1.70	1.70	0.11
2,012.0	26.86	32.93	1,899.2	447.5	310.1	544.5	0.59	0.59	-0.11
2,075.0	26.74	32.88	1,955.5	471.3	325.6	572.8	0.19	-0.19	-0.08
2,138.0	26.01	31.84	2,011.9	495.0	340.5	600.8	1.37	-1.16	-1.65
2,201.0	26.60	31.76	2,068.4	518.7	355.3	628.7	0.94	0.94	-0.13
2,264.0	27.45	31.89	2,124.5	543.0	370.4	657.3	1.35	1.35	0.21
2,327.0	28.32	31.74	2,180.2	568.1	385.9	686.7	1.39	1.38	-0.24
2,391.0	29.00	31.68	2,236.3	594.2	402.0	717.4	1.06	1.06	-0.09
2,453.0	28.56	32.08	2,290.7	619.5	417.8	747.2	0.77	-0.71	0.65
2,517.0	27.11	32.65	2,347.3	644.8	433.8	777.1	2.30	-2.27	0.89
2,581.0	26.85	32.84	2,404.3	669.2	449.5	806.1	0.43	-0.41	0.30
2,644.0	27.28	33.65	2,460.4	693.2	465.2	834.7	0.90	0.68	1.29
2,706.0	27.28	35.51	2,515.5	716.6	481.3	863.1	1.37	0.00	3.00
2,769.0	26.69	32.51	2,571.7	740.2	497.3	891.7	2.35	-0.94	-4.76
2,832.0	25.86	31.36	2,628.1	763.9	512.1	919.6	1.55	-1.32	-1.83
2,894.0	25.28	31.76	2,684.1	786.7	526.1	946.3	0.98	-0.94	0.65
2,957.0	24.96	33.31	2,741.1	809.3	540.5	973.0	1.16	-0.51	2.46
3,021.0	24.68	34.48	2,799.2	831.6	555.4	999.9	0.88	-0.44	1.83
3,084.0	24.12	34.66	2,856.6	853.0	570.2	1,025.9	0.90	-0.89	0.29
3,148.0	22.93	33.46	2,915.3	874.1	584.5	1,051.5	2.00	-1.86	-1.88
3,211.0	22.73	35.63	2,973.3	894.3	598.4	1,075.9	1.37	-0.32	3.44
3,274.0	23.13	37.12	3,031.3	914.0	612.9	1,100.4	1.12	0.63	2.37
3,338.0	24.95	37.63	3,089.8	934.8	628.8	1,126.5	2.86	2.84	0.80
3,401.0	26.45	37.14	3,146.6	956.5	645.3	1,153.8	2.40	2.38	-0.78
3,464.0	26.64	36.89	3,202.9	978.9	662.3	1,181.9	0.35	0.30	-0.40
3,528.0	25.23	35.61	3,260.5	1,001.5	678.8	1,209.9	2.37	-2.20	-2.00
3,591.0	23.44	34.12	3,317.9	1,022.8	693.7	1,235.8	3.00	-2.84	-2.37
3,654.0	21.24	32.73	3,376.1	1,042.8	706.9	1,259.8	3.59	-3.49	-2.21
3,717.0	19.04	31.74	3,435.3	1,061.1	718.5	1,281.4	3.53	-3.49	-1.57
3,780.0	17.69	32.10	3,495.1	1,078.0	729.0	1,301.3	2.15	-2.14	0.57
3,843.0	17.10	32.60	3,555.2	1,093.9	739.0	1,320.1	0.97	-0.94	0.79
3,907.0	15.44	32.44	3,616.6	1,109.0	748.7	1,338.0	2.59	-2.59	-0.25
3,970.0	14.57	32.62	3,677.5	1,122.7	757.5	1,354.3	1.38	-1.38	0.29
4,033.0	13.68	34.09	3,738.6	1,135.6	765.9	1,369.7	1.52	-1.41	2.33
4,097.0	12.21	33.88	3,800.9	1,147.5	773.9	1,384.0	2.30	-2.30	-0.33
4,160.0	11.26	34.10	3,862.6	1,158.1	781.1	1,396.8	1.51	-1.51	0.35

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 29-7 Unit 82M
Project:	SJB (NM Central)	TVD Reference:	GL 6209' & KB 15' @ 6224.0ft (AWS 730)
Site:	SEC 04-T29N-R7W	MD Reference:	GL 6209' & KB 15' @ 6224.0ft (AWS 730)
Well:	San Juan 29-7 Unit 82M	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 2003 21 Single User Db

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,224.0	9.27	34.09	3,925.6	1,167.5	787.5	1,408.2	3.11	-3.11	-0.02
4,287.0	8.24	32.68	3,987.9	1,175.5	792.8	1,417.8	1.67	-1.63	-2.24
4,351.0	6.88	34.99	4,051.3	1,182.5	797.4	1,426.2	2.18	-2.13	3.61
4,414.0	5.80	39.17	4,113.9	1,188.1	801.6	1,433.2	1.86	-1.71	6.63
4,477.0	4.37	39.11	4,176.7	1,192.4	805.1	1,438.7	2.27	-2.27	-0.10
4,500.0	3.94	40.59	4,199.6	1,193.7	806.2	1,440.4	1.93	-1.87	6.43
Last SDI MWD Survey									

Design Annotations				
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
262.0	262.0	-0.4	-0.5	First SDI MWD Survey
4,500.0	4,199.6	1,193.7	806.2	Last SDI MWD Survey

Checked By: _____ Approved By: _____ Date: _____