District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

ΛO	١
1520	
10,2	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

1 Toposed Atternative Method I crimit of	Closure I fait Application
Type of action: Permit of a pit, closed-loop system, below- Closure of a pit, closed-loop system, below- Modification to an existing permit Closure plan only submitted for an existing below-grade tank, or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, cl	losed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operator of memory. Nor does approval relieve the operator of its responsibility to comply with any other contents.	perations result in pollution of surface water, ground water or the
Operator. Energen Resources	OGRID #162928
Address. 2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name:	
API Number OCD Permit Number:	
U/L or Qtr/Qtr A Section 2 Township26N Range03W	County Rio Arriba
Center of Proposed Design Latitude 36 51986 Longitude -107 10	
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment	
2	
Pit: Subsection F or G of 19.15 17.11 NMAC	RCVD OCT 19'12
Temporary Drilling Workover	OIL CONS. DIV.
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A	DIST. 3
Lined Unlined Liner type. Thicknessmil LLDPE HDPE [PVC Other
String-Reinforced	
Liner Seams: Welded Factory Other Volume	bbl Dimensions: Lx Wx D
3. Closed-loop System: Subsection H of 19.15 17.11 NMAC	
Type of Operation. P&A Drilling a new well Workover or Drilling (Applies t intent)	to activities which require prior approval of a permit or notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDP	PE PVC Other
Liner Seams Welded Factory Other	
4. X Below-grade tank: Subsection I of 19.15 17.11 NMAC	
Volume: bhl. Type of fluid: Produced Water	
Volumebbl Type of fluidProduced Water Tank Construction material.	

Alternative Method:

Liner type. Thickness

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

mil HDPE PVC Other

☐ Visible sidewalls and liner 🕺 Visible sidewalls only ☐ Other _

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school,	hospital,
 institution or church) ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet 	
Alternate. Please specify	
7	
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15 17 11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19 15 3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance	
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accepmaterial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain FEMA map	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC
Proposed Closure: 19 15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions: Please indentify the facility or facilities for the disposal of liquids, dri		
facilities are required.	-	
1	isposal Facility Permit Number:	
Disposal Facility Name: D	isposal Facility Permit Number	·
Will any of the proposed closed-loop system operations and associated activities occur. Yes (If yes, please provide the information below) No	or on or in areas that will not be used for future ser	vice and operations?
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of Site Reclamation Plan - based upon the appropriate requirements of Subsection	equirements of Subsection H of 19 15.17.13 NMA of 19.15.17 13 NMAC	c
Siting Criteria (regarding on-site closure methods only): 19 15.17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the cloprovided below. Requests regarding changes to certain siting criteria may require a considered an exception which must be submitted to the Santa Fe Environmental B demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate dist Eureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data of	btained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifiake (measured from the ordinary high-water mark) - Topographic map; Visual inspection (certification) of the proposed site	ficant watercourse or lakebed, sınkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site, Aerial photo, Satellite in		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the watering purposes, or within 1000 horizontal feet of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspection (ce	ing, in existence at the time of initial application	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water valued adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval.	•	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual i	nspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining at	nd Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Society, Topographic map	k Mineral Resources, USGS, NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
18. On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the f by a check mark in the box, that the documents are attached. □ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Si □ Construction/Design Plan of Burial Trench (if applicable) based upon the appr □ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad □ Protocols and Procedures - based upon the appropriate requirements of 19 15.1 □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Su □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and dril □ Soil Cover Design - based upon the appropriate requirements of Subsection H of Re-vegetation Plan - based upon the appropriate requirements of Subsection I of Site Reclamation Plan - based upon the appropriate requirements of Subsection	rements of 19 15 17 10 NMAC subsection F of 19 15 17 13 NMAC repriate requirements of 19 15 17 11 NMAC) - based upon the appropriate requirements of 19 7.13 NMAC rements of Subsection F of 19 15.17.13 NMAC absection F of 19.15.17 13 NMAC 1 cuttings or in case on-site closure standards cann of 19.15.17.13 NMAC of 19 15.17.13 NMAC	15 17.11 NMAC

Form C-144

1	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accur	ate and complete to the best of my knowledge and belief
Name (Print) Tit	le:
Signature:	
e-mail address Telephone	
OCD Approval: Permit Application (including closure plan) Closure Poch Representative Signature: Title:	Approval Date: DEVICE OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of to section of the form until an approved closure plan has been obtained and the closure plan prior to the plan has been obtained and the closure plan prior to the plan prior to the plan has been obtained and the closure plan prior to the plan pri	to implementing any closure activities and submitting the closure report. he completion of the closure activities. Please do not complete this osure activities have been completed.
	☐ Closure Completion Date: 10/10/12
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternate ☐ If different from approved plan, please explain	ative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, dril two facilities were utilized.	
Disposal Facility Name	Disposal Facility Permit Number
Disposal Facility Name	*
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operation. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation. Re-vegetation Application Rates and Seeding Technique	ons
24 Cleaning Deposit Attachment Checklists Justinistic Fresh of the following is	and must be attracted to the placement of Diametric disease by a check
Closure Report Attachment Checklist: Instructions: Each of the following it mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation)	
On-site Closure Location. Latitude Longit	nude NAD
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.	
Name (Print): Ed Hasely	Title: Sr. Environmental Engineer
Signature Ed Hasely	Date: 16/18/12
e-mail address <u>ed hasely@energen com</u>	Telephone: (505) 324-4131

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Jicarilla 96 #2

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

 No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

 Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred
 - Collect, at a minimum, a five point, composite sample;
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	102 (exceedance)
Chlorides	250	53.9

(7) IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Not applicable.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Attached. Proceeded per 19.15.29 and 19.15.30.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- **(B)** Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

Ed Hasely

From:

Ed Hasely

Sent:

Friday, August 24, 2012 2.22 PM

To:

'Kelly, Jonathan, EMNRD', 'Hobson Sandoval'

Subject:

Notification of Possible Past Release

Sampling beneath the BGTs on the Jicarilla 96 #2 revealed 418.1 TPH result of over 100 ppm. Per the Pit Rule, this is an indication of a possible past release. We will proceed per 19.15.29 and 19.15.30.

Ed Hasely

Energen Resources Corporation

From: Ed Hasely

Sent: Thursday, August 16, 2012 2:38 PM **To:** 'Kelly, Jonathan, EMNRD'; 'Hobson Sandoval' **Subject:** BGT Closure Notifications - Jicarilla

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you

have questions. Thanks.

Jica rilla 96 #2 - Unit Letter A, Section 2, Township 26N, Range 3W

Jicarilla 96 #7 - Unit Letter M, Section 1, Township 26N, Range 3W

Jicarilla 96 #7A - Unit Letter D, Section 1, Township 26N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed.hasely@energen.com
Office. (505) 324-4131
Cell. (505) 330-3584



August 16, 2012

Jicarilla Apache Nation
Environmental Protection Office
P.O. Box 507
Dulce, NM 87528
Attn: Mr. Hobson Sandoval, Environmental Specialist

Re: Below Grade Tank Closures Multiple Wells

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

Jicarilla 96 #2 - Unit Letter A, Section 2, Township 26N, Range 3W Jicarilla 96 #7 - Unit Letter M, Section 1, Township 26N, Range 3W Jicarilla 96 #7A - Unit Letter D, Section 1, Township 26N, Range 3W

If there are any questions or concerns, please contact m Sincerely, WEST OF WARREN SENDER: COMPLETE THIS Complete Items 1, 2, and 3. item 4 if Restricted Delivery is Ed Hasely Print your name and address so that we can return the car Sr. Environmental Engineer Attach this card to the back or on the front if space permi **Energen Resources** Article Addressed to: Diccille Apac EPO Cc: Well Files PO BEX 507 Correspondence Duce Not 8

PS Form 3800, A	ugust 2006	÷ See Reverse for Instructions
as located on the	well locations listed	i
	cated. New Mexico	
	urface owner of our	î
_	l be followed. The	
0.		
N, Range 3W		
5N, Range 3W		
26N, Range 3W		
ne at 505-324-41	31.	
		PRO VITTURE PRESIDENT
ECTION	COMPLETE THIS SECTION	
Also complete	A. Signature	
desired. on the reverse	* Julet M	Agent □ Agent □ Addresse
d to you. of the mailpiece,	B. Received by (Printed Na	となって、ことになっている。 はいかんちょう はんだん
ts.	D. Is delivery address differen	00// 8/24/17
	If YES, enter delivery add	
	The state of the s	
	La Contro Tro	
75.28	3. Service Type Certified Mail □ E	xpress Mail
ا يونول	☐ Insured Mail	Retum Receipt for Merchandis C.O.D.
	4: Restricted Delivery? (Ext	ra Fee) 🗍 Yes.
7012 0470 0	1005 JS07 PS50]
Domestic Ret	urn Receipt	102595-02-M-15
i Van nam George Age - Berge Story of Young Till	" or men in the Philips and the Printing and the	バー・ウェール いいこうはかなびょう りき

U.S. Postal Service™

Certified Fee

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

Street, Apt No or PO Box No.

City, State, ZIP+4

1207

0005

0440

7012

CERTIFIED MAIL. BEC

Postmark

Here

2. Article Number (Transfer from service lab

Ed Hasely

From:

Ed Hasely

Sent:

Thursday, August 16, 2012 2 38 PM

To:

'Kelly, Jonathan, EMNRD'; 'Hobson Sandoval'

Subject:

BGT Closure Notifications - Jicarilla

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you have questions. Thanks.

Jica rilla 96 #2 - Unit Letter A, Section 2, Township 26N, Range 3W

Jicarilla 96 #7 - Unit Letter M, Section 1, Township 26N, Range 3W

Jicarilla 96 #7A - Unit Letter D, Section 1, Township 26N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr Environmental Engineer ed hasely@energen com
Office: (505) 324-4131
Cell: (505) 330-3584

