<u>District I</u> 1625 N French Dr , Hobbs, NM 88240

District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

<u>District III</u>
1000 Rio Brazos Rd , Aztec, NM 87410

<u>District IV</u>
1220 S St Francis Dr , Santa Fe, NM 87505

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office				
	Pit, Closed-Loop System, Below-Grade Tank, or				
Propo	osed Alternative Method Permit or Closure Plan Application				
Type of action	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing permit				
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,				
*	below-grade tank, or proposed alternative method				
	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the				
	eve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator. Burlington Resources Oil Address PO Box 4289, Farmingto					
Facility or well name Pinon Mesa (
·	-045-26650 OCD Permit Number				
U/L or Qtr/Qtr H(SE/NE) Section					
Center of Proposed Design Latitude	36.88868 °N Longitude 108.25262 °W NAD X 1927 1983				
Surface Owner X Federal	State Private Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19 15 17	11 NMAC RCVD OCT 25 '12				
Lined Unlined Lii String-Reinforced Liner Seams Welded Fa X Closed-loop System: Subsecti Type of Operation X P&A	OIL CONS. DIV. DIST. 3 Ctory Other Volume bbl Dimensions L x W x D on H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other				
Permanent Emergency Comparison Co	OIL CONS. DIV. DIST. 3 Ctory Other Volume bbl Dimensions L x W x D on H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) and Steel Tanks Haul-off Bins Other				
Permanent Emergency Comparison Co	OIL CONS. DIV. avitation P&A ner type Thickness mil LLDPE HDPE PVC Other DIST. 3 ctory Other Volume bbl Dimensions L x W x D on H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ad Steel Tanks Haul-off Bins Other type Thickness mil LLDPE HDPE PVD Other ctory Other of 19 15 17 11 NMAC of Type of fluid				
Permanent	OIL CONS. DIV. avitation P&A DIST. 3 eter type Thickness mil LLDPE HDPE PVC Other DIST. 3 ctory Other Volume bbl Dimensions x W x D on H of 19 15 17 11 NMAC Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) od Steel Tanks Haul-off Bins Other type Thickness mil LLDPE HDPE PVD Other ctory Other of 19 15 17 11 NMAC of Type of fluid ection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls only Other				

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inc. Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	stitution or chi	urch)
7		
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
9		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consequence (Fencing/BGT Liner)	sideration of ap	pproval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval Applicant must attach justification for request Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - twaters database search, USGS, Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	☐No
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	□No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological	Yes	No
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	□No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Site Regiantation Figure based upon the appropriate requirements of subsection 6 of 19 13 17 13 invide				

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T Instructions Please identify the facility or facilities for the disposal of liquids, drilling flu facilities are required				
Disposal Facility Name Dis	sposal Facility Permit #			
	sposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No	occur on or in areas that will not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each sting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained	d from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained	d from nearby wells	Yes No		
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained	1 from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark)	·	Yes No		
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ence at the time of initial application	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification Within incorporated municipal boundaries or within a defined municipal fresh water well fit pursuant to NMSA 1978, Section 3-27-3, as amended	e at the time of the initial application on) of the proposed site eld covered under a municipal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality, Written approval obtained Within 500 feet of a wetland		Yes No		
 US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspects Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mine 		Yes No		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Miner		Yes No		
Topographic map Within a 100-year floodplain - FEMA map		Yes No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
 □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) □ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC 				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print) Title				
Signature Date				
e-mail address Telephone				
- Telephoto				
OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1991/2001 2 Title: OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 1915 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: 10/1/2012				
22				
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions. Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed Disposal Facility Name Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number Disposal Facility Permit Number Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below) X No				
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location Latitude Longitude NAD 1927 1983				
Operator Closure Certification:				
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print) Dollie La Busse Title Staff Regulatory Technician				
Signature Date 10/23/12				
e-mail address dollie I busse@conocophillips com Telephone (505) 324-6104				