District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

105 mg
1,5

Pit, Closed-Loop System, Below-Grade Tank, or

631	Propo	sed Alternative Method	Permit or Closure Plan A	 Application	
0,	Type of action: system, below-g	Closure of a pit, closed-loop Modification to an existing p	for an existing permitted or non-p	osed alternative method	
Instruct	tions: Please submi	t one application (Form C-144) per in	idividual pit, closed-loop system, belo	w-grade tank or alternative	request
	• •	equest does not relieve theoperator of lia the operator of its responsibility to comp		, 0	
i. Operator Ene	ergen Resources		OGRID #·	162928	
•		armatan Naw Maying 97401			

Operator: Energen Resources OGRID # OGRID #	52928
Address: 2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name. Davis P L 2E	
API Number: 3004526894 OCD Permit Number.	
U/L or Qtr/Qtr P Section 25 Township 26N Range 11W County San Juan	
Center of Proposed Design: Latitude 36.4533 Longitude -107 94886 NAD. 19	27 🛮 1983
Surface Owner ☑ Federal ☑ State ☐ Private ☐ Tribal Trust or Indian Allotment	
2	
Pit: Subsection F or G of 19 15 17 11 NMAC	RCVD OCT 19'12
Temporary. Drilling Workover	OIL CONS. DIV.
Permanent Emergency Cavitation P&A	DIST. 3
Lined Unlined Liner type Thicknessmil LLDPE HDPE PVC Other	
☐ String-Reinforced	
Liner Seams [.] Welded Factory Other Volume bbl Dimensions: L	x W x D
3	
Closed-loop System: Subsection H of 19 15 17.11 NMAC	
Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior intent)	approval of a permit or notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	
Liner Seams	
4. X Below-grade tank: Subsection I of 19.15.17.11 NMAC	
Volumebbl Type of fluidProduced Water	
Tank Construction material:	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
□ Visible sidewalls and liner X Visible sidewalls only □ Other Liner type. Thickness	

Page 1 of 5

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	hospital,
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district oproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17 13 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15.17 13 NMAC
Proposed Closure: 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
☐ Alternative
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.		
Disposal Facility Name	Disposal Facility Permit Number	
Disposal Facility Name	Disposal Facility Permit Number	
Will any of the proposed closed-loop system operations and associated activities o Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15 17 13 NMA I of 19 15.17.13 NMAC	c
Siting Criteria (regarding on-site closure methods only): 19.15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requiconsidered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist I Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - 1WATERS database search, USGS; Database search, USG	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Database search;	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS; Database search, US	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other siglake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo, Satellit	n in existence at the time of initial application e image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or NM Office of the State Engineer - iWATERS database, Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx		☐ Yes ☐ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geolog Society, Topographic map	y & Mineral Resources, USGS, NM Geological	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the a Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19 1 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	guirements of 19 15 17.10 NMAC f Subsection F of 19 15 17 13 NMAC ppropriate requirements of 19 15 17.11 NMAC pad) - based upon the appropriate requirements of 19 5 17.13 NMAC guirements of Subsection F of 19.15 17 13 NMAC Subsection F of 19 15 17 13 NMAC drill cuttings or in case on-site closure standards cann H of 19.15.17 13 NMAC 1 of 19.15 17 13 NMAC	15 17 11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title
Signature Date
e-mail address: Telephone:
20. OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date:
Title: Compliance Office OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
☑ Closure Completion Date: 10/15/12
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only) ☐ If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan Name (Print):Ed Hasely TitleSr_Environmental Engineer
Signature. Date: 10/18/12
e-mail address: ed hasely@energen.com Telephone: (505) 324-4131

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES PL Davis #2E

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

 No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

 Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample;
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	58.4
Chlorides	250	11.8

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.</u>

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) <u>IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.29 & 30 NMAC. Not applicable.</u>

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM $\!\!/$ Tribal requirements per the BLM $\!\!/$ OCD MOU.

District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Form C-141

Revised October 10, 2003

Release Notification and Corrective Action

						OPERATO	R	Initia	l Report		eport
Name of Co	mpany: En	ergen Resou	rces, Inc.			Contact: E	d Hasely				
Address: 20	10 Afton Pl	lace, Farming	gton, NM	87401		Telephone No: 5	05-324-4131				
Facility Na	ne: PL Dav	is #2E				Facility Type: O	il/Gas Well Site				
Surface Ow	ner: Federa	ıl_		Mineral Ow	ner	: Federal		Lease No).		
-		····		LOCAT	'IOI	N OF RELEA	SE				
Unit Letter	Section	Township	Range	Feet from the	_	orth/South Line	Feet from the	East/West L	ine Count	tv	
P	25	26N	11W]			Zasa West E	San Ju	•	
			Lati	tude_36.45330_	_	Longitude	-107.94886				
				NATU	RE	OF RELEAS	E				
Type of Rele	ase: NO REL	EASE				Volume of Relea	ase:	Volume Re	covered:		
Source of Re	lease:			· · · · · ·		Date and Hour	of Occurrence:	Date and F	Iour of Disco	very:	
Was Immedi	ate Notice G	iven?				If YES, To Who	om?				
		□ 7	es 🗌 N	lo 🗌 Not Requ	ired						
By Whom?						Date and Hour:					
Was a Water	course Reac		Yes 🔲 N	lo		If YES, Volume	Impacting the V	Vatercourse.			
If a Waterco	urea was Imi	nacted Descr	ibe Fully	<u> </u>		<u> </u>					
THERE WAS	S NO PROBL	EM OR REM			THIS	S FORM IS FILLE	D OUT TO SERV	E AS A COV	ER FOR LAB	S ANALYSES	S -
Describe Are	a Affected a	nd Cleanup A	Action Tak	en.*							
regulations al public health should their o	l operators ar or the enviroi perations hav iment. In add	e required to r nment. The ac re failed to add lition, NMOC	eport and/occeptance occupance of the control of th	or file certain release of a C-141 report levestigate and rem	ase no by the eduate	he best of my know otifications and per e NMOCD marked e contamination that oes not relieve the	form corrective as as "Final Report" at pose a threat to operator of respor	ctions for releat does not relieground water, assibility for con	ses which may ve the operato surface water, npliance with	y endanger or of liability , human health any other	h
Signature:	527	Loch	,			<u>O</u>	IL CONSER	<u>VATION I</u>	<u>DIVISION</u>		,
Printed Name	Ed Hasel	у			_	Approved by Distri	ict Supervisor		 .		
Title.	Sr Enviro	onmental Engi	neer			Approval Date		Expiration D	ate:		
E-mail Addre	ss <u>ed hasely(</u>	@energen.com	<u> </u>	18-19	_	Conditions of Appr	roval.		Attached [.	
Date: 10/18/		Phone 505-32 If Necessar		605-330-3584(ccll							



Client:	Energen	Project #:	03022-0001
Sample ID:	PL Davis 2E	Date Reported:	10-11-12
Laboratory Number:	63433	Date Sampled:	10-11-12
Chain of Custody No:	14541	Date Received:	10-11-12
Sample Matrix:	Soil	Date Extracted:	10-11-12
Preservative:		Date Analyzed:	10-11-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

58.4

6.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: PL Davis 2E





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Parameter		(ug/Kg)	(ug/K	g)
		Concentration	Lin	nit
			De	et.
		Dilutio	on:	50
Condition:	Intact	Analy	sis Requested.	BTEX
Preservative:		Date I	Extracted:	10-11-12
Sample Matrix:	Soil	Date /	Analyzed:	10-11-12
Chain of Custody:	14541	Date I	Received:	10-11-12
Laboratory Number:	63433	Date S	Sampled:	10-11-12
Sample ID:	PL Davis 2E	Date F	Reported:	10-11-12
Client:	Energen	Projec	:t,#:	03022-0001

Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	ND	10.0
o-Xylene	ND	10.0
-		

Total BTEX ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	80.2 %
	1,4-difluorobenzene	93.3 %
	Bromochlorobenzene	80.4 %

References:


Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846

USEPA, December 1996.

Comments: PL Davis 2E







Chloride

Client:

Energen

Project #:

03022-0001

Sample ID:

PL Davis 2E

Date Reported:

10-11-12

Lab ID#: Sample Matrix: 63433

Date Sampled: Date Received: 10-11-12

Preservative:

Soil

10-11-12

Date Analyzed:

10-11-12

Condition:

Intact

Chain of Custody:

14541

Parameter

Concentration (mg/Kg)

Total Chloride


11.8

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed , 1992.

Comments:

PL Davis 2E





October 8, 2012

Bureau of Land Management 6251 College Blvd., Suite A Farmington, New Mexico 87402 Attn: Mr. Jim Lavoto

Re: Below Grade Tank Closure Notification

Multiple Locations

Dear Mr. Lavoto:

Energen Resources plans to close the below grade tank located on the well location listed below. You are on record as the surface owner where the well is located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tank: NMOCD rules and guidelines will be followed. The well is located in San Juan County, New Mexico.

PL Davis #2E - Unit Letter P, Section 25, Township 26N, Range 11W

If there are any questions or concerns, please contact me at 505-330-3584.

Sincerely,

Ed Hasely

Sr. Environmental Engineer

Energen Resources	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Cc: Well File Correspondence	Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the malipiece, or on the front if space permits.	A. Signature X. Super Form Agent Addressee B. Received by (Printed Name) C. Date of Delivery C. Date of Delivery C. Date of Delivery D. Is delivery address different from Item 1?
	1. Article Addressed to: BLM 6251 College Blud SteA	If YES, enter delivery address below:
	Fearm Sten NM 87462	3. Service Type Certified Mail Registered Return Receipt for Merchandise Insured Mail C.O.D. Restricted Delivery? (Extra Fee)
Energen Resources Corporation, an E	(Transfer from service lab	1002 1207 6274
	Les Louir 50 Lit. Lépinguà 5004.	min Hoodibe

U.S. Postal Service™

Certified Fee

Return Receipt Fee lorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

PS Form 3800, August 2006

Street, Apt No.; or PO Box No. City, State, ZIP+4

ш

CERTIFIED MAIL RECEIPT

For delivery information visit our website a

(Domestic Mail Only; No Insurance Coverage Provided)

Postmark

Here

Ed Hasely

From:

Ed Hasely

Sent:

Friday, October 05, 2012 4:34 PM

To:

'Kelly, Jonathan, EMNRD'

Cc:

Richard Fairbanks

Subject:

BGT Closure Notification

Jonathan – Energen plans to begin the closure process on the below listed BGT in the near future. Let me know if you have questions. Thanks.

PL Davis #2E - Unit Letter P, Section 25, Township 26N, Range 11W

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed hasely@energen com
Office (505) 324-4131
Cell (505) 330-3584

