

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
BURLINGTON
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
Sec., T--N, R--W, NMPM

Unit G (SWNE), 1750' FNL & 1650' FEL, Sec. 13, T28N, R6W NMPM

5. Lease Number
SF- 080505-A
6. If Indian, All. or
Tribe Name
7. Unit Agreement Name
San Juan 28-6 Unit
8. Well Name & Number
#106
9. API Well No.
30-039-20045
10. Field and Pool
Blanco MV/Basin DK
11. County and State
Rio Arriba Co., NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☒ Recompletion

☐ Plugging

☐ Casing Repair

☐ Altering Casing

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

☒ Other - Commingle

13. Describe Proposed or Completed Operations

It is intended to recomplete the subject well to the Mesa Verde formation according to the attached procedure and wellbore diagram. The well then be down hole commingled. A down hole commingle application will be submitted for approval.

CONDITIONS OF APPROVAL

Adhere to previously issued stipulations.

14. I hereby certify that the foregoing is true and correct.

Signed Philana Thompson Title Regulatory Associate Date 3/31/05

(This space for Federal or State Office use)

APPROVED BY

Title

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

070 FARMINGTON NM

RECEIVED

2005 APR 1 PM 3 46

DOWN

NMOC

San Juan 28-6 Unit #106 Sundry Procedure
Unit G, Section 13, T28N, R06W

1. MIRU completion rig. TOOH with tubing.
2. Set cast iron bridge plug at 7742'. Run CBL.
3. Pressure test casing to +/-3500 psi for 15 minutes.
4. Perforate and fracture stimulate the Point Lookout, Menefee and Cliff House formations.
5. Flow back well. Mill out frac plug and cast iron bridge plug over Dakota.
6. Clean out as required.
7. Land tubing. RDMO rig.
8. Return well to production as a commingled DK/MV producer.

San Juan 28-6 Unit #106

1750' FNL , 1650' FEL
Unit G, Section 13, T28N, R06W
Rio Arriba County, NM

LAT: 36° 39.81

LONG: 107° 24.89

GL = 6,678'

KB= 6,688'

Current Wellbore Diagram

Surface Casing:

9-5/8" 32.3# H-40
Set @ 312'
TOC @ circ to surf

312'

Intermediate Casing:

7" 20# J-55
Set: 3,835'
TOC @ 2600' TS

Production Casing:

4-1/2" 10.5#, 11.6 J-55
Set: 8,044'
TOC @ 3420' TS
11.6# to 6435'

Tubing:

2-3/8" 4.7# J-55
Set: 7935'
SN: 7,930'

| | |
|-----------------|--------|
| Ojo Alamo | 2,767' |
| Kirtland | 2,946' |
| Fruitland | 3,355' |
| Pictured Cliffs | 3,562' |
| Heur Bent. | 4,177' |
| Chacra | 4,526' |
| Cliffhouse | 5,327' |
| Menefee | 5,390' |
| Point Lookout | 5,759' |
| Mancos | 6,210' |
| Gallup | 6,941' |
| Greenhorn | 7,675' |
| Graneros | 7,734' |
| Two Wells | 7,789' |

Existing Stimulation:

Dakota

7792' - 7976'

35,000# sand, 35,280 gal slickwater

8,044'

PBTD= 8,015'

TD= 8,044'

San Juan 28-6 Unit #106

1750' FNL , 1650' FEL
Unit G, Section 13, T28N, R06W
Rio Arriba County, NM

LAT: 36° 39.81

LONG: 107° 24.89

GL = 6,678'

KB= 6,688'

Proposed Wellbore Diagram

Surface Casing:

9-5/8" 32.3# H-40
Set @ 312'
TOC @ circ to surf

312'

Intermediate Casing:

7" 20# J-55
Set: 3,835'
TOC @ 2600' TS

Production Casing:

4-1/2" 10.5#, 11.6 J-55
Set: 8,044'
TOC @ 3420' TS
11.6# to 6435'

Tubing:

2-3/8" 4.7# J-55
Set: 0
SN: .

| | |
|-----------------|--------|
| Ojo Alamo | 2,767' |
| Kirtland | 2,946' |
| Fruitland | 3,355' |
| Pictured Cliffs | 3,562' |
| Heur Bent. | 4,177' |
| Chacra | 4,526' |
| Cliffhouse | 5,327' |
| Menefee | 5,390' |
| Point Lookout | 5,759' |
| Mancos | 6,210' |
| Gallup | 6,941' |
| Greenhorn | 7,675' |
| Graneros | 7,734' |
| Two Wells | 7,789' |

Cliff House/Menefee
0

Point Lookout/Menefee
0

Dakota
7792' - 7976'
35,000# sand, 35,280 gal slickwater

8,044'

PBTD= 8,015'
TD= 8,044'

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102


Permit 9083

WELL LOCATION AND ACREAGE DEDICATION PLAT

| | | |
|-----------------------------------|---|---------------------------|
| API Number 30-039-20045 | Pool Name BLANCO-MESAVERDE (PRORATED GAS) | Pool Code 72319 |
| Property Code 7462 | Property Name SAN JUAN 28 6 UNIT | Well No. 106 |
| OGRID No. 14538 | Operator Name BURLINGTON RESOURCES OIL & GAS CO | Elevation 6678 |

Surface And Bottom Hole Location

| | | | | | | | | | |
|-------------------------------|----------------------|------------------------|---------------------|--------------------|--------------------------|----------------------|--------------------------|----------------------|-----------------------------|
| UL or Lot G | Section 13 | Township 28N | Range 06W | Lot Idn | Feet From 1750 | N/S Line N | Feet From 1650 | E/W Line E | County Rio Arriba |
| Dedicated Acres 320 | | Joint or Infill | | Consolidation Code | | Order No. | | | |

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By:

Title:

Date:

Michael V. Vung
Regulatory Associate
3/31/05

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Vilven

Date of Survey: 04/21/1967

Certificate Number: 1760