

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator
BURLINGTON
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
Sec., T--N, R--W, NMPM

Unit N (SESW), 800' FSL & 1450' FWL, Sec. 19, T28N, R6W NMPM

5. Lease Number
SF-080430B
6. If Indian, All. or
Tribe Name
7. Unit Agreement Name
San Juan 28-6 Unit
8. Well Name & Number
#160
9. API Well No.
30-039-20376
10. Field and Pool
Blanco MV/Basin DK
11. County and State
Rio Arriba Co., NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☒ Recompletion

☐ Plugging

☐ Casing Repair

☐ Altering Casing

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

☒ Other - Commingle

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well to the Mesa Verde formation according to the attached procedure and wellbore diagram. The well then be down hole commingled. A down hole commingle application will be submitted for approval.

14. I hereby certify that the foregoing is true and correct.

Signed

Philana Thompson
Philana Thompson

Title Regulatory Associate

Date 3/31/05

(This space for Federal or State Office use)

APPROVED BY

Title

Petr Eng
Petr Eng

Date

APR 16/05
APR 16/05

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL
Adhere to previously issued stipulations.

NMOC

San Juan 28-6 Unit #160 Sundry Procedure

Unit N, Section 19, T28N, R06W

1. MIRU completion rig. TOOH with tubing.
2. Set cast iron bridge plug at 7540'. Run CBL.
3. Pressure test casing to +/-3500 psi for 15 minutes.
4. Perforate and fracture stimulate the Point Lookout, Menefee, Cliff House and Lewis formations.
5. Flow back well. Mill out frac plugs and cast iron bridge plug over Dakota.
6. Clean out as required.
7. Land tubing. RDMO rig.
8. Return well to production as a commingled DK/MV producer.

San Juan 28-6 Unit #160

800' FSL , 1450' FWL
Unit N, Section 19, T28N, R06W
Rio Arriba County, NM

LAT: 36° 38.51

LONG: 107° 30.65

GL = 6,601'

KB= 6,612'

Current Wellbore Diagram

Surface Casing:

9-5/8" 32.3# H-40
Set @ 223'
TOC @ circ to surf

223'

Intermediate Casing:

7" 20 K-55
Set: 3,641'
TOC @ 2540' TS

Production Casing:

4-1/2" 10.5#, 11.6 K-55
Set: 7,882'
TOC @ 3325' TS
11.6# to 6469'

Tubing:

1-1/2" 2.9# J-55
Set: 7779
SN: 7,745'

Ojo Alamo	0,000'
Kirtland	0,000'
Fruitland	0,000'
Pictured Cliffs	0,000'
Heur Bent.	0,000'
Chacra	0,000'
Cliffhouse	5,005'
Menefee	0,000'
Point Lookout	5,525'
Mancos	0,000'
Gallup	6,575'
Greenhorn	7,484'
Graneros	7,542'
Two Wells	7,700'

Existing Stimulation:

Dakota

7590' - 7868'

35,000# sand, 35,280 gal slickwater

7,882'

PBTD= 7,872'
TD= 7,882'

San Juan 28-6 Unit #160

800' FSL , 1450' FWL

Unit N, Section 19, T28N, R06W

Rio Arriba County, NM

LAT: 36° 38.51

LONG: 107° 30.65

GL = 6,601'

KB= 6,612'

Proposed Wellbore Diagram

Surface Casing:

9-5/8" 32.3# H-40
Set @ 223'
TOC @ circ to surf

223'

Intermediate Casing:

7" 20 K-55
Set: 3,641'
TOC @ 2540' TS

Production Casing:

4-1/2" 10.5#, 11.6 K-55
Set: 7,882'
TOC @ 3325' TS
11.6# to 6469'

Tubing:

2-3/8" 4.7# J-55
Set: 7742
SN: 7,740'

Ojo Alamo 0,000'
Kirtland 0,000'
Fruitland 0,000'
Pictured Cliffs 3,358'
Heur Bent. 3,937'
Chacra 4,306'
Cliffhouse 5,004'
Menefee 5,160'
Point Lookout 5,522'
Mancos 6,026'
Gallup 6,747'
Greenhorn 7,483'
Graneros 7,544'
Two Wells 7,583'

Lewis

0

Cliff House/Menefee

0

Point Lookout/Menefee

0

Dakota

7590' - 7868'

35,000# sand, 35,280 gal slickwater

7,882'

PBTD= 7,872'

TD= 7,882'

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102


Permit 9110

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number <i>30-039-20376</i>	Pool Name BLANCO-MESAVERDE (PRORATED GAS)	Pool Code 72319
Property Code 7462	Property Name SAN JUAN 28 6 UNIT	Well No. 160
OGRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS CO	Elevation 6601

Surface And Bottom Hole Location

UL or Lot N	Section 19	Township 28N	Range 06W	Lot Idn	Feet From 800	N/S Line S	Feet From 1450	E/W Line W	County Rio Arriba
Dedicated Acres 262.76	Joint or Infill	Consolidation Code	Order No.						

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By: *Philana Thompson*
Title: *Regulatory Associate*
Date: *3/31/05*

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Vilven
Date of Survey: 03/11/1971
Certificate Number: 1760