TABULATION OF DEVIATION TEST

BP America Production Company

DEPTH	DEVIATION	DEPTH	DEVIATION
100'	1.00		MAY 2002
703'	0.75		
1260'	1.00		9
1786'	1.00		
2311'	1.00		
			

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on **BP America Production Company's:** 32839

AFFIDAVIT

<u>Flo</u>	orance 28C		A	PI#	30-045- 30839 /	
16	65' FSL & 18					
Sa	ın Juan Cour					
		Signed: Title:	Regulatory A	nalyst	lleva	
THE STATE OF TEXAS)	55 .				
COUNTY OF HARRIS)						
BEFORE ME, the under	signed autho	ority, on this o	day personally a	ppeared	CHERRY HLAV	4
known to me to be a	Re	gulatory Ana	lyst fo	or BP An	nerica ProductionCom	pany and to be the
person whose name is	subscribed to	o the above s	tatement, who l	eing by	me dully sworn on oat	h, states that she
has knowledge of the fa	icts stated he	erein and tha	t said statement	is true	and correct.	

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this April 2005

Notary Public

27th

day of

My Commission Expires:

LINDA J. BERRY
Notary Public, State of Texas
My Commission Expires February 28, 2007