District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District IV

Olistrict IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. 97 Santa Fe, NM 87505

office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No 🗌

Type of action: Registration of a pit of	or below-grade tank L. Closure of a pit or below-gra	de tank 🔼				
Chamtan Budington Bassuras Talanhana	(505) 226 0841	Hasely@br-inc.com				
Operator: Burlington Resources Telephone: Address: 3401 East 30th Street, Farmington, New Mexico, 87402	(505) 326-9841 e-mail address: LI	trasery(w)DI-IIIC.COIII				
	0045223260000 U/L or	Qtr/Qtr D Sec 32 T 32N R 12W				
	36.94683 Longitude -108.12423	NAD: 1927 ⊠ 1983 □				
Surface Owner: Federal  State  Private  Indian	20.54065 Exhigitude -108.12425	NAD. 1927 🖸 1963 🗖				
	Balan, grada tank					
Pit	Below-grade tank					
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil					
Workover ☐ Emergency ☐	Construction material: Fiberglass					
Lined Unlined University of Cl. Cl.	Double-walled, with leak detection? Yes  If not, explain why not.					
Liner type: Synthetic Thicknessmil Clay						
Pit Volumebbl		Las				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)				
	100 feet or more	( 0 points) 0				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0				
water source, or less distillation feet from all other water sources.	Less than 200 feet	(20				
Distance to surface water: (horizontal distance to all wetlands, playas,		(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
	1000 feet or more	( 0 points) 10				
	Ranking Score (Total Points)	10				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite 🗌 offsite 🗎 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and						
end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excava		-				
Additional Comments:						
The soils tested clean and no soil remediation was required						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank						
has been/will be constructed or closed according to NMOCD guidelines M, a general permit , or an (attached) alternative OCD-approved plan .						
Date: 5/5/05						
Date: 5/5/05 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or						
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
. 0						
Approval:	y Lect Date:					
Printed Name/Title Signature	Date:					

11.1647 ....

ENVIROTECH INC.

ENVIROTECH INC.

ENGEWERT SCHOOLS A STANDERS

FOR US HIGHWAY 64-3014

FARMER TON NEW MEXICO SCHOOL

PHONE (525) ENG-16015

	FRUST 10001 646	-0.95179			
FIELD REPORT (L					
LOCATION: NAME Culpeper Mostin QUADZUNIT: SEC: 32 TWP 321	WELL #: 10A	PIT.		0478 BRARTED 🕹	1/20/05
QUAD/UNIT SEC 32 TWP 320	J RNG 12W PM	MMPM CNTY: S	ST ST: NA	OFFE FORSHET _	
OTR/FDOTAGE:	CONTRACTOR.	LFR		SPECIALIST N	IMIST
EXCAVATION APPROX 11 FT x 1					
DISPOSAL FACILITY: NA					
LAND USE:					
FIELD NOTES & REMARKS: PIT LO					
NMOCD RANKING SCORE: 16 NMOCD TPH	CLOSURE STD:	DOO PPM	1	CHECK DNE	
SOIL AND EXCAVATION DESCRIP	TION			PIT ABANDON STEEL TANK	ED INSTALLED
Soil process natural in	color N.	zisiAl .		<u>+</u> .	1.
Soil appears natural in odors present. Secondary	Comment	ار سان الدارات	1/·	Care Care ( m	ction or
		USE OFFE	ensia wei	e present.	,
No sil removed for	m site.				
,		_D 418.1 CALCU			
1111	PLE I.D. LAB No:	<del> </del>		·	41.2
SCALE 1180 3	J.C.		2.0	0.0040	_71.0
O FT					
PIT PERIMETER	OVM RESULT	S	PIT	PROFILE	
		HEADSPACE (ppm)			
	2 Delau	PPM			
Zor.	3 4				٠
5 that	5				-1
→ VQX				$\supset$	
E.			) <u>E</u>	icank	
	LAB SAMPL	ES	Ţ,	WIT	
A X	SAMPLE ANALYSIS	TIME	Ţ	×	
R <sub>xt</sub>					
, ba		γ	= Sample	Point	
TRAVEL NOTES			**************************************		



# EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

Sample No.:

Date Reported:

92115-021-057

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

4/21/2005 4/20/2005

Sample Matrix:

Soil

Date Analyzed:

4/20/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

47.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Culpepper Martin # 10A** 

Analyst

Justin Barrett Review