submitted in lieu of Form 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells		
	5.	Lease Number
Type of Well GAS	6.	SF-079250 If Indian, All. or Tribe Name
Name of Operator BURLINGTON RESQUECES OIL & GAS COMPANY LP MAY 2005	7.	Unit Agreement Name San Juan 28-5 Unit
Address & Phone No. of Operator	8.	Well Name & Number
PO Box 4289, Farmington, NM 87499 (505) 326-9700	s 9.	#93 API Well No.
COLUMN FOR A COLUMN FOR THE PARTY OF THE PAR		30-039-20876
Location of Well, Footage, Sec., T, R, M Sec., TN, RW, NMPM		Field and Pool
IIn:4 C (CM/NE) 1715) ENI 6-1590) EFI Coo 15 TOON DEW NIMDM		Blanco MV/Basin DK
Unit G (SWNE), 1715' FNL & 1580' FEL, Sec. 15, T28N, R5W NMPM	11.	County and State Rio Arriba Co., NM
Type of Submission X Notice of Intent Abandonment Change of Plans X Recompletion New Construction Plugging Non-Routine Fracturing Casing Repair Water Shut off Altering Casing Conversion to Injection	DATA K Other – Commingle	
is intended to recomplete the subject well to the Mesa Verde formation according to the at the well then be down hole commingled. A down hole commingle application will be subm		
4. I hereby certify that the foregoing is true and correct. igned	ssociate	Date3/21/05
This space for Federal or State Office use) PPROVED BY ONDITION OF APPROVAL, if any: le 18 U.S.C. Section 1001, makes it acrime for any person knowingly and willfully to make any department or agency of United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	-	Date 34/28/05
CONDITIONS OF APPROVAL	; 3	

San Juan 28-5 Unit #93 Sundry Procedure

Unit G, Section 15, T28N, R05W

- 1. MIRU completion rig. TOOH with tubing.
- 2. Set cast iron bridge plug at 7850'. Run CBL.
- 3. Pressure test casing to +/-3500 psi for 15 minutes.
- 4. Perforate and fracture stimulate the Point Lookout, Menefee, Cliff House, and Lewis formations with frac string and packer.
- 5. Flow back well. Mill out frac plugs and cast iron bridge plug over Dakota.
- 6. Clean out as required.
- 7. Land tubing. RDMO rig.
- 8. Return well to production as a commingled DK/MV producer.


m / 1/320

San Juan 28-5 Unit #93

1715' FNL , 1580' FEL Unit G, Section 15, T28N, R05W Rio Arriba County, NM

LAT:

LONG:



87505

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505


Form C-102 Permit 8632

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Name BLANCO-MESAVERDE (PRORATED GAS)				
Property Code 7460	Property Name SAN JUAN 28 5 UNIT	Well No. 093			
OGRID No. 14538	Operator Name BURLINGTON RESOURCES OIL & GAS CO	Elevation 6659			

Surface And Bottom Hole Location

UL or Lot	Section 15	Township 28N	Range 05W	Lot Idn	Feet From 1715	N/S Line N	Feet From 1580	E/W Line E	County Rio Arriba
Dedicated Acres Joint or Infill 320		Consolidation Code		Order No.					



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By:

Title: Regulation

7/21/05

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred Kerr Jr.
Date of Survey: 02/18/1974
Certificate Number: 3950