<u>District I</u> . 1625 N. French Dr., Hobbs, NM 88240 District II -> 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505 March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No e of action: Registration of a pit or below-grade tank 7 Closure of a pit or below-grade tank

Type or action. Registration or a pit c	7 Octov-Blade unik (1) Closure of a pa of octov-Blad	- William
Operator: M & G DRILLING COMPANY	Telephone: 505-325-6779 e-mail address:	mpippin@ddbroadband.net
Address: c/o Agent - Mike Pippin LLC, P.O. Box 5940, Farmington, NM 87-	499	
Facility or well name: SCHLOSSER 34 #102 API #: 3	0-045-32486 U/L or Qtr/Qtr F Sec 34 T 28N	<u>N_R_11</u> _
County: San Juan Latitude 36 37' 12" Longitude 107 59' 4	4"_NAD: 1927 🗌 1983 🗍 Surface Owner Federal	State ☐ Private ☐ Indian ☐
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Workover		
Lined Unlined [
Liner type: Synthetic X Thickness 12 mil Clay Volume 975 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more X	(0 points) X
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No. X	(0 points) X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet X	(20 points) X
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	20
If this is a pit closure: (1) attach a diagram of the facility showing the pit's r	elationship to other equipment and tanks. (2) Indicate	disposal location:
onsite offsite I If offsite, name of facility	(3) Attach a general description of remedial action	n taken including remediation start date and
end date. (4) Groundwater encountered: No X Yes I If yes, show depth be	elow ground surface ft. and attach sam	ple results. (5) Attach soil sample results and
a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my been/will be constructed or closed according to NMOCD guidelines ☑, a Date: _5/27/05	general permit , or an (attached) alternative OC	ove-described pit or below-grade tank has CD-approved plan □.
Your certification and NMOCD approval of this application/closure does not re	——————————————————————————————————————	
otherwise endanger public health or the environment. Nor does it relieve the op regulations.		
Approval MAY 3 1 2005	196) ———
Printed Name/TilePUTY Oil & GAS INSPECTOR, DIST. (59)	Signature Derry	-our
	/	

M & G DRILLING COMPANY c/o Mike Pippin LLC 3104 N. Sullivan Farmington, NM 87401 (505) 327-4573

5/27/05

GENERAL DESCRIPTION OF DRILL PIT CLOSING SCHLOSSER 34 #102 FRTC F 34 28 11

Start location rehab & pit closing 4/13/05

- 1. Remove the fencing around the drilling pit.
- 2, Cut liner off at mud level and haul off to disposal facility.
- 3. Using track-hoe, mix any soft spots & cover pit with dry soil.
- 4. Lay back slopes & all disturbed areas.
- 5. Ripped location for seeding.
- 6. Plan to disc area & re-seed with BLM mix this fall as per BLM request.
- 7. Complete on 5/27/05.

M & G DRILLING COMPANY SCHLOSSER 34 #102 FRTC F SEC. 34 T28N R11W SAN JUAN COUNTY, NM

