# District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit of	or below-grade tank [ Closure of a pit or below-grade	de tank 🔯
Operator: M & G DRILLING COMPANY	Telephone 7505-325-6779 e-mail address:	
Address: <u>c/o Agent - Mike Pippin LLC, P.O. Box 5940, Farmington, NM 87</u>	499	
Facility or well name: SCHLOSSER 34 #104 API #: 30-045-324	88 U/L or Qtr/Qtr P Sec 27 T 28N R 11	<u></u>
County: San Juan Latitude 36 37' 40" Longitude 107 59' 0	5"_NAD: 1927 ☐ 1983 ☐ Surface Owner Federa	I 🔀 State 🗌 Private 🔲 Indian 🗍
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal D	Volume:bbl Type of fluid:	
Workover    Emergency	Construction material:	
Lined \(\infty\) Unlined \(\preceq\)	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume 975 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more X	( 0 points) X
W. W. 1	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X	( 0 points) X
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet X	(20 points) X
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	20
If this is a pit closure: (1) attach a diagram of the facility showing the pit's r	elationship to other equipment and tanks. (2) Indicate	disposal location:
onsite offsite I If offsite, name of facility	(3) Attach a general description of remedial actio	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🔀 Yes 🔲 If yes, show depth be		
a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my been/will be constructed or closed according to NMOCD guidelines ☑, a Date: _5/27/05	general permit , or an (attached) alternative O	ove-described pit or below-grade tank has CD-approved plan .
Printed Name/Title Mike Pippin - Agent - Petroleum Engineer Signatu	re Miko teppin	
Your certification and NMOCD approval of this application/closure does not reotherwise endanger public health or the environment. Nor does it relieve the opregulations.	clieve the operator of liability should the contents of the	e pit or tank contaminate ground water or eer federal, state, or local laws and/or
Approval: MAY 3 1 2005		
Date: CEPUTY OIL & GAS INSPECTOR, DIST. @	1 2011	)
Printed Name/Title	Signature	teill
		7

#### M & G DRILLING COMPANY c/o Mike Pippin LLC 3104 N. Sullivan Farmington, NM 87401 (505) 327-4573

#### 5/27/05

## GENERAL DESCRIPTION OF DRILL PIT CLOSING SCHLOSSER 34 #104 PC P 27 28 11

#### Start location rehab & pit closing 4/13/05

- 1. Remove the fencing around the drilling pit.
- 2, Cut liner off at mud level and haul off to disposal facility.
- 3. Using track-hoe, mix any soft spots & cover pit with dry soil.
- 4. Lay back slopes & all disturbed areas.
- 5. Ripped location for seeding.
- 6. Plan to disc area & re-seed with BLM mix this fall as per BLM request.
- 7. Complete on 5/27/05.

M & G DRILLING COMPANY SCHLOSSER 34 #104 PC P SEC. 27 T28N R11W SAN JUAN COUNTY, NM

