1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submitto appropriate NMOCD District Office.
For downstreamfacilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No
Type of action: Registration of a pit or below-gradetank \( \subseteq \) Closure of a pit or below-gradetank \( \subseteq \)

J. C. Cook of the			
Operator: ConocoPhillips Company  Address: 5525 Highway 64 Farmington, NM 87401  Telephone: (505)599-3419 e-mail address: juanita.r.farrell@conocophillips.com			
Facility or well name: Schlosser WN Federal 6E API#: 30-045-24457 U/lor Qtr/Qtr P Sec 3 T 27N R 11W  County: SAN JUAN Latitude Longitude NAD: 1927 1983 Surface Owner Federal X State Private Indian			
County: SAN JUAN Latitude Longitude NAD: 1927 1983 Surface Owner Federal X State Private Indian			
<u>Pit</u>	Below-gradetank		
<u>Type:</u> Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover X Emergency □	Construction material:		
Lined 🔀 Unlined 🗌	Double-walled, with leak detection? Yes  If not, explain why not.		
Liner type: Synthetic X Thickness 12 mil Clay			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	( 0 points)	
Wellheadprotection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)	
water source, or less than 1000 feet from an other water sources.)	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points)	
	1000 feet of more	( o points)	
	Ranking Score (Total Points)	<u> </u>	
If this is a pit closure (1) attacha diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility(3) Attach a general description of remedial action taken including			
remediationstart date and end date (4) Groundwaterencountered: No 🔀 Yes 🔲 If yes, show depth below ground surfaceft.and attach sample results. (5)			
Attachsoil sample results and a diagram of sample locations and excavations.			
AdditionalComments:			
This workover pit was closed 12/30/2004 as per COPC general plan on file with OCD.			
Center of pit located 110 ft from wellhead at a bearing of 130 degrees southeast.			
GW: 50-100' WHP: >1000' SW: 200-1000'			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has			
been/will be constructed or closed according to NMOCD guidelines [7], a general permit [8], or an (attached) alternative OCD-approved plan [1].  Date: 05/29/2005 [1]			
Printed Name/Title Juanita Farrell Regulatory Analyst Signature Jugutt Farrell			
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: Date: Signature Signature Date:			
· ·	·		