1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

BETUTY ON & GAS INSPECTOR, DIST. (#

Approval:

Printed Name/Title

State of New Mexico Energy Minerals and Natural Resources

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Or 2005 Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Glosure

Is pit or below-grade tank covered by a "general plan"? Yea No 🗌 Type of action: Registration of a pit or below-grade tank.

Closure of a pit or below-grade tank. mail address: <u>LHasely@br-inc.com</u> Telephone: (505) 326-9841 Operator: Burlington Resources Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Sunray B No. 1A API #: 30045231660000 __ U/L or Qtr/Qtr <u>E</u> Sec <u>15</u> T <u>30N</u> R <u>10W</u> Latitude 36.81561 -107.87761 NAD: 1927 **☒** 1983 **☐** County: San Juan Longitude Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐ Below-grade tank Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Steel Double-walled, with leak detection? Yes If not, explain why not. Non Lined Unlined No. (Tank in place prior to Rule 50. Liner type: Synthetic Thickness _____mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more O (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) n **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Maximum Practical Extent of Excavation Reached at 6" Depth, Encountered Sandstone. The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines KI, a general permit I, or an (attached) alternative OCD-approved plan I. Date: 6/10/05 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

enf tour

JUN 1 4 2005

CLIENT: Burlington	Env	irotech In	C.	LOCATION NO:
lesourus	FARMIN	TAL SCIENTISTS & ENGIN U.S. HIGHWAY 64-3014 GTON, NEW MEXICO 874 DNE: (505) 632-0615	DEERS	C.O.C. NO:
FIELD REPOR	RT: CLOSU	RE VERI	FICATION	PAGE No: 1 of 1
LOCATION: NAME: Sunta QUAD/UNIT: E SEC: QTR/FDDTAGE:	15 TWP: 30N RNG:		CNTY: ST ST: N	DATE STARTED: 5/24/05 DATE FINISHED: 5/24/05 ENVIRONMENTAL SPECIALIST: MPM
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	FT. x F	T. x FT	C. DEEP. CUBI	IC YARDAGE:
FIELD NOTES & REMARDED TO BEPTH TO GROUNDWATER: 6 NMOCD RANKING SCORE: 6 SOIL AND EXCAVATION	NEAREST WATER SE	JURCE: O	NEAREST SURF	TO FROM WELLHEAD. ACE WATER: CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED
Removed 95 bb 1 tank bottom. Sample sc. bottom. No soil	raped from sands removed from site	FIELD 418	not more that	DILUTION READING CALC. ppm
SCALE O FT PIT PERIM	1115 6" below	OVM RESULTS	20 PI	1 0.0034 23.6 T PROFILE
+	Tank. A SAMPLE 1D 12 1D 12 1D	E FIELD HEADSPACE PID (ppm)		
TRAVEL NOTES:	SAMPLE	AB SAMPLES ANALYSIS TIME	x = Sample denote.	Pt. sandstone layer 6". 2' below surface



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-089

Sample No.:

1

Date Reported:

5/26/2005

Sample ID:

Discrete, 6" Below BGT, Sandstone

Date Sampled:

5/26/2005

Sample Matrix:

Soil Cool Date Analyzed:

Analysis Needed:

5/26/2005 TPH-418.1

Preservative:

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

23.6

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Sunray B No. 1A

Analyst

Review