District I .
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌 Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Riddle No. 1R API#: <u>30045275640000</u> U/L or Qtr/Qtr D Sec 4 T 30N R 9W County: San Juan Longitude -107.79193 NAD: 1927 🛛 1983 🔲 Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: Produced Water and Incidental Oi Workover ☐ Emergency ☐ Construction material: Fiberglass Double-walled, with leak detection? Yes If not, explain why not? Lined Unlined U Liner type: Synthetic Thickness ____mil Clay _ Pit Volume Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 10 1000 feet or more (0 points) 10 **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: emova Below Grade Tank A The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🗓, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲. Date: 7/11/05 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or ADDEPUTY OIL & GAS INSPECTOR, DIST. ES

	FN	VIROTECH	INC				
CLIENT: Burlington					LOCATION N	<u> </u>	
Lesources	57 FARI	MENTAL SCIENTISTS & 96 U.S. HIGHWAY 64 MINGTON, NEW MEXIC	-3014 0 87401		C. 🗆 . C. N	10:	
FIELD REPOR		PHONE: (505) 632-0		PION			
					PAGE No: _		
LOCATION: NAME: Riddle WELL #: 1R PIT:					DATE STARTED: 7705 DATE FINISHED: 7705		
QUAD/UNIT: P SEC: 4 TWP: 30 N RNG: 9W PM: NAPA CNTY: ST ST: NA QTR/FOOTAGE: 350 FNL 775 FNL CONTRACTOR: L&R						ENVIRONMENTAL SPECIALIST: MPM	
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:							
DISPOSAL FACILITY: N/A REMEDIATION METHOD:							
LAND USE: LEASE: SF 08/098 FORMATION: MV							
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 112 FT. 110° FROM WELLHEAD. DEPTH TO GROUNDWATER: 0 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10							
NMOCD RANKING SCORE: 10 NMOCD TPH CLOSURE STD: 1000 PPM CHECK ONE:							
SOUL AND EXCAVATION DESCRIPTION: ——PIT ABANDONED							
BOT A							
Located to the southeast of separator. No visible signs of contamination present.							
No soil removed from BGT A.							
FIELD 418.1 CALCULATIONS							
		D. LAB No: W					
SCALE	1140 3' Delow	Ø 1	2005	2 20	1 0.007	48.6	
O FT							
PIT PERIM	ETER	OVM RESULTS		PIT	PROFIL	E	
SAMPLE FIELD HEADSPACE 1D PID (ppm)							
^	BGT C 2 3	oclow o p	pm				
•	Compressor 5						
•							
	Tunk					Section 27 - Print 1997 - 1997	
Muter F 60 F							
86T B	BGT A SAMP	LAB SAMPLE ANALYSIS	S TIME				
ט יסט							
			x=	Sampl	u Print		
				*			
TRAVEL NOTES	TRAVEL NOTES: ONSITE:						



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-099

Sample No.:

1

Date Reported:

7/7/2005

Sample ID:

Discreet, 3' Below BG Tank

Date Sampled: Date Analyzed: 7/7/2005 7/7/2005

Sample Matrix: Preservative:

Soil Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

	- Aug	Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

48.6

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Riddle No. 1R, BGT A

Analyst

Boylow Park