Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill of to relenter an

Abandoned well. Use Form 3160-3 (APD) for such proposals.

Location of Well (Footage, Sec., T., R., M., or Survey Description) 1500' FNL & 760' FEL; SEC 25 T31N R10W SENE \Mer NMP

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

5 .	Lease Serial No.
NM	- 013688

If Indian, Allottee or tribe Name

County or Parish, State

SAN JUAN, NM

6.

SUBMIT IN TRIPLICATE —	NEGETVET) Other instructions/on/reverse/side///	7. If Unit or CA/Agreement, Name and/or No.
. Type of Well Oil Well Gas Well	Other 6789	8. Well Name and No. Atlantic LS 1B
. Name of Operator BP AMERICA PRODUCTION COMPA	(% x 50 \ \ \	9. API Well No. 30-045-32874
a. Address PO BOX 3092 HOUSTON, TX 77253	3b. Phone No. (include area code)	10. Field and Pool, or Exploratory Area BLANCO MESAVERDE

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OR NOTICE, REPORT, OR OTHER DATA

Acidize Deepen Production (Start/Resume) Water shut-Off Alter Casing Fracture Treat Reclamation Well Integrity Casing Repair New Construction Recomplete Change Plans Plug and Abandon Water Disposal SPUD & SET	TYPE OF SUBMISSION		Т	YPE OF ACTION	
Subsequent Report	Notice of Intent		 ·		
	Subsequent Report				
Final Abandonment Notice Convert to Injection Plug Back	Final Abandonment Notice	,	_ ,		

Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

06/18/05 MIRU & SPUD 13 1/2" SURFACE HOLE AT 07:30 & DRILL TO 234'. TIH w/ 9 5/8"; 32#; H-40 ST&C CSG TO 234'. PRES TST LÎNES TO 1500 psi. OK. CEMENT CSG w/155 SXS CLS C. DROPPED PLG & PMP'D 15 B.W DISPLACEMENT. CIRC to 11' FROM SURFACE.

PRES TEST CSG TO 750 PSI 30 MIN. OK PRESS TST INSIDE VALVES TO 250# LOW & 1500# HIGH FOR 15 MIN. ALL TST OK. DRILL OUT CMT 173' – 234'. TiH & DRILL 8 3" HOLE 234' – 3133'. TIH & LAND 7", 20# J-55 ST&C CSG @3162'. TIH & CMT 7" CSG; LEAD 266 sx 11.7 PPG CLS G CMT; TAIL w/60 sx 13.5 PPG YIELD 1.310 CLS G . CIRCULATED 15 bbls GOOD CEMENT TO SURFACE. HELD 850 PSI ON CSG FOR 30 MIN OK. DRILL OUT FLOAT COLLAR & SHOE FROM 3062' - 3133'. TIH & DRILL 6 1/4" HOLE 3133' -6200' TVD & 6200' TMD on 06/25/05.

TIH w 4 1/2" LINER 2962' - 6117'; 11.6#, J-55 LT&C CSG. TIH & CEMENT 4 1/2" CSG; CMT WITH 247 sxs; 9.50 ppg YIELD 2.530. CIRC 15 bbls GOOD CMT TO SURFACE. RIG REL 06/27/05 @15:00 hrs.

		_
14. I hereby certify that the foregoing is true an dcorrect Name (Printed/typed)		
Cherry Hlava	Title Regulatory Analyst	
Signature Chury Hlava	Date 06/29/2005	
THIS SPACE FOR FED	ERAL OR STATE OFFICE USE ACCEPTED FOR RECORL	
Approved by	Title Date JUL 0 7 2005	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or Certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office FAHMINGIUM FIELD OFFICE RY SUB	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter witin its jurisdiction.