Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

BUREAU OF I	AND MANAGEMENT	/ r	* * * * * * * * * * * * * * * * * * * *
		[5. Lease Serial No.
	AND REPORTS ON WELLS		NMSF077382 6. If Indian, Allottee or Tribe Name
Do not use this form for	oroposals to drill or to re-enter an n 3160-3 (APD) för such proposals	153	6. If findial, Anottee of Tribe Name
abandoned well. Use ron	n 3 160-3 (APD) for such proposals	?	
SUBMIT IN TRIPLICATE.	Other instructions on reverse side	•	7. If Unit or CA/Agreement, Name and/or No.
SOBILIT IIV TAIL CLORES	Other instructions on reverse side	NM	
ype of Well			
Oil Well X Gas Well Other		4777	8. Well Name and No. RP HARGRAVE "H" #1F
ame of Operator		2 2 11 11 12 2 2 1	THE THERMAN ST. IN NO.
TO Energy Inc.			9. API Well No.
Address	3b. Phone No. (inc		30-045-32636
700 Farmington Ave., Bldg. K. Ste		1090 4///5	10. Field and Pool, or Exploratory Area
ocation of Well (Footage, Sec., T., R., M., or Survey	Description		BASIN DAKOTA
,325' FNL & 735' FEL EC. H09, T27N, R10W	la l	Mora ON. Se	11. County or Parish, State
EC. ROS, 12/N, RION	\C		
42 CHECK APPROPRIATE	BOX(ES) TO INDICATE NATUR	E OE NOTION SER	ORT, OR OTHER DATA
	BOX(ES) TO INDICATE NATURA	C 117 C 7 V C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	DK1, OK OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Notice of Intent	Acidize Deepen	Production	(Start/Resume) Water Shut-Off
rotice of titlem			
X Subsequent Report	Alter Casing Fracture Tre	at Reclamatio	n Well Integrity
and and the port	Casing Repair New Constru	uction Recomplete	e X Other SPOD, ST
Final Abandonment Notice	Change Plans Plug and Ab	andon Temporaril	y Abandon & PT SURF CSG
	Convert to Injection Plug Back	Water Disp	osal
the contract of the contract o			
Describe Proposed or Completed Operation (clear If the proposal is to deepen directionally or recom Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandonment determined that the final site is ready for final inspe	plete horizontally, give subsurface locations a rformed or provide the Bond No. on file wi If the operation results in a multiple complet Notices shall be filed only after all requirem action.)	and measured and true ver th BEM/BIA. Required s ion or recompletion in a ri ents, including reclamation	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once n, have been completed, and the operator has
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandonment determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm 15.2 ppg, 1.28 cuft/sx). Circ 21	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations testing has been completed. Final Abandonnent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations. testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm. 15.2 ppg, 1.28 cuft/sx). Circ 21	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Artach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CR.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoninent determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once n, have been completed, and the operator has TIH w/9 jts 8-5/8", 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoniment determined that the final site is ready for final inspection. KTO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg; 1.28 cuft/sx). Circ 21 CK.	plete horizontally, give subsurface locations or formed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremetion.) nole @ 6:00 a.m., 06/28/05. Det d csg w/250 soc Type III cmt.	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TIH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be per following completion of the involved operations, testing has been completed. Final Abandonment determined that the final site is ready for final inspection of the Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm 15.2 ppg, 1.28 cuft/sx). Circ 21 CK. Drlg ahead	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will the operation results in a multiple complet Notices shall be filed only after all requiremetion.) acide @ 6:00 a.m., 06/28/05. Det'd cag w/250 ac Type III cant bbls cant to surf. Tate BOPE	and measured and true ver th BLM/BIA. Required s ion or recompletion in a ri ents, including reclamatio rld to 389' KB. T w/3% CaCl2 & 1/4	tical depths of all pertinent markers and zones, ubsequent reports shall be filed within 30 days lew interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8 ⁿ , 24.0#, PPS celloflake (mixed @
If the proposal is to deepen directionally or recome Artach the Bond under which the work will be perfollowing completion of the involved operations, testing has been completed. Final Abandoniment determined that the final site is ready for final inspection of the property of the prope	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremention.) nole @ 6:00 a.m., 06/28/05. Ded desg w/250 sx Type III cant bbls cant to surf. Tstd BOPE	and measured and true ver th BLM/BIA. Required a ion or recompletion in a nents, including reclamation rld to 389' KB. T w/3% CaCl2 & 1/4 & surf csg to 1,0	tical depths of all pertinent markers and zones, absoluted perfect shall be filed within 30 days, there is not shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8", 24.0#, PPS celloflake (mixed @ 000 psig for 30 min. Held
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be per following completion of the involved operations, testing has been completed. Final Abandonment determined that the final site is ready for final inspection. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm. 15.2 ppg; 1.28 cuft/sx). Circ 21 CK. **Drlg ahead	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requirem ection.) nole @ 6:00 a.m., 06/28/05. Det'd cag w/250 ax Type III cantabble ca	wegulatory complia	tical depths of all pertinent markers and zones, absoluted perfect shall be filed within 30 days, there is not shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8", 24.0#, PPS celloflake (mixed @ 000 psig for 30 min. Held
If the proposal is to deepen directionally or recome Artach the Bond under which the work will be per following completion of the involved operations, testing has been completed. Final Abandonment determined that the final site is ready for final inspection of the property of the prope	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requirem ection.) nole @ 6:00 a.m., 06/28/05. Det'd cag w/250 ax Type III cantabble ca	westured and true ver the BLM/BIA. Required in the BLM/BIA. Required in the solution of a month of the solution of the solutio	tical depths of all pertinent markers and zones. ubsequent reports shall be filed within 30 days, ubsequent reports shall be filed within 30 days, the winterval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8", 24.0#, PPS celloflake (mixed @ 000 psig for 30 min. Held ANCE TECH
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be per following completion of the involved operations. Testing has been completed. Final Abandonment determined that the final site is ready for final inspection of the specific stream of the strength of the specific stream of the strength of the strengt	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremention.) nole @ 6:00 a.m., 06/28/05. D. c'd csg w/250 sx Type III cant bbls cant to surf. Tstd BOPE Title Date 07	westured and true ver the BLM/BIA. Required in the BLM/BIA. Required in the solution of a month of the solution of the solutio	tical depths of all pertinent markers and zones, absequent reports shall be filed within 30 days, there interval, a Form 3160-4 shall be filed once in, have been completed, and the operator has TH w/9 jts 8-5/8", 24.0#, a PPS celloflake (mixed @ 000 psig for 30 min. Held
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be per following completion of the involved operations, testing has been completed. Final Abandoniment determined that the final site is ready for final inspection of the involved operations. KTO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33' KB. Cm. 15.2 ppg, 1.28 cuft/sx). Circ 21 OR. Drlg ahead	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requiremention.) nole @ 6:00 a.m., 06/28/05. D. c'd csg w/250 sx Type III cant bbls cant to surf. Tstd BOPE Title Date 07 S SPACE FOR FEDERAL OR STA	westured and true ver the BLM/BIA. Required in the BLM/BIA. Required in the solution of a month of the solution of the solutio	ACCEPTED FOR RECO
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations testing has been completed. Final Abandoniment determined that the final site is ready for final inspection of the involved operations. **TO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm 15.2 ppg, 1.28 cuft/sx). Circ 21 CK. **Drlg ahead	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requirem etion.) nole @ 6:00 a.m., 06/28/05. D. t'd csg w/250 sx Type III cant bbls cant to surf. Tstd BOPE Title Date 07 S SPACE FOR FEDERAL OR STA Title of this notice does not warrant or othose rights in the subject lease	westured and true ver the BLM/BIA. Required in the BLM/BIA. Required in the solution of a month of the solution of the solutio	ACCEPTED FOR RECO
If the proposal is to deepen directionally or recome Attach the Bond under which the work will be perfollowing completion of the involved operations testing has been completed. Final Abandoninent determined that the final site is ready for final inspection of the involved operations. KTO Energy Inc. spudded 12-1/4" J-55, ST&C csg to 377.33! KB. Cm. 15.2 ppg, 1.28 cuft/sx). Circ 21 OK. Drlg ahead	plete horizontally, give subsurface locations or fromed or provide the Bond No. on file will fit the operation results in a multiple complet Notices shall be filed only after all requirements. **The complete of the comple	und measured and true ver the BLM/BIA. Required is ion or recompletion in a ments, including reclamational recompletion of the second recompletion recompletion of the second recompletion of the second recompletion of the second recompletion recompletion of the second recompletion recompl	ACCEPTED FOR RECO Date ACCEPTED FOR RECO Date