Form 3160-5 (June 1990)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Designation and Serial No. SF-080000-A

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

6. If Indian, Allottee or Tribe Name

N/A

SUBMIT IN TRIPLICATE	Use "APPLICATION FOR PERM	IIT" for such proposals				
1. Type of Well    Oil		18 W 34 3	7. If Unit or CA, Agreement Designation			
1. Type of Well    Oil	SUBMIT IN TRIPLICATE OF A COME A					
Simmons 2   Simmons 2   Simmons 2   Simmons 2   D.J. Simmons 1nc.   9. API Well No.   30-045-11867   10. Field and Fool, or Exploratory Area   Blanco P.C.   11. County or Parish, State   Blanco P.C.   11. County or Parish, State   Blanco P.C.   11. County or Parish, State   San Juan County, New Mexico   Same   Same   San Juan County, New Mexico   San Juan		E 2005 3	1			
D.J. Simmons Inc.  3. Address and Telephone No. 1009 Rid Telephone No. 1009 Rid Telephone No. 1009 Rid Telephone No. 1009 Rid Telephone No. 1007 FNL x 1530 FEL, Section 26, T29N, R9W Actual Bottom Hole Location: Same  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION  X. Notice of Intent Recompletion Plugging Back Plugging Back No. Recompletion Plugging Back No. Recompletion No. Routine Fracturing Altering Casing Conversion to Injection Dispose Water Conversion to Injecti	☐ Oil x Gas ☐ Other		8. Well Name and No.			
30-045-11867 1098 Ridgeway Place. Suite 200, Farmington NM 87401 (505) 326-3753 10. Field and Pool, or Exploratory Area Blanco P.C. 1070 FNL x 1530 FEL, Section 26, T29N, R9W Actual Bottom Hole Location:  same 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION  X Notice of Intent Recompletion Plugging Back Non-Routine Fracturing Subsequent Report Casing Repair Plugging Back Non-Routine Fracturing Conversion to Injection Other Other Other Dispose Water Note: Report results of multiple completion or well Completes or Recompletion to Injection Dispose Water Note: Report multiple completion or well Completes or Recompleted date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  Title; Operations Manager  Title; Operations Manager  Title Date: 614/05  Date: 614/05  Date: 52055			Simmons 2			
10. Field and Pool, or Exploratory Area Blanco P.C.  11. County or Parish, State San Juan County, New Mexico Same  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  X Abandonment    Change of Plans	<del></del>					
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  1070 FNL x 1530 FEL, Section 26, T29N, R9W Actual Bottom Hole Location:  Same  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  X Abandonment  Change of Plans  X Notice of Intent  Recompletion  Plugging Back  Non-Routine Fracturing  Altering Casing  Other  Conversion to Injection  Other  Some Mater Shut-Off  Dispose Water  Note: Report reveloe of multiple completion on Wall state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  Title; Operations Manager  Title; Operations Manager  Date: 6/14/05  Date: 6/14/05		ACCIONOS DE LA CONTRACTION DEL CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DEL CONTRACTION DE LA C				
Actual Bottom Hole Location:  Same  12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  X Abandonment  Recompletion  Plugging Back Non-Routine Fracturing  Plugging Back Non-Routine Fracturing  Attering Casing Onther Materian Casing Onther Materian Conversion to Injection  Dispose Water  13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, incline setimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  Title; Operations Manager  Title; Operations Manager  Date: 6/14/05  Date: 6/14/05  Date: 6/14/05  Date: 10. Location Country, New Mexico  San Juan Country, New Mexico  New Construction  New Construction  New Construction  New Construction  New Construction  New Construction  One-Recompletion or Recompletion on Well Conversion to Injection  Conversion to Injection  New Construction  New Construction  New Construction  New Construction  New Construction  One-Recompletion or Recompletion on Well Conversion to Injection  New Construction  New Const			•			
Actual Bottom Hole Location:    San Juan County, New Mexico			\$			
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  X Abandonment   Change of Plans   New Construction   New Construction   Plugging Back   Non-Routine Fracturing   Water Shut-Off   Casing Repair   Water Shut-Off   Other   Dispose Water   Completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    Altering Casing   Conversion to Injection   Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion for Report and Log from   Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Report results of multiple completion on Well Completion or Recompletion for Report results of Starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore    Title; Operations Manager						
TYPE OF SUBMISSION  X Abandonment  Recompletion  Plugging Back  Non-Routine Fracturing  Plugging Back  Non-Routine Fracturing  Attering Casing  Conversion to Injection  Phial Abandonment Notice  Other  Other  Notice Report results of multiple completion on Well Completion or Recompletion and Log from:  Type OF ACTION  X Abandonment  Recompletion  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water  Notice Report results of multiple completion on Well Completion or Recompletion for Starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  Title; Operations Manager  Title; Operations Manager  Date: 6/14/05  Date: 6/14/05  Date: 6/14/05						
X Notice of Intent    X Abandonment   Change of Plans     Recompletion   New Construction     Plugging Back   Non-Routine Fracturing     Water Shut-Off     Altering Casing   Conversion to Injection     Pinal Abandonment Notice   Other   Dispose Water (Note: Report results of multiple completion on Well Completed or Recompletion (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*    D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    Approved by Original Signed: Stephen Mason   Title   Date   JUL 0 5 2005						
Non-Routine Fracturing   New Construction   Plugging Back   Non-Routine Fracturing   Plugging Back   Non-Routine Fracturing   Casing Repair   Water Shut-Off   Altering Casing   Conversion to Injection   Dispose Water   Note: Report results of multiple completion on Well Completion on Recompletion on Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    Non-Routine Fracturing	TYPE OF SUBMISSION		ACTION			
Recompletion   New Construction   New Construction   Plugging Back   Non-Routine Fracturing   Casing Repair   Water Shut-Off   Altering Casing   Conversion to Injection   Other   Dispose Water   Conversion to Injection   Other   Dispose Water   Conversion to Injection   Other   Dispose Water   Note: Report results of multiple completion on Well Completion or Recompletion on Export and Log form.)  13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and Well bore diagram are attached.    Approved by Original Signed: Stephen Mason   Title   Date   JUL 0.5 2005	V Notice of Intent	X Abandonment	Change of Plans			
Subsequent Report	A Notice of Intent	$\square$ Recompletion	☐ New Construction			
Casing Repair   Water Shut-Off   Altering Casing   Conversion to Injection   Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)  13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    A   F   C   C   C   C   C   C   C   C   C	<b>V</b>	Plugging Back	$\square$ Non-Routine Fracturing			
Signed Robert R. Chiffee   Other   Dispose Water (Note: Report results of multiple completion on Well Completion of Completion of Completion of Mell Completion on Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    Approved by Original Signed: Stephen Mason   Date: 6/14/05   Date:	☐ Subsequent Report	Casing Repair	☐ Water Shut-Off			
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  14. I hereby certify that the foregoing is true and correct  Signed  Robert R. Griffee  Title; Operations Manager  Date: 6/14/05  Date  Date  Date  Date  Date  Title  Date	-	☐ Altering Casing	$\square$ Conversion to Injection			
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  14. I hereby certify that the foregoing is true and correct  Signed  Robert R. Griffee  Title; Operations Manager  Date: 6/14/05  Approved by Original Signed: Stephen Mason  Title  Date  Title  Date  JUL 0 5 2005	☐ Final Abandonment Notice	☐ Other	<b>-</b>			
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth for all markers and zones pertinent to this work.)*  D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  14. I hereby certify that the foregoing is true and correct  Signed  Robert R. Griffee  Title; Operations Manager  Title  Date: 6/14/05  Date: 10.5 2005			Completion or Recompletion Report and Log form.)			
D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.  AREC C. F. R. C. F. R. C. C. F. C.						
D.J. Simmons, Inc. intends to plug and abandon the above referenced well. The P&A procedure and well bore diagram are attached.    AR E C   P   AR E		subsurface locations and measured and true ver	ncal depth for all markers and zones			
diagram are attached.  ORREGIVE ARRECT ARREC						
14. I hereby certify that the foregoing is true and correct  Signed						
14. I hereby certify that the foregoing is true and correct  Signed	diagram are attached.					
14. I hereby certify that the foregoing is true and correct  Signed Title; Operations Manager  Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title Date JUL 0 5 2005			A R			
14. I hereby certify that the foregoing is true and correct  Signed Title; Operations Manager  Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title Date JUL 0 5 2005			REC			
14. I hereby certify that the foregoing is true and correct  Signed Title; Operations Manager  Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title Date JUL 0 5 2005			<u> </u>			
14. I hereby certify that the foregoing is true and correct  Signed Title; Operations Manager  Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title Date JUL 0 5 2005						
14. I hereby certify that the foregoing is true and correct  Signed Title; Operations Manager  Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title Date JUL 0 5 2005			TO D			
Signed						
Signed	14. I hereby certain that the foregoing is true and correct					
Robert R. Griffee  (This space for Federal or State office use)  Approved by Original Signed: Stephen Mason  Title	Signed	Title: Operations Manager				
Approved by Original Signed: Stephen Mason Title Date JUL 0 5 2005		The second secon				
ripproved by Date	(This space for Federal or State office use)					
	Approved by Original Signed: Stephen Mason	Title	JUL 0 5 2005			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Submit 3 Copies To Appropriate District	State of New Mex	xico	Form C-103	
Office District I	Energy, Minerals and Natur	ral Resources	May 27, 2004	
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II	OIL CONSERVATION	DIVISION	30-045-11867	
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Fran		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410			STATE FEE	
District IV	Santa Fe, NM 87	303	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505			SF 080000-A	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			7. Lease Name or Unit Agreement Name Simmons	
PROPOSALS.)  1. Type of Well: Oil Well	Gas Well 🛛 Other	•	8. Well Number 2	
2. Name of Operator	ous item Z outer		9. OGRID Number	
DJ Simmons, Inc			005578	
3. Address of Operator			10. Pool name or Wildcat	
1009 Ridgeway Pl Suite 200, Farm	ington NM 87401 (505) 326 37	53	Blanco PC	
4. Well Location	<del></del>		· · · · · · · · · · · · · · · · · · ·	
	et from the North line and 1530 fee	et from the East 1	ine	
Section 26	Township 29N Range	9W NMPM		
Section 20	11. Elevation (Show whether DR,			
	5923 GR	KKD, KI, GK, etc.		
Pit or Below-grade Tank Application 🗵 o			点线自己性性的技術的頂部會採供的时候而提出链球形器(USS)研究的原则	
	r > 100' Distance from nearest fresh water	well > 1000' Distance	g from nearest surface wate > 1000'	
Pit Liner Thickness: 12 mil	Below-Grade Tank: Volume	bbls; Co	nstruction Material	
12. Check A	Appropriate Box to Indicate Na	ature of Notice,	Report or Other Data	
NOTICE OF IN	ITENITION TO	0.10	OCCUENT DEBODT OF	
NOTICE OF IN			SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON   CHANGE BLANC	REMEDIAL WOF	<del></del>	
TEMPORARILY ABANDON DULL OR ALTER CASING	CHANGE PLANS   MULTIPLE COMPL		ILLING OPNS. P AND A	
FOLE ON ALTER CASING	MOLTIPLE COMPL	CASING/CEMEN	IT JOB	
OTHER:		OTHER:	П	
	pleted operations. (Clearly state all r		d give pertinent dates, including estimated date	
			ttach wellbore diagram of proposed completion	
or recompletion.				
, ·				
	;			
DJ Simmons Inc., intends to P& A this well per attached procedure. This operation will include the construction of an earthen lined pit.				
Pit will be closed per NMOCD guide lines. A well bore diagram and pit location map are attached.				
I haraby contifu that the information	above is two and commists to the he		11.11.6.72	
grade tank has been/will be constructed or	above is true and complete to the be	est of my knowledg	ge and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .	
	i i i i i i i i i i i i i i i i i i i	⊒, a generai periini ∟	j or an (attached) afternative OCD-approved plan	
SIGNATURE SIGNATURE	TITLE C	Operations Manage	r DATE June 15, 2005	
_ / /				
Type or print name Robert R. Griffe	ee E-mail address: rgriffee djsin	nmonsinc.com	Telephone No. <u>505 326 3753</u>	
For State Use Only		SUTT ON R GAC	INCRETEAN MAN AND TO	
APPROVED BY:	H 12 -	CAG B) are v	INSPECTOR, DIST. 20 JULY - 7 2005	
APPROVED BY:	TITLE_		DATE COUD	
Conditions of Approval (it any):	<i>//</i> * *			
•				



## DI SIMMONS, INC.

1009 Ridgeway Place Suite 200 Farmington, New Mexico 87401

505-326-3753 505-327-4659 FAX info@djsimmonsinc.com www.djsimmonsinc.com Date: 6/14/2005

## Simmons #2 P&A Procedure


See Wellbore diagram.


- 1. Check rig anchors. Construct small earthen pit for circulating cement. Line if required.
- 2. MIRU pulling unit. ND well head, NU BOPE.
- 3. POOH and LD 1 1/4" tubing. Send to DJS yard.
- 4. PU bit and 2 3/8" tubing. Round trip to PBTD.
- 5. Round trip casing scraper to PBTD.
- 6. Set cement retainer 50' above Pictured Cliffs zone at 2326' (top of PC at 2376').
- 7. Fill casing with water.
- 8. RU Blue Jet. Run CBL from 2326' to surface. Design the specific slurry volumes required for all plugs based on the top of the cement determined by the CBL.
- 9. PU stinger. TIH and sting into cement retainer.
- 10. Set plug #1, Pictured Cliffs. Squeeze perforations under cement retainer with 20 sks class 'G'. Sting out of retainer and spot 5 sk balanced plug on top of retainer.
- 11. TOH.
- 12. Set plug #2, Fruitland Coal and Ojo Alamo. Pump class 'G' slurry inside and outside of the casing from 2038' to 1360' (top of the Fruitland Coal formation is 1988', Ojo Alamo at 1564'). Perforate as necessary, determine slurry volume base on CBL.
- 13. Set plug #3, surface casing shoe to surface. Pump class 'G' slurry inside and outside of the casing from 150' to surface (surface casing shoe reported to be at 100'). Perforate as necessary, determine slurry volume based on CBL.
- 14. Cut off well head. Install dry hole marker.
- 15. Reclaim surface location as per BLM stipulations.

Fruitland play 2045 - 2145 + 50 excess inside a 100% excess ourside if no Cament is present.

Ojo Alumo plug 1510' - 1282' 11 11 " " " 1


D.J. Simmons Inc. Wellbore Schematic





DJ SIMMONS, INC.

1009 Ridgeway Place, Suite 200. Farmington, New Mexico, 87401 DJ SIMMONS, INC. Phone 505 326-3753 Fax 505 327 4659 SMMONS PC 2 PROPOSED PIT LOCATION MAP Sec 26, T29N, R9W San Juan, County, NM Prepared by cds 06/15/05





DJ SIMMONS, INC.



1009 Ridgeway Place, Suite 200. Farmington, New Mexico, 87401 DJ SIMMONS, INC. Phone 505 326-3753 Fax 505 327 4659 SMMONS PC 2 PROPOSED PIT LOCATION MAP Sec 26, T29N, R9W San Juan, County, NM Prepared by cds 06/15/05