


**TABULATION OF DEVIATION TEST**  
**BP America Production Company**

DEPTH	DEVIATION	DEPTH	DEVIATION
739'	0.75		
1246'	0.75		
1783'	0.75		
2288'	0.75		
2763'	0.75		



**AFFIDAVIT**

**THIS IS TO CERTIFY** that to the best of my knowledge, the above tabulation details the deviation test taken on  
**BP America Production Company's:**

Mansfield 1M API # 30-045-32651  
1345' FNL & 1740' FEL Sec. 19, T30N, R09W  
San Juan County, New Mexico


Signed: *Cherry Hlava*  
Title: Regulatory Analyst

THE STATE OF TEXAS       )  
  )   SS.  
COUNTY OF HARRIS       )

**BEFORE ME**, the undersigned authority, on this day personally appeared CHERRY HLAVA  
known to me to be a Regulatory Analyst for **BP America Production Company** and to be the  
person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she  
has knowledge of the facts stated herein and that said statement is true and correct.

**SUBSCRIBED AND SWORN** to before me, a Notary Public in and for said County and State this  
15th day of July, 2005

*Linda J. Berry*  
Notary Public



My Commission Expires: \_\_\_\_\_