District I, 1625 N. Fench Dr., Hobbs, NM 88240
District II
1201 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division, 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank. Closure of a pit or below-grade tank.					
The state of the s					
	(505) 326-9841 e-mail address: <u>LH</u>	lasely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: Woodriver No. 250 API #:	30045269380000 U/L or	Qtr/Qtr <u>F</u> Sec <u>5</u> T <u>30N</u> R <u>9W</u>			
County: San Juan Latitude	36.84277 Longitude <u>-107.80792</u>	NAD: 1927 🖾 1983 🗖			
Surface Owner: Federal 🛛 State 🗌 Private 🔲 Indian 🗍					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil				
Workover ☐ Emergency ☐	Construction material: Steel				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _	No. Tank in place prior to Rule 50.				
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points) 0			
	l				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10			
	Bashing Samu (Tradal Bridge)	10			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end					
date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth belo	w ground surfaceft. and attach sample	results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.					
Additional Comments:					
The soils tested clean and no soil remediation was required.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 7/28/05					
5 9 / 14 2 15					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approximity OR & GAS INSPECTOR, DIST, SPECIAL Printed Name/Title Signature S					

CLIENT: Burlington Resources	ENVIR	CONVIROTECH RONMENTAL SCIENTISTS & I 5796 U.S. HIGHWAY 64- FARMINGTON, NEW MEXICO PHONE: (505) 632-061	ENGINEERS 3014 87401		LOCATION N	IO:	
FIELD REPOR	T: CLOS	SURE VEI	RIFICATI	ON	PAGE No: _	1 of 1	
LOCATION: NAME: Wooding WELL #: 250 PIT: QUAD/UNIT: F SEC: 5 TWP: 30N RNG: 9W PM: NAME CNTY: ST ST: NAM QTR/FOOTAGE: 1710'N 1495'W CONTRACTOR: LOR					DATE STARTED: 7/14/05 DATE FINISHED: 7/14/05 ENVIRONMENTAL MPM		
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	FT. x ~/A LE	FT. x REN EASE:	FT. DEEP. (ETHO:	YARDAGE: D: RMATION:	\	
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 31 FT. 270° FROM WELLHEAD. DEPTH TO GROUNDWATER: 6 NEAREST WATER SOURCE: 9 NEAREST SURFACE WATER: 10							
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 1060 PPM CHECK ON PIT ABANDON STEEL TANK					NED (INSTALLED		
No visible signs of contamination unfor moved BGT. We soil removed from location. FIELD 418.1 CALCULATIONS							
SCALE	TIME SAMPLE	I.D. LAB No: WE	EIGHT (g) mL. FR	EON DIL	LUTION READING	_ 	
O FT							
PIT PERIME	ETER	OVM RESULTS		PIT	PROFILI	1	
Ton't Separator	May 13 2 3 4 5 5	SAMPLE FIELD MEADS 10 PIO (ppr 3 below 2 ppr			×		
AST TRAVEL NOTES: CALLOUT:		LAB SAMPLES SAMPLE ANALYSIS ID ANALYSIS ONSI	X =	Sump	le Prins	L .	



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-107

Sample No.:

1

Date Reported:

7/14/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

7/14/2005

Sample Matrix:

Soil

Date Analyzed:

7/14/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

22.2

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Woodriver No. 250

Analyst

Review