

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised June 10, 2003

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-039-29312
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Black Hills Gas Resources, Inc.		6. State Oil & Gas Lease No. MDA-701-98-0013
3. Address of Operator PO Box 249 Bloomfield, NM 87413		7. Lease Name or Unit Agreement Name Jicarilla 28-02-04
4. Well Location  Unit Letter O : 555 feet from the South line and 1650 feet from the East line  Section 4 Township 28N Range 02W NMPM County Rio Arriba		8. Well Number 43
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL 7317' KB 7330'		9. OGRID Number 013925
		10. Pool name or Wildcat Burro Canyon, Tertiary, Basin Fruitland Coal

<b>12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data</b>	
<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: Commingle <input checked="" type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Black Hills Gas Resources, Inc. intends to complete the subject well and downhole commingle in the Basin Fruitland Coal and Burro Canyon Tertiary under Division Order R-11363. All gas production is to be allocated based on initial production tests as 67% to the Burro Canyon Tertiary and 33% to the Basin Fruitland Coal formation. See attached Supplemental Data Sheet for the information fracture pressures and flow test. The commingling will not reduce the value of the total remaining production. A Sundry Notice form 3160-5 has been sent, notifying the BLM of downhole commingling formations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Agatha Snell TITLE Admin.Tech DATE 8/1/05

Type or print name Agatha Snell E-mail address: asnell@bhep.com Telephone No. 505-634-1111 ext. 24  
(This space for State use)

APPROVED BY [Signature] TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 3 DATE AUG 03 2005  
Conditions of approval, if any: Retest after 1 year

## C103 Supplemental Information

Jicarilla 28-02-04 #43

Production and Pressure Data

Basin Fruitland Coal and Burro Canyon Tertiary Formations

The Fruitland Coal formation was perforated at intervals 3606'-3608' – 3612' – 3618' – and 3628' - 3630 with 4 jspf. Based upon pressure data obtained from the breakdown and fracture stimulation treatment the fracturing pressure of the San Jose formation at mid-perforation is 1274 psi with a fracture gradient of 0.80 psi/ft. Based upon pressure data obtained from the breakdown and fracture stimulation treatment the fracturing pressure of the Fruitland Coal formation at mid-perforation is 3075 psi with a fracture gradient of 0.85 psi/ft. After fracture stimulation and clean up the San Jose formation was flow tested for twenty-four hours, 20 MCFPD.

The Fruitland Coal formation was perforated at intervals 3556' – 3560' and 3597' – 3605' with 4 jspf. The Fruitland Coal Basin was not fracture stimulated. A stabilized flow test was conducted for twenty-four hours, 10 MCFPD.

The allocation method that has been agreed upon between Black Hills Gas Resources, Inc. and the Jicarilla Apache Nation is to use a percent based on the initial test for allocation of the produced volumes from the downhole commingled formations. In summary, the following calculations reflect the allocation percentages for the subject well.

Formation Name	Gas Flow Rate (MCFPD)	Water Rate (BWPD)	Allocation Factor
Burro Canyon Tertiary	20		67%
Fruitland Coal	10		33%
<b>Total</b>	30		100%