<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

Type of action: Registration of a pit or below-grade tank \(\sum \) Closure of a pit or below-grade tank \(\sum \)							
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LL</u>	Hasely@br-inc.com					
Address: 3401 East 30th Street, Farmington, New Mexico, 87402							
Facility or well name: Howell C No. 1A API #:	30045217780000 U/L or	Qtr/Qtr <u>O</u> Sec <u>1</u> T <u>29N</u> R <u>8W</u>					
County: San Juan Latitude	36.74889 Longitude -107.62428	NAD: 1927 ⊠ 1983 □					
Surface Owner: Federal 🛭 State 🗌 Private 🔲 Indian 🗍							
Pit	Below-grade tank						
Type: Drilling Production Disposal							
Workover Emergency							
Lined Unlined		avaloja why not					
Liner type: Synthetic Thicknessmil Clay [Double-walled, with leak detection? Yes If not, explain why not. No. Tank in place prior to Rule 50.						
	No. 1 ank in place prior to Rule 30.						
Pit Volumebbl	T 4 50 C4	1 (20 :)					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)					
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)					
	100 feet or more	(0 points) 0					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)					
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0					
water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)					
	1000 feet or more	(0 points) 10					
	Ranking Score (Total Points)	10					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite, name of facility. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes offsite, show depth below ground surface. If and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excavat	lions.						
Additional Comments:		A PA					
Maximum practical extent occurred within 2" beneath removed BGT.							
The soils tested clean and no soil remediation was required.		E MARKING MAN SI					
	· ·						
		VC - 1 115					
		E. California					
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that the XI, a general permit □, or an (attached) alternat	ne above-described pit or below-grade tank ive OCD-approved plan .					
Date: 8/16/05	(20.)						
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Vour certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or							
otherwise endanger public health or the environment. Nor does it relieve to regulations.							
Printed Name/Title Signature							
		 					

CLIENT: Bulington Resources	ENVIRONME 5790	VIROTECH ENTAL SCIENTISTS & 5 U.S. HIGHWAY 64- NGTON, NEW MEXICO	ENGINEERS		LOCATION NO]:
FIELD REPOR		IRE VE		CATION	PAGE No: _	of
LOCATION: NAME: Howell QUAD/UNIT: O SEC: QTR/FUUTAGE: 800'S	61 TWP: 29N RNG	: 8W PM:NA	1M CNT		DATE STARTED:	8/5/05
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	FT. x 1	FT. xREI	FT. DEI	EP. CUBIC	YARDAGE: _	Ð
FIELD NOTES & REMAR DEPTH TO GROUNDWATER: _ O NMOCH RANKING SCORE: _ !O SOIL AND EXCAVATION	NEAREST WATER S NMOCD TPH CLOSU N DESCRIPTION:	SDURCE: C	N{	EAREST SURFACE	CHECK ON PIT ABANDON STEEL TANK	O E: IED Installed
BST is an 120 bl is sandstone. Sam site.	ol steel tank. ph taken directly TIME SAMPLE I.D.	undernieth FIELD	B6T. 418.1 CAL	CULATIONS	cenared for	31-4
SCALE O FT PIT PERIME	1027 Bouth BOT	OVM	5			19.4
Maker Segund	SAME ID 1 Bened	RESULTS PLE FIELD HEADS PLO (ppn M 6T O M AB SAMPLES		Seondstone	PROFILE San beneath B67	istone
TRAVEL NOTES: ONSITE:						



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-112

Sample No.:

1

Date Reported:

8/5/2005

Sample ID:

Discrete, 2" Below BG Tank

Date Sampled:

8/5/2005

Sample Matrix:

Soil

Date Analyzed:

8/5/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

19.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Howell C No. 1A

Analyst

Review