<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Approval:

Printed Name/Title

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No I

Is pit or below-grade tar Type of action: Registration of a pit	nk covered by a "general plani?". Yes ⊠jNo or below-grade tank □ Closure of a pit or below-gr	o□ Tank A		
	(505) 326-9841 (525) email address:			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402				
Facility or well name: Beaver Lodge Com No. 320	API #: 30045270850000 U/L o	or Qtr/Qtr <u>L</u> Sec <u>32</u> T <u>30N</u> R <u>8W</u>		
County: San Juan Latitude	36,76623 Longitude107.7048	` NAD: 1927 ⊠ 1983 □		
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil				
Workover ☐ Emergency ☐ Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes 🛛 If n	ot, explain why not.		
Liner type: Synthetic Thicknessmil Clay _				
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points) 20		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	` · · ·		
water source, or less than 1000 feet from all other water sources.)	100	(0 points) 0		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10		
	Ranking Score (Total Points)	30		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indi	icate disposal location: (check the onsite box if		
your are burying in place) onsite offsite If offsite, name of facility_				
date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth belonger				
(5) Attach soil sample results and a diagram of sample locations and excava				
Additional Comments:	TOTAL.			
BGT A				
The soils tested clean and no soil remediation was required.				
	1,40			
		-		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline				
, .		. –		
Date: 8/9/05	Signature 507ths.			
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature			
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.				
THE REAL WAS THE PART OF THE P				

Low Date: AUG 1 0 2005

21:1		Env	VIROTEC	H INC		Τ			
CLIENT: Burlington Resources		ENVIRONME 579	INTAL SCIENTIST	S & ENGINEERS 64-3014]:	
		FARMI	NGTON, NEW MI HONE: (505) 63:	EXICO 87401		<u> </u>			
FIELD REPORT: CLOSURE VERIFICATION					PAGE	No: <u>1</u>	of		
LOCATION: NAME: Beaver Lodge Com WELL #: 320 PIT:				DATE	DATE STARTED: 7 28 05 DATE FINISHED: 7 28 05				
QUAD/UNIT: L SEC: 32 TWP: 30N RNG: 8W PM: NMPM CNTY: 55 ST: NM QTR/FUUTAGE: CONTRACTOR: L&R					· —	ENVIRONMENTAL SPECIALIST: MPM			
EXCAVATION APPROX FT. x FT. DEEP CUBIC YARDAGE:									
DISPOSAL FACILITY: REMEDIATION METHOD:									
LAND USE: FORMATION:									
FIELD NOTES & REMAR					_				
DEPTH TO GROUNDWATER: 20									
			KE 31D:	O PPM			CHECK ONE: _ PIT ABANDONED		
SOIL AND EXCAVATION DESCRIPTION: STEEL TAN						EL TANK	INSTALLED		
BGT.		CAMPIE LD		LD 418.1 CA			To a constant		
SCALE .	TIME	SAMPLE I.D	. LAB No:	WEIGHT (g)	mL. FREON D	ILUTION	READING	CALC. ppm	
	1227	1.5' balow	, ,	5	20	-	Ø.0038	26.4	
O FT PIT PERIMI	ETER	<u> </u>	OVM	10	PIT	PR	OFILE		
		N SAM	RESULT	HEADSPACE (ppm)					
Graval		1 1.5°	below D	bbw					
		4							
361 A		5							
					f		7		
BOT B	+				1.2		·		
(6) A. V.		SAMPLI ID	LAB SAMPI	_ES					
451 B					· · - = 5hu	le .			
					· · - = 5hu Y = 5hup	L 74	·•		
TRAVEL NOTES:									
CALLOUT:		· · · · · · · · · · · · · · · · · · ·	0	NSITE:		·			

; , · · · • • •



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-090

Sample No.:

1

Date Reported:

8/3/2005

Sample ID:

Discrete, 1.5' Below BG Tank

Date Sampled:

7/28/2005

Sample Matrix:

Soil

Date Analyzed:

7/28/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

26.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Beaver Lodge Com No. 320, BGT A

Analyst

Review