

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com
Address: 3401 East 30th Street, Farmington, New Mexico, 87402
Facility or well name: Riddle A Com No. 260 API #: 30045271350000 U/L or Qtr/Qtr N Sec 24 T 30N R 9W
County: San Juan Latitude 36.79199 Longitude -107.73567 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental Oil</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <u>No. Tank in place prior to Rule 50.</u>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 10
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 10
	Ranking Score (Total Points) 20

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
The soils tested clean and no soil remediation was required.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 8/9/05

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature Ed Hasely

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title _____ Signature Denny Faint

Date: AUG 10 2005

CLIENT BurlingtonENVIROTECH INC.
ENVIRONMENTAL SCIENTISTS & ENGINEERS
5796 U.S. HIGHWAY 64-3014
FARMINGTON, NEW MEXICO 87401
PHONE (505) 632-9615

LOCATION: INI

CD NO

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1

LOCATION: NAME Riddle A Com WELL # 2-60 PIT
QUAD/UNIT: N SEC: 24 TWP: 30N RNG: 9W PM: Nmpm CNTY: SJ ST: NM
QTR/FOOTAGE: 940' FSL 1450' FWL CONTRACTOR: L&R ENVIRONMENTAL SPECIALIST: dyEXCAVATION APPROX _____ FT. x _____ FT. x _____ FT. DEEP CUBIC YARDAGE: 0
DISPOSAL FACILITY: N/A REMEDIATION METHOD: _____
LAND USE: _____ LEASE: SF - 078201A FORMATION: _____FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 80 FT 165° FROM WELLHEAD.DEPTH TO GROUNDWATER: 10 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10NMOCD RANKING SCORE: 20 NMOCD TPH CLOSURE STD: 100 PPM

SOIL AND EXCAVATION DESCRIPTION:

CHECK ONE:

☐ PIT ABANDONED☒ STEEL TANK INSTALLED

Tank already sitting in open excavation/pit. 3' below
to 60 ppm → passed. No soil removed from site.

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D	LAB No:	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. ppm
11:00	3' below	1	5.0	20	1	15	60

SCALE



0 FT

PIT PERIMETER

OVM RESULTS

PIT PROFILE

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 3' below	2.2
2	
3	
4	
5	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME



x = Sample Point

TRAVEL NOTES.

CALLOUT.

ONSITE.

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Burlington Resources	Project #:	92115-021-100
Sample No.:	1	Date Reported:	8/2/2005
Sample ID:	Discrete, 3' Below BGT Tank	Date Sampled:	8/1/2005
		Date Analyzed:	8/1/2005
Sample Matrix:	Soil	Analysis Needed:	TPH-418.1
Preservative:	Cool		
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	60	5.0
------------------------------	----	-----


ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of and Waste, USEPA Storet No. 4551, 1978.

Comments: RIDDLE A COM 260

Instrument callibrated to 200 ppm standard. Zeroed before each sample


Analyst


Review