District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank ⊠

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com				
Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Huerfano 92 E API #:3	0045262580000 U/L or Qtr/Qtr <u>G</u>	Sec 07 T 026N R 009W 16 17		
	N36 30.298 Longitude W107 49.567			
Surface Owner: Federal State Private Indian		Allo S		
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volume bbl	Below-grade tank Volume: 60 bbl Type of fluid: Produced water and incidental oil. Construction material: Fiberglass Double-walled, with leak detection? Yes If not, explain why not. No – Tank was installed prior to Rule 50.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) 0		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 0		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing onsite box if your are burying in place) onsite offsite If offsite, remediation start date and end date. (4) Groundwater encountered: 1 (5) Attach soil sample results and a diagram of sample locations and	name of facility (3) Attach a general des No 🗵 Yes If yes, show depth below ground su	cription of remedial action taken including		
Additional Comments:				
Pit Location = 60 feet, 270 degrees from the wellhead				
Soil sample collected 3 feet below bottom of tank. Soils tested clean and no soil remediation was required. Lab analysis attached.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 図, a general permit , or an (attached) alternative OCD-approved plan .				
Date: 8/15/65 Printed Name/Title Ed Hasely, Environmental Advisor Si Your certification and NMOCD approval of this application/closu ground water or otherwise endanger public health or the environm federal, state, or local laws and/or regulations				
Approval: Printed Name File Od. & GAS INSPECTOR, DIST. A Signature Devy Found Date: AUG 17 2005				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-003
Sample ID:	Huerfano 92 E	Date Reported:	10-27-04
Laboratory Number:	31051	Date Sampled:	10-20-04
Chain of Custody No:	13103	Date Received:	10-25-04
Sample Matrix:	Soil	Date Extracted:	10-26-04
Preservative:	Cool	Date Analyzed:	10-27-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Below Grade Tank. PID = 3.2

Analyst C. Oylund

Review Maltes