

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 7 Copies

Fee Lease - 3 Copies

"AS DRILLED PLAT"

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 130-045-35196	² Pool Code 72B19/71599/97232	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA MANCOS
⁴ Property Code 18637	⁵ Property Name WALLER	⁶ Well Number 1B
⁷ OGRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 6563

¹⁰ SURFACE LOCATION

UL or lot no. P	Section 11	Township 32-N	Range 11-W	Lot Idn	Feet from the 905	North/South line SOUTH	Feet from the 932	East/West line EAST	County SAN JUAN
--------------------	---------------	------------------	---------------	---------	----------------------	---------------------------	----------------------	------------------------	--------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. J	Section 11	Township 32-N	Range 11-W	Lot Idn	Feet from the 1865'	North/South line SOUTH	Feet from the 1780'	East/West line EAST	County SAN JUAN
--------------------	---------------	------------------	---------------	---------	------------------------	---------------------------	------------------------	------------------------	--------------------

¹² Dedicated Acres 334.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. RCVD NOV 19 '12
--	-------------------------------	----------------------------------	--

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN OIL CONS. DIV.
CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION DIST. 3

LA PLATA CO., COLORADO SAN JUAN CO., NEW MEXICO				BLM 1953	
LOT 4	LOT 3	LOT 2	LOT 1	BLM 1953	
SECTION 11, T-32-N, R-11-W S/2 DEDICATED ACRES		FEE LEASE		N 40°53'44" W 1261.1' 1865' 1780' NMSF-078119-A 932' 905' 5130.4' (M) 5132.2' (R) S 00°06'51" NORTH BLM 1953	
S 89°53'28" W S 89°47' W BLM 1953		WELL FLAG NAD 83 LAT: 36.994735° N LONG: 107.953544° W NAD 27 LAT: 36°59.684000° N LONG: 107°57.175274° W		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division. <i>Tamra Sessions</i> Signature Tamra Sessions Printed Name sessitd@conocophillips.com Title and E-mail Address 11/16/12 Date	
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: 01/06/2010 Signature and Seal of Professional Surveyor: <i>Henry P. Broadhurst</i> PROFESSIONAL SURVEYOR 11393		Certificate Number: NM 11393			

AV

fc

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName WALLER #1B	API / UWI 3004535196	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 011-032N-011W-P	N/S Dist (ft) 905.00	N/S Ref FSL	E/W Dist (ft) 932.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
10/15/2012	128.00	0.75		Inc-WL	Mo Te Drilling Inc
10/15/2012	234.00	1.00		Inc-WL	Mo Te Drilling Inc
10/21/2012	267.00	0.84	164.99	IncAzi-MWD	Scientific Drilling
10/21/2012	329.00	0.17	31.37	IncAzi-MWD	Scientific Drilling
10/21/2012	391.00	2.05	326.34	IncAzi-MWD	Scientific Drilling
10/21/2012	453.00	3.68	321.54	IncAzi-MWD	Scientific Drilling
10/21/2012	515.00	5.75	320.06	IncAzi-MWD	Scientific Drilling
10/21/2012	576.00	8.45	318.81	IncAzi-MWD	Scientific Drilling
10/22/2012	637.00	10.84	318.01	IncAzi-MWD	Scientific Drilling
10/22/2012	698.00	12.33	317.61	IncAzi-MWD	Scientific Drilling
10/22/2012	759.00	14.29	319.19	IncAzi-MWD	Scientific Drilling
10/22/2012	820.00	16.39	320.14	IncAzi-MWD	Scientific Drilling
10/22/2012	883.00	18.23	320.19	IncAzi-MWD	Scientific Drilling
10/22/2012	946.00	19.94	319.72	IncAzi-MWD	Scientific Drilling
10/22/2012	1,009.00	21.97	319.58	IncAzi-MWD	Scientific Drilling
10/22/2012	1,073.00	23.26	319.69	IncAzi-MWD	Scientific Drilling
10/22/2012	1,136.00	24.16	319.12	IncAzi-MWD	Scientific Drilling
10/22/2012	1,199.00	24.48	318.67	IncAzi-MWD	Scientific Drilling
10/22/2012	1,262.00	24.54	317.74	IncAzi-MWD	Scientific Drilling
10/22/2012	1,326.00	24.64	317.55	IncAzi-MWD	Scientific Drilling
10/22/2012	1,357.00	24.71	317.18	IncAzi-MWD	Scientific Drilling
10/22/2012	1,420.00	24.69	316.95	IncAzi-MWD	Scientific Drilling
10/22/2012	1,484.00	24.64	316.24	IncAzi-MWD	Scientific Drilling
10/22/2012	1,547.00	24.49	317.14	IncAzi-MWD	Scientific Drilling
10/22/2012	1,611.00	24.31	317.69	IncAzi-MWD	Scientific Drilling
10/22/2012	1,674.00	23.88	317.03	IncAzi-MWD	Scientific Drilling
10/22/2012	1,737.00	23.68	316.02	IncAzi-MWD	Scientific Drilling
10/22/2012	1,800.00	23.61	315.09	IncAzi-MWD	Scientific Drilling
10/22/2012	1,863.00	24.02	315.49	IncAzi-MWD	Scientific Drilling
10/22/2012	1,927.00	24.34	316.89	IncAzi-MWD	Scientific Drilling
10/22/2012	1,990.00	24.24	320.02	IncAzi-MWD	Scientific Drilling
10/22/2012	2,053.00	24.27	319.85	IncAzi-MWD	Scientific Drilling
10/22/2012	2,116.00	24.45	319.83	IncAzi-MWD	Scientific Drilling
10/22/2012	2,179.00	24.56	319.50	IncAzi-MWD	Scientific Drilling
10/22/2012	2,242.00	24.81	319.38	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
10/22/2012	2,305.00	24.79	318.97	IncAzi-MWD	Scientific Drilling
10/22/2012	2,369.00	25.32	320.42	IncAzi-MWD	Scientific Drilling
10/22/2012	2,432.00	25.71	321.28	IncAzi-MWD	Scientific Drilling
10/22/2012	2,496.00	25.97	321.14	IncAzi-MWD	Scientific Drilling
10/22/2012	2,559.00	25.79	320.92	IncAzi-MWD	Scientific Drilling
10/22/2012	2,621.00	24.73	320.93	IncAzi-MWD	Scientific Drilling
10/22/2012	2,685.00	24.59	320.69	IncAzi-MWD	Scientific Drilling
10/22/2012	2,748.00	24.74	320.39	IncAzi-MWD	Scientific Drilling
10/22/2012	2,812.00	23.99	320.74	IncAzi-MWD	Scientific Drilling
10/22/2012	2,875.00	23.58	320.71	IncAzi-MWD	Scientific Drilling
10/22/2012	2,939.00	23.20	319.84	IncAzi-MWD	Scientific Drilling
10/22/2012	3,003.00	22.86	319.36	IncAzi-MWD	Scientific Drilling
10/22/2012	3,066.00	22.52	318.26	IncAzi-MWD	Scientific Drilling
10/22/2012	3,128.00	22.81	317.80	IncAzi-MWD	Scientific Drilling
10/22/2012	3,191.00	23.19	317.41	IncAzi-MWD	Scientific Drilling
10/22/2012	3,255.00	22.75	316.83	IncAzi-MWD	Scientific Drilling
10/22/2012	3,317.00	22.12	316.06	IncAzi-MWD	Scientific Drilling
10/22/2012	3,381.00	21.04	315.36	IncAzi-MWD	Scientific Drilling
10/22/2012	3,443.00	19.80	314.50	IncAzi-MWD	Scientific Drilling
10/24/2012	3,475.00	19.62	313.88	IncAzi-MWD	Scientific Drilling
10/24/2012	3,539.00	20.41	314.34	IncAzi-MWD	Scientific Drilling
10/24/2012	3,601.00	20.07	315.21	IncAzi-MWD	Scientific Drilling
10/24/2012	3,664.00	18.25	316.75	IncAzi-MWD	Scientific Drilling
10/24/2012	3,728.00	16.21	317.17	IncAzi-MWD	Scientific Drilling
10/24/2012	3,791.00	13.79	317.73	IncAzi-MWD	Scientific Drilling
10/25/2012	3,854.00	11.60	318.45	IncAzi-MWD	Scientific Drilling
10/25/2012	3,917.00	10.26	320.22	IncAzi-MWD	Scientific Drilling
10/25/2012	3,980.00	8.38	325.00	IncAzi-MWD	Scientific Drilling
10/25/2012	4,044.00	6.23	327.93	IncAzi-MWD	Scientific Drilling
10/25/2012	4,107.00	4.81	334.33	IncAzi-MWD	Scientific Drilling
10/25/2012	4,145.00	3.97	335.55	IncAzi-MWD	Scientific Drilling
10/25/2012	4,204.00	2.89	337.01	Projection	Scientific Drilling
11/2/2012	8,000.00	1.50		Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Carra B. Day 11/15/12

Subscribed and sworn to me this 11/15/12

Mari Z. Jaramila

Notary Public in and for San Juan County, New Mexico

My Commission expires 1/29/14



RCVD NOV 19 '12
OIL CONS. DIV.
DIST. 3

ConocoPhillips

SJB (NM West)
SEC 11 T32N R11W
Waller 1B

OH

Design: OH

Standard Survey Report

5 November, 2012


This survey is correct to the best of my knowledge and is supported by actual field data.

Corra Blay

Notarized this date 5th of November, 2012.

Leaudra Stanley

Notary Signature
County of Mesa
State of Colorado



My Commission Expires 11/26/2012



Scientific Drilling



Project: SJB (NM West)
Site: SEC 11-T32N-R11W
Well: Waller 1B
Wellbore: OH
Design: OH





Azimuths to True North
Magnetic North: 9.88°

Magnetic Field
Strength: 50667.4snT
Dip Angle: 63.60°
Date: 10/17/2012
Model: BGGM2012

WELL DETAILS: Waller 1B

Ground Level: GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Northing 2181374.22 Easting 465076.13 Latitude 36° 59' 41.040 N Longitude 107° 57' 10.516 W



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Waller 1B, True North
Vertical (TVD) Reference: GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Calculation Method: Minimum Curvature
Local North: True

PROJECT DETAILS: SJB (NM West)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003

Scientific Drilling International
Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Waller 1B
Project:	SJB (NM West)	TVD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Site:	SEC 11-T32N-R11W	MD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Well:	Waller 1B	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Project	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	SEC 11-T32N-R11W		
Site Position:		Northing:	2,181,374.22 usft
From:	Lat/Long	Easting:	465,076.13 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	36° 59' 41.040 N
		Longitude:	107° 57' 10.516 W
		Grid Convergence:	-0.07 °

Well	Waller 1B, 905' FSL 932' FEL		
Well Position	+N/-S	0.0 usft	Northing: 2,181,374.22 usft
	+E/-W	0.0 usft	Easting: 465,076.13 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	36° 59' 41.040 N
		Longitude:	107° 57' 10.516 W
		Ground Level:	6,563.0 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination (°)
	BGGM2012	10/17/12	9.88
			Dip Angle (°) 63.60
			Field Strength (nT) 50,667

Design	OH		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°) 318.58

Survey Program	Date	11/05/12		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
267.0	4,145.0	Survey #1 - Surface MWD (OH)	MWD SDI	MWD - Standard ver 1.0.1

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
267.0	0.84	164.99	267.0	-1.9	0.5	-1.8	0.31	0.31	0.00
First SDI Survey									
329.0	0.17	31.37	329.0	-2.3	0.7	-2.1	1.56	-1.08	-215.52
391.0	2.05	326.34	391.0	-1.2	0.1	-1.0	3.20	3.03	-104.89
453.0	3.68	321.54	452.9	1.2	-1.7	2.1	2.66	2.63	-7.74
515.0	5.75	320.06	514.7	5.2	-5.0	7.2	3.34	3.34	-2.39
576.0	8.45	318.81	575.2	10.9	-9.9	14.7	4.43	4.43	-2.05
637.0	10.84	318.01	635.3	18.5	-16.7	24.9	3.92	3.92	-1.31
698.0	12.33	317.61	695.1	27.6	-24.9	37.2	2.45	2.44	-0.66
759.0	14.29	319.19	754.5	38.1	-34.2	51.2	3.27	3.21	2.59

Scientific Drilling International
Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Waller 1B
Project:	SJB (NM West)	TVD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Site:	SEC 11-T32N-R11W	MD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Well:	Waller 1B	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000-DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
820.0	16.39	320.14	813.3	50.4	-44.7	67.4	3.47	3.44	1.56
883.0	18.23	320.19	873.4	64.8	-56.7	86.1	2.92	2.92	0.08
946.0	19.94	319.72	933.0	80.6	-69.9	106.7	2.73	2.71	-0.75
1,009.0	21.97	319.58	991.8	97.7	-84.5	129.2	3.22	3.22	-0.22
1,073.0	23.26	319.69	1,050.9	116.5	-100.4	153.8	2.02	2.02	0.17
1,136.0	24.16	319.12	1,108.5	135.7	-116.9	179.1	1.47	1.43	-0.90
1,199.0	24.48	318.67	1,166.0	155.3	-134.0	205.1	0.59	0.51	-0.71
1,262.0	24.54	317.74	1,223.3	174.8	-151.4	231.2	0.62	0.10	-1.48
1,326.0	24.64	317.55	1,281.5	194.4	-169.4	257.8	0.20	0.16	-0.30
1,357.0	24.71	317.18	1,309.6	204.0	-178.1	270.8	0.55	0.23	-1.19
1,420.0	24.69	316.95	1,366.9	223.2	-196.1	297.1	0.16	-0.03	-0.37
1,484.0	24.64	316.24	1,425.0	242.6	-214.4	323.8	0.47	-0.08	-1.11
1,547.0	24.49	317.14	1,482.3	261.7	-232.4	350.0	0.64	-0.24	1.43
1,611.0	24.31	317.69	1,540.6	281.2	-250.3	376.4	0.45	-0.28	0.86
1,674.0	23.88	317.03	1,598.1	300.1	-267.7	402.1	0.81	-0.68	-1.05
1,737.0	23.68	316.02	1,655.8	318.5	-285.2	427.5	0.72	-0.32	-1.60
1,800.0	23.61	315.09	1,713.5	336.6	-302.8	452.7	0.60	-0.11	-1.48
1,863.0	24.02	315.49	1,771.1	354.6	-320.7	478.1	0.70	0.65	0.63
1,927.0	24.34	316.89	1,829.5	373.6	-338.9	504.3	1.03	0.50	2.19
1,990.0	24.24	320.02	1,886.9	392.9	-356.1	530.2	2.05	-0.16	4.97
2,053.0	24.27	319.85	1,944.4	412.7	-372.7	556.1	0.12	0.05	-0.27
2,116.0	24.45	319.83	2,001.8	432.6	-389.5	582.1	0.29	0.29	-0.03
2,179.0	24.56	319.50	2,059.1	452.5	-406.4	608.2	0.28	0.17	-0.52
2,242.0	24.81	319.38	2,116.3	472.5	-423.5	634.5	0.40	0.40	-0.19
2,305.0	24.79	318.97	2,173.5	492.5	-440.8	660.9	0.27	-0.03	-0.65
2,369.0	25.32	320.42	2,231.5	513.2	-458.3	688.0	1.27	0.83	2.27
2,432.0	25.71	321.28	2,288.4	534.2	-475.4	715.1	0.85	0.62	1.37
2,496.0	25.97	321.14	2,346.0	556.0	-492.9	743.0	0.42	0.41	-0.22
2,559.0	25.79	320.92	2,402.6	577.3	-510.2	770.5	0.32	-0.29	-0.35
2,621.0	24.73	320.93	2,458.7	597.9	-526.9	796.9	1.71	-1.71	0.02
2,685.0	24.59	320.69	2,516.9	618.6	-543.8	823.6	0.27	-0.22	-0.38
2,748.0	24.74	320.39	2,574.1	638.9	-560.5	849.9	0.31	0.24	-0.48
2,812.0	23.99	320.74	2,632.4	659.3	-577.2	876.3	1.19	-1.17	0.55
2,875.0	23.58	320.71	2,690.1	678.9	-593.3	901.7	0.65	-0.65	-0.05
2,939.0	23.20	319.84	2,748.8	698.5	-609.6	927.1	0.80	-0.59	-1.36
3,003.0	22.86	319.36	2,807.7	717.6	-625.8	952.1	0.61	-0.53	-0.75
3,066.0	22.52	318.26	2,865.8	735.8	-641.8	976.4	0.86	-0.54	-1.75
3,128.0	22.81	317.80	2,923.1	753.6	-657.8	1,000.3	0.55	0.47	-0.74
3,191.0	23.19	317.41	2,981.0	771.8	-674.4	1,024.9	0.65	0.60	-0.62
3,255.0	22.75	316.83	3,040.0	790.1	-691.4	1,049.9	0.77	-0.69	-0.91
3,317.0	22.12	316.06	3,097.3	807.2	-707.7	1,073.5	1.12	-1.02	-1.24
3,381.0	21.04	315.36	3,156.8	824.1	-724.1	1,097.0	1.73	-1.69	-1.09
3,443.0	19.80	314.50	3,214.9	839.4	-739.4	1,118.6	2.06	-2.00	-1.39

Scientific Drilling International
Survey Report



Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Waller 1B
Project:	SJB (NM West)	TVD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Site:	SEC 11-T32N-R11W	MD Reference:	GL 6563' & KB 15' @ 6578.0usft (AWS 730)
Well:	Waller 1B	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,475.0	19.62	313.88	3,245.0	846.9	-747.1	1,129.4	0.86	-0.56	-1.94
3,539.0	20.41	314.34	3,305.2	862.1	-762.9	1,151.2	1.26	1.23	0.72
3,601.0	20.07	315.21	3,363.3	877.2	-778.1	1,172.6	0.73	-0.55	1.40
3,664.0	18.25	316.75	3,422.8	892.1	-792.5	1,193.2	3.00	-2.89	2.44
3,728.0	16.21	317.17	3,484.0	905.9	-805.4	1,212.2	3.19	-3.19	0.66
3,791.0	13.79	317.73	3,544.8	918.0	-816.4	1,228.5	3.85	-3.84	0.89
3,854.0	11.60	318.45	3,606.3	928.3	-825.7	1,242.3	3.49	-3.48	1.14
3,917.0	10.26	320.22	3,668.1	937.3	-833.5	1,254.3	2.19	-2.13	2.81
3,980.0	8.38	325.00	3,730.3	945.4	-839.7	1,264.5	3.22	-2.98	7.59
4,044.0	6.23	327.93	3,793.8	952.1	-844.2	1,272.5	3.41	-3.36	4.58
4,107.0	4.81	334.33	3,856.5	957.4	-847.2	1,278.4	2.45	-2.25	10.16
4,145.0	3.97	335.55	3,894.4	960.1	-848.4	1,281.2	2.22	-2.21	3.21

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
267.0	267.0	-1.9	0.5	First SDI Survey
4,145.0	3,894.4	960.1	-848.4	Last SDI Survey

Checked By: _____ Approved By: _____ Date: _____