District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			appropriate NMOCD	District Office.	
	Pit, Closed-Loop System	, Below-Grade	Tank, or		
Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Type of action:	Permit of a pit, closed-loop sys	stem, below-grade tan	k, or proposed alt	ernative method	
O 13/F 11 1111111	X Closure of a pit, closed-loop sy	·-			
· · · · · · · · · · · · · · · · · · ·	Modification to an existing per	_			
	Closure plan only submitted fo	r an existing permitte	ed or non-permitte	d pit, closed-loop system,	
	below-grade tank, or proposed	alternative method			
Instructions: Please submit one app	•	-			
	this request does not relieve the operator of lie we the operator of its responsibility to comply				
Operator: ConocoPhillips Company	,	(OGRID#: 2178	17	
Address: PO Box 4289, Farmington	ı, NM 87499				
Facility or well name: Jicarilla B 13	M				
API Number: 30-	-039-25773	OCD Permit Number:			
U/L or Qtr/Qtr: D(NW/NW) Section	n: 36 Township: 26N	Range: 4	W County:	Rio Arriba	
Center of Proposed Design: Latitude:	36.447269 °N	Longitude:	-107.2086	<u>°W</u> NAD: X 1927 ☐ 1983	
Surface Owner: Federal	State Private XT	ribal Trust or Indian	Allotment	·	
Lined Unlined Lin String-Reinforced Liner Seams: Welded Fac X Closed-loop System: Subsection Type of Operation: P&A Drying Pad X Above Groun Lined Unlined Liner	over vitation P&A er type: Thickness mil ctory Other on H of 19.15.17.11 NMAC Drilling a new well Workover of notice of interest of the state of the stat	Volume:or Drilling (Applies to ac	ctivities which requi	RCVD FEB 8 '13 OIL CONS. DIV. DIST. 3 Other x W x D fre prior approval of a permit or Other	
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other					
5 Alternative Method:					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acc source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting does not apply to drying pads or above grade-tanks associated with a closed-loop system.	the e for			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or p (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	laya lake Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initia application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	k watering Yes No			
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinadopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	ance Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed	site Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geologoeity; Topographic map 	gical Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Mile mative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for Consideration)				
West Formation and Property Change Blanch and Change Blanch and Change Blanch (10.15.17.12.) NAAC) Instructions For both of the following items must be attached to the alarmon burners.				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16	W. L. M. D O. L (10 L5 17 12 D.) (MAC)			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks of Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and	ar Haul-off Bins Only: (19.15.17.13.D NMAC) d drill cuttings. Use attachment if more than two			
facilities are required.				
	Disposal Facility Name: Disposal Facility Permit #:			
	Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activities occur of Yes (If yes, please provide the information No	on or in areas that will not be used for future service at	nd !		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17 .	-			
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recomme certain siting criteria may require administrative approval from the appropriate district office or may be office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	e considered an exception which must be submitted to the Santa			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from	nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste	· · · · · · · · · · · · · · · · · · ·	Yes No .		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from	nearby wells	N/A		
Ground water is more than 100 feet below the bottom of the buried waste.	🔲	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from	nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant water (measured from the ordinary high-water mark).	course or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence a - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	at the time of initial application.	Yes No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five hou purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of its content of the state	e time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field co pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from		Yes No		
Within 500 feet of a wetland	· · · · ¬.	res No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (cer				
Within the area overlying a subsurface mine.		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Div				
Within an unstable area.	-	Yes No		
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resort Topographic map 	burees; USGS, NW Geological Society,			
Within a 100-year floodplain FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the fo	ollowing items must bee attached to the closure plan.	Please indicate,		
by a check mark in the box, that the documents are attached.	ments of 10 15 17 10 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
<u> </u>				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Applies	ation Certification:	-		
-	the information submitted with this application is true, accurate	•	of my knowledge and belief.	
Name (Print):				
Signature:		Date:	· · · · · · · · · · · · · · · · · · ·	
e-mail address:		Telephone:		
20 OCD Approval: OCD Representa	Permit Application (including closure plan) tive Signature:	Clpsure P lan (only) OCD Permit	OCD Conditions (see attachment) Approval Date: 2/11/20[3 Number:	
Instructions: Operative report is required to	required within 60 days of closure completion): Sub- tors are required to obtain an approved closure plan prior o be submitted to the division within 60 days of the completi- an has been obtained and the closure activities have been c	to implementing any closure on of the closure activities. I completed.	* *	
السيبا	vation and Removal On-site Closure Method rom approved plan, please explain.	Alternative Closure Me	thod X Waste Removal (Closed-loop systems only)	
Instructions: Please were utilized. Disposal Facility Disposal Facility Were the closed- Yes (If yes, Required for imp Site Reclam Soil Backfill Re-vegetation 24 Closure Report the box, that the Proof of Closure Plot Plan (Confirmati) Waste Mat	Name: Envirotech / JFJ Landfarm % IEI Name: Basin Disposal Facility Noop system operations and associated activities performed please demonstrate compliane to the items below) Disposal Facility Dispo	Disposal Facility Pe Disposal Facility Pe Disposal Facility Pe on or in areas that will not be X No perations:	mit Number: NM-01-0011 / NM-01-0010B mit Number: NM-05	
Soil Backf Re-vegetat Site Reclar	actify Name and Permit Number filling and Cover Installation ion Application Rates and Sceding Technique mation (Photo Documentation) posure Location: Latitude:	:	NAD [] 1927 [] 1983	
25				
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Denise Journey	Title:	Regulatory Technician	
Signature:	Denise Towney	Date:	2/8/2013	
e-mail address:	Denise.Journey@conocophillps.com	Telephone:	505-326-9784	