District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

Type of action: Registration of a pit of	or below-grade tank [] Closure of a pit or below-grade	de tank 🛛 📗 🖂				
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: LI	lasely@br-inc.com				
Address: 3401 East 30th Street, Farmington, New Mexico, 87402						
Facility or well name: San Juan 29-7 Unit No. 515 API	#: <u>30039243150000</u> U/L or 0	Qtr/Qtr <u>H</u> Sec <u>36 T 29N</u> R <u>7W</u>				
County: Rio Arriba Latitude	36.68463 Longitude -107.51661	NAD: 1927 🔀 1983 🔲				
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐						
Pit	Below-grade tank					
Type: Drilling Production Disposal						
Workover ☐ Emergency ☐	Construction material: Fiberglass					
Lined Unlined	Double-walled, with leak detection? Yes If not.	, explain why not.				
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.	• •				
Pit Volumebbl						
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points) 0				
	+					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0				
	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10				
	Ranking Score (Total Points)	10				
	Ranking Score (Total Foliats)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if				
your are burying in place) onsite \(\bigcap \) offsite \(\bigcap \) If offsite, name of facility \(\bigcap \)	(3) Attach a general description of remedial action	n taken including remediation start date and end				
date. (4) Groundwater encountered: No \boxtimes Yes \square If yes, show depth below	ow ground surface ft. and attach sample	e results.				
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.					
Additional Comments:		13 14 15 76				
BGT A						
The soils tested clean and no soil remediation was required.		SEP 200E				
		PECEIVED 2				
		CONS. DIV				
		Va Diot. 3				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline						
Date: 9/13/05	A in a					
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature & Hasel					
Your certification and NMOCD approval of this application/closure does		of the sit on tool, contaminate around parts or				
otherwise endanger public health or the environment. Nor does it relieve regulations.	the operator of its responsibility for compliance with an	ny other federal, state, or local laws and/or				
Printed Name/Title Signature	y Fury Date: SEP 152	005				
Timed Name Time Signature						

2 \ 1		Env	IROTECI	H INC.			
CLIENT: Burlington Losovras	ENVIRONMENTAL SCIENTISTS & ENGINEERS			LOCATION NO:			
D ., 000		5796	U.S. HIGHWAY NCTON, NEW ME ONE: (505) 632	64-3014		C.O.C. N	O:
FIELD REPOR	?T:	CLOSU	RE V	ERIFIC	CATION	PAGE No: _	1 of (
LOCATION: NAME: San Juan 29.7 Unit WEEL #: 515 PIT: QUAD/UNIT: H SEC: 34 TWP: 29N RNG: 7W PM: NMPM CNTY: AMIN'ST: NM			DATE STARTED: 8/18/05 DATE FINISHED: 8/18/05				
QTR/FOOTAGE: 1755'N 1055'E CONTRACTOR: LAR				ENVIRONMENTAL SPECIALIST: MM			
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE: OPEN CUBIC YARDAGE: C							
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 113' FT. 270° FROM WELLHEAD DEPTH TO GROUNDWATER: 6 NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER: 10							
NMOCD RANKING SCORE: 10	NMDC	D TPH CLOSUF	RE STD:	OO PPM		CHECK ONE :	
I NI II ANII EXLAVATUM MENERIPIM					_PIT ABANDONED _STEEL TANK INSTALLED		
of site. Sandstone encountered 3' below BGT. FIELD 418.1 CALCULATIONS							
SCALE	1059	SAMPLE I.D.	LAB No:	WEIGHT (g)	24	LUTION READING	98.5
SCALE	O.O.	CB CB Color	76	3		0= 	(0.5
O FT		L	OVM	<u> </u>	72.10	DDARILE	
PIT PERIM	ETER		RESULT		PIT	PROFILE	
SAMPLE PRID HEADSPACE PID (ppm) 13 below 5 ppm 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5							
TRAVEL NOTES: CALLOUT: ONSITE:							



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-115

Sample No.:

1

Date Reported:

8/19/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

8/19/2005

Sample Matrix:

Soil

Date Analyzed:

8/19/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

98.5

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 29-7 Unit No. 515, BGT A

Analyst

Review