1301 W. Grand Ave., Artesia. NM 88210 Oil Conservation Division tanks. submit to the appropriate NMOCD Dist	below-grade rict Office.				
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV For permanent pits and exceptions submit to Environmental Bureau office and provide a construction of the NH OCD District 10000					
1220 S. St. Francis Dr., Santa Fe, NM 87505					
Pit, Closed-Loop System, Below-Grade Tank, or					
Proposed Alternative Method Permit or Closure Plan Application Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Modification to an existing permit					
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop sy below-grade tank, or proposed alternative method	vstem,				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternat	ive request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinan					
1 Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address DO Dec 4000 Exact to ANM 05400 OGRID#: 14538					
Address: PO Box 4289, Farmington, NM 87499	<u> </u>				
Facility or well name: NYE 10P					
API Number: <u>30-045-</u> OCD Permit Number:					
U/L or Qtr/Qtr: G(SW/NE) Section: 12 Township: 30N Range: 11W County: SAN JUAN					
	927 X 1983				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment					
2 Pit: Subsection F or G of 19.15.17.11 NMAC RCVD FEB 22 '13					
Temporary: Drilling Workover OIL CONS. DIV.					
Permanent Emergency Cavitation 10% A	ST. 3				
String-Reinforced					
Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D					
3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)					
X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other X Lined Unlined Liner type: Thickness 20 mil X LLDPE PVD Other Liner Seams: X Welded X Factory Other					
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material:					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Liner Type: Thickness mil HDPE PVC Other					
5 Alternative Method:					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of a	pproval.				

7

 6 , Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six fect in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 			
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
 8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC 			
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
10 <u>Siting Criteria (regarding permitting)</u> 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA		
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes NA	No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No	
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

. '		
11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachmen</u> Instructions: Each of the following items must be attached to the application. Please indicate, by a check	a mark in the box, that the documents are attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragrap		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Siting Criteria		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17	7.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the app 19.15.17.9 NMAC and 19.15.17.13 NMAC	propriate requirements of Subsection C of	
Previously Approved Design (attach copy of design) API	or Permit	
12 <u>Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check</u>	mark in the box, that the documents are attached.	
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requiremed Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the a		
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	appropriate requirements of 17.15.17.10 NWAC	
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.1	7.12 NMAC	
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the app NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a che	ak mark in the bary that the desumants are stracked	
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15	5.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMA Liner Specifications and Compatibility Assessment - based upon the appropriate requirements		
Quality Control/Quality Assurance Construction and Installation Plan	ements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.1	7.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements	of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9	NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed classifier Type: Drilling Workover Emergency Cavitation P&A Permanent Pit		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit	Below-grade Tank X Closed-loop System	
Proposed Closure Method: Waste Excavation and Removal		
X Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop	systems)	
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the	Santa Fe Environmental Bureau for consideration)	
15 Waste Excavation and Removal Closure Plan Checklist(19.15.17.13 NMAC) Instructions: Ea	ch of the following items must be attached to the closure plan.	
Please indicate, by a check mark in the box, that the documents are attached.	1AC	
 Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NM Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements 		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cutting		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirement		
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19		

-

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two			
facilities are required.	Disposal Facility Permit #: NM 01 0011 / NM 01	00100	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: <u>NM-01-0011 / NM-01-</u>		
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005		
Will any of the proposed closed-loop system operations and associated at Yes (If yes, please provide the information No		e service and	
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the app		IMAC	
Re-vegetation Plan - based upon the appropriate requirements of Su		MMAC	
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19.15.17.13 NMAC		
17			
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 N	MAC		
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offi			
office for consideration of approval. Justifications and/or demonstrations of equivalency ar		sana i e Environmenta Dareaa	
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS: Data	a obtained from nearby wells		
Ground water is between 50 and 100 feet below the bottom of the buried	wate		
 NM Office of the State Engineer - iWATERS database search; USGS; Data 		$\square N/A$	
	•		
Ground water is more than 100 feet below the bottom of the buried waster			
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from hearby wells	N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si (measured from the ordinary high-water mark).	gnificant watercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map; Vísual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or churc		Yes No	
- Visual inspection (certification) of the proposed site; Aerial photo: satellite i	inage		
Within 500 horizontal feet of a private, domestic fresh water well or spring that les	s than five households use for domestic or stock watering		
 purposes, or within 1000 horizontal fee of any other fresh water well or spring that is NM Office of the State Engineer - iWATERS database; Visual inspection (c 	existence at the time of the initial application.		
Within incorporated municipal boundaries or within a defined municipal fresh wate pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No	
- Written confirmation or verification from the municipality; Written approva	I obtained from the municipality		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	Lingenetion (antification) of the supposed site	Yes No	
Within the area overlying a subsurface mine.	r inspection (certification) of the proposed site		
- Written confirantion or verification or map from the NM EMNRD-Mining a	and Mineral Division		
Within an unstable area.		Yes No	
- Engineering measures incorporated into the design; NM Bureau of Geology	& Mineral Resources; USGS; NM Geological Society;		
Topographic map Within a 100-year floodplain.		Yes No	
- FEMA map		Yes No	
¹⁸ <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: I by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the cl	osure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requi			

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Signature: 10000 Date: $273/13$
e-mail address: // jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/26/2013
Approval Date:Approval Date:
Title: Omflance Offre OCD Permit Number:
21 Closure Benert (required within 60 days of elecure completion): 5 to 15 to
<u>Closure Report (required within 60 days of closure completion):</u> Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22
<u>Closure Method:</u>
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
<u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
mistructions: rease taenity the factury or facturies for where the riquities, artiting futues and artic cuttings were alsposed. Use anachment if more than two facturies were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box. that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD [] 1927 [] 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

-

.

.

Burlington Resources Oil & Gas Company, LP

Closed Loop Design:

The closed loop design will not incorporate a temporary pit or below grade tank. The plan will utilize an above grade tank suitable for holding the cuttings and fluids generated during drilling operations. The volume of the tank shall be of a sufficient volume to maintain an adequate free board for periodic removal and disposal of cuttings and fluids.

Burlington Resources Oil & Gas Company, LP may incorporate the use of a 20 mil, string reinforced, LLDPE liner with factory welded seams to line the drying pad in order to minimize the volume of fluids to be disposed of. The drying pad will be designed to prevent contamination of fresh water, protect public health and the environment, and have sumps to facilitate the collection of liquids derived from drilling cuttings, as specified per subsection H of 19.15.17.11. The cuttings pad will be constructed above grade and containment will be through the use of earthen berms of sufficient height to contain the cuttings and prevent run-off of surface water or fluids. The drying pad area will replace the area of the drill site previously designated for the reserve pit. It will be signed in compliance with 19.15.3.103.NMAC. Frac tanks will be utilized on site for fresh water storage.

Closed Loop Operations and Maintenance:

The closed loop system will be operated and maintained for solids and liquid containment to prevent ground water contamination as follows:

- 1. Any free liquids will be recovered and reused or disposed of at the Basin Disposal Facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Reuse may include the relocating of liquids to be used in other permitted drilling operations.
- Drill solids will be recovered from location and hauled to Envirotech (Permit #NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) periodically as required to maintain a safe free board in the cuttings tank. No onsite trench burial of cuttings will occur.
- 3. In the event a drying pad is utilized, the cuttings will be picked up and transported to Basin Disposal Facility (Permit #NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The liner will be disposed of at the San Juan County Landfill located on CR 3100. The drying pad will be closed within 6 months from the date that the drilling rig is released. Berms constructed from native materials will be bladed on site to the location's contour.
- 4. Any drilling materials or trash will be stored and disposed of appropriately.
- 5. The NMOCD will be notified within 48 hours of the discovery of compromised integrity of the closed loop containment. Any required repairs will commence immediately.

Closed Loop Closure Plan:

 Upon completion of the drilling operations, all solids and liquids will be removed and disposed of to Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit # NM-01-005) and/or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Equipment shall also be removed from location. In the event a drying pad is utilized, the solids contained on the pad shall remain on site to allow sufficient drying and will then be transported to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) within 6 months from the date that the drilling rig is released. After the drying pad is removed the surface below will be visually inspected for any contamination. If contamination is discovered a five point composite sample will be taken of the drying pad area using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	500

- 3. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
- 4. Notification will be sent to OCD when the reclaimed area is seeded.
- 5. BR shall seed the disturbed areas the first growing season after the operator closes the drying pad. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

Species shall be planted in pounds of pure live seed per acre: Present Pure Live Seed (PLS) = Purity X Germination/100 Two lots of seed can be compared on the basis of PLS as follows: Source No. One (poor quality) Source No. two (better quality)

1 lb. PLS		1
5 lb. bulk seed	required to make	2
Percent PLS	20 percent	Pe
Germination	40 percent	G
Purity	50 percent	P

Source No. two (better quality) Purity 80 percent Germination 63 percent Percent PLS 50 percent 2 Ib. bulk seed required to make 1 Ib. PLS