District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No □

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank 🗵

Operator: Burlington Resources Address: 3401 East 30th Street, Farmington, New Mexico, 87402	ephone: (505) 326-9841 e-mail ac	dress: <u>LHasely@br-</u>	inc.com	
Facility or well name: Seymour #6 API #: 3004:	5106840000U/L or Qtr/Qtr _MSec	14 T_031N	R009W	
County: San Juan Latitude N36 53.586		7 ⊠ 1983 □		
Surface Owner: Federal ⊠ State □ Private □ Indian □	•			
Pit Type: Drilling □ Production □ Disposal □ Workover □ Emergency □ Lined □ Unlined □ Liner type: Synthetic □ Thicknessmil Clay □ Pit Volumebbl	Below-grade tank Volume: 60_bbl Type of fluid: Construction material: Fiberglass Double-walled, with leak detection? Yes □ If not, explain why not. No - Tank was installed prior to Rule 50.			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	0	
	Ranking Score (Total Points)		0	
onsite box if your are burying in place) onsite \square offsite \square If offsite, remediation start date and end date. (4) Groundwater encountered: 1 (5) Attach soil sample results and a diagram of sample locations and	No $oxtimes$ Yes \Box If yes, show depth below ground sur		ion taken including	
Additional Comments: Pit Location = 70 feet , 45 degrees from the wellhead.		2/2	SEP 200#	
Soil sample collected 3 feet below bottom of tank. Soils tested cl		S	DIL CONS. DIV.	
I hereby certify that the information above is true and complete to below-grade tank has been/will be constructed or closed accor approved plan .	ding to NMOCD guidelines ⊠, a general permi	rtify that the above-of [], or an (attached)	escept pt of alternative OCD-	
Date: 9-20-05 Printed Name/Title Ed Hasely, Environmental Advisor Si Your certification and NMOCD approval of this application/closu ground water or otherwise endanger public health or the environm federal, state, or local laws and/or regulations	re does not relieve the operator of liability should t			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Res.	Project #:	92115-001-13127
Sample ID:	Seymour #6	Date Reported:	01-10-05
Laboratory Number:	31622	Date Sampled:	12-29-04
Chain of Custody No:	13127	Date Received:	01-07-05
Sample Matrix:	Soil	Date Extracted:	01-10-05
Preservative:	Cool	Date Analyzed:	01-10-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	41.2	0.1
Total Petroleum Hydrocarbons	41.2	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

BG Tank.

PID = 4.2

Analyst C. Que

A Mistre M Walles
Review