District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No □

Type of action: Registration of a pit or below-grade tank □ Closure of a pit or below-grade tank ⊠

Below-grade tank Volume: 60_bbl Type of fluid: Construction material: Fiberglass Double-walled, with leak detection? Yes □ If not, explain why not. No - Tank was installed prior to Rule 50.		
Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	0
Yes No	(20 points) (0 points)	o
Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	10
Ranking Score (Total Points)		10
No ⊠ Yes ☐ If yes, show depth below ground surd excavations.	rfaceft. and a	attach sample resu
	, s	~
	——— <i>(</i> %	SER
clean and no soil remediation was required. Lab and	4	SEP 20 PECEIVE CONS. 1 DIST. 8
	Below-grade tank Volume: _60_ bbl Type of fluid: Construction material: _Fiberglass Double-walled, with leak detection? Yes □ Is No = Tank was installed prior to Rule 50. Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more Yes No Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more Ranking Score (Total Points) g the pit's relationship to other equipment and tanks e, name of facility (3) Attach a general deso No ☒ Yes ☐ If yes, show depth below ground suf- d excavations.	Below-grade tank Volume: _60_ bbl Type of fluid: Construction material: _Fiberglass Double-walled, with leak detection? Yes □ If not, explain why not. No - Tank was installed prior to Rule 50. Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (20 points) Yes (20 points) No (0 points) Less than 200 feet (20 points) (0 points) (10 points)



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-14114
Sample ID:	Grenier 6A	Date Reported:	07-11-05
Laboratory Number:	33587	Date Sampled:	06-29-05
Chain of Custody No:	14114	Date Received:	07-08-05
Sample Matrix:	Soil	Date Extracted:	07-10-05
Preservative:	Cool	Date Analyzed:	07-11-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

BG Tank (Area 4).

PID= 0.6

Analyst

Mistine of Walters Review