

District I
1635 N. French Dr., Hobbs, NM 88240
Phone: (505) 393-6161 Fax: (505) 393-0720
District II
R11 S. First St., Artesia, NM 88210
Phone: (505) 745-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-2462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AS DRILLED PLAT

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-30656		² Pool Code 72319		³ Pool Name BLANCO MESAVERDE	
⁴ Property Code 7462		⁵ Property Name SAN JUAN 28-6 UNIT			⁶ Well Number 135P
⁷ OGRID No. 14538		⁸ Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP			⁹ Elevation 6154

¹⁰ SURFACE LOCATION

UL or lot no.	Section	Township	Range	Lot Idp	Feet from the	North/South line	Feet from the	East/West line	County
K	6	27-N	6-W		1940	SOUTH	1630	WEST	RIO ARriba


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idp	Feet from the	North/South line	Feet from the	East/West line	County
L	6	27-N	6-W		2326'	SOUTH	1046'	WEST	RIO ARriba

¹² Dedicated Acres MV-W/2(314.17)	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
			ROVD MAY 22 '13 OIL CON. DIV.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

DIST. 3



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Arleen White 5/21/13

Signature Date

Arleen White

Printed Name

arleen.r.white@conocophillips.com


E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: 05/09/2008

Signature and Seal of Professional Surveyor:



Certificate Number: NM 11393

fv

COP Deviation Report
SAN JUAN 28-6 UNIT #135P


RCVD MAY 24 '13
OIL CONS. DIV.

DIST 2

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 28-6 UNIT #135P	API / UWI 3003930656	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 006-027N-006W-K	N/S Dist (ft) 1,940.00	N/S Ref FSL	E/W Dist (ft) 1,630.00	E/W Ref FWL

Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
3/29/2013	133.00	0.75		Inc-Drop	Mo Te Drilling Inc
3/29/2013	230.00	1.50		Inc-Drop	Mo Te Drilling Inc
4/13/2013	270.00	1.59	334.69	IncAzi-MWD	Scientific Drilling
4/13/2013	332.00	1.84	316.75	IncAzi-MWD	Scientific Drilling
4/13/2013	392.00	2.87	315.70	IncAzi-MWD	Scientific Drilling
4/13/2013	454.00	4.63	311.48	IncAzi-MWD	Scientific Drilling
4/13/2013	515.00	6.27	309.91	IncAzi-MWD	Scientific Drilling
4/13/2013	577.00	7.77	304.34	IncAzi-MWD	Scientific Drilling
4/13/2013	639.00	8.59	303.66	IncAzi-MWD	Scientific Drilling
4/13/2013	701.00	10.13	304.04	IncAzi-MWD	Scientific Drilling
4/13/2013	763.00	11.15	302.86	IncAzi-MWD	Scientific Drilling
4/13/2013	824.00	12.25	304.49	IncAzi-MWD	Scientific Drilling
4/13/2013	888.00	13.43	305.09	IncAzi-MWD	Scientific Drilling
4/13/2013	951.00	14.60	305.20	IncAzi-MWD	Scientific Drilling
4/13/2013	1,014.00	15.06	303.61	IncAzi-MWD	Scientific Drilling
4/13/2013	1,077.00	15.55	304.44	IncAzi-MWD	Scientific Drilling
4/13/2013	1,140.00	16.91	305.35	IncAzi-MWD	Scientific Drilling
4/13/2013	1,204.00	18.71	305.63	IncAzi-MWD	Scientific Drilling
4/13/2013	1,267.00	19.35	305.48	IncAzi-MWD	Scientific Drilling
4/13/2013	1,330.00	20.28	305.91	IncAzi-MWD	Scientific Drilling
4/13/2013	1,394.00	20.64	305.09	IncAzi-MWD	Scientific Drilling
4/13/2013	1,457.00	21.13	304.87	IncAzi-MWD	Scientific Drilling
4/13/2013	1,520.00	21.32	303.67	IncAzi-MWD	Scientific Drilling
4/13/2013	1,583.00	22.19	304.83	IncAzi-MWD	Scientific Drilling
4/13/2013	1,646.00	22.13	305.95	IncAzi-MWD	Scientific Drilling
4/13/2013	1,710.00	22.78	305.19	IncAzi-MWD	Scientific Drilling
4/13/2013	1,773.00	22.01	305.94	IncAzi-MWD	Scientific Drilling
4/13/2013	1,836.00	21.50	306.89	IncAzi-MWD	Scientific Drilling
4/13/2013	1,899.00	21.31	307.60	IncAzi-MWD	Scientific Drilling
4/13/2013	1,963.00	20.26	305.96	IncAzi-MWD	Scientific Drilling
4/13/2013	2,026.00	19.70	305.68	IncAzi-MWD	Scientific Drilling
4/13/2013	2,089.00	18.54	303.28	IncAzi-MWD	Scientific Drilling
4/13/2013	2,152.00	17.58	302.04	IncAzi-MWD	Scientific Drilling
4/13/2013	2,216.00	16.84	301.61	IncAzi-MWD	Scientific Drilling
4/13/2013	2,279.00	16.09	299.71	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico


My Commission expires _____

COP Deviation Report
SAN JUAN 28-6 UNIT #135P

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
4/13/2013	2,342.00	15.03	297.62	IncAzi-MWD	Scientific Drilling
4/13/2013	2,405.00	14.62	297.30	IncAzi-MWD	Scientific Drilling
4/13/2013	2,469.00	14.63	297.22	IncAzi-MWD	Scientific Drilling
4/13/2013	2,532.00	14.92	297.13	IncAzi-MWD	Scientific Drilling
4/13/2013	2,595.00	14.93	297.53	IncAzi-MWD	Scientific Drilling
4/14/2013	2,659.00	14.03	297.35	IncAzi-MWD	Scientific Drilling
4/14/2013	2,722.00	13.15	300.36	IncAzi-MWD	Scientific Drilling
4/14/2013	2,785.00	11.18	302.31	IncAzi-MWD	Scientific Drilling
4/14/2013	2,848.00	8.93	306.31	IncAzi-MWD	Scientific Drilling
4/14/2013	2,912.00	6.21	309.22	IncAzi-MWD	Scientific Drilling
4/14/2013	2,975.00	3.72	312.84	IncAzi-MWD	Scientific Drilling
4/14/2013	3,038.00	3.16	307.72	IncAzi-MWD	Scientific Drilling
4/14/2013	3,101.00	1.48	313.29	IncAzi-MWD	Scientific Drilling
4/14/2013	3,165.00	0.47	46.72	IncAzi-MWD	Scientific Drilling
4/14/2013	3,228.00	0.21	132.20	IncAzi-MWD	Scientific Drilling
4/14/2013	3,291.00	0.24	28.54	IncAzi-MWD	Scientific Drilling
4/14/2013	3,354.00	0.42	99.09	IncAzi-MWD	Scientific Drilling
4/14/2013	3,418.00	0.26	319.87	IncAzi-MWD	Scientific Drilling
4/14/2013	3,481.00	0.31	185.19	IncAzi-MWD	Scientific Drilling
4/14/2013	3,544.00	0.47	269.76	IncAzi-MWD	Scientific Drilling
4/14/2013	3,607.00	0.27	227.31	IncAzi-MWD	Scientific Drilling
4/14/2013	3,671.00	0.78	241.77	IncAzi-MWD	Scientific Drilling
4/14/2013	3,734.00	0.44	208.20	IncAzi-MWD	Scientific Drilling
4/14/2013	3,798.00	0.47	205.82	IncAzi-MWD	Scientific Drilling
4/14/2013	3,861.00	0.69	234.60	IncAzi-MWD	Scientific Drilling
4/14/2013	3,924.00	0.77	249.28	IncAzi-MWD	Scientific Drilling
4/14/2013	3,987.00	0.77	232.10	IncAzi-MWD	Scientific Drilling
4/14/2013	4,051.00	0.85	241.84	IncAzi-MWD	Scientific Drilling
4/14/2013	4,114.00	1.02	245.05	IncAzi-MWD	Scientific Drilling
4/14/2013	4,177.00	0.71	263.73	IncAzi-MWD	Scientific Drilling
4/14/2013	4,240.00	0.53	220.91	IncAzi-MWD	Scientific Drilling
4/14/2013	4,304.00	0.81	245.71	IncAzi-MWD	Scientific Drilling
4/14/2013	4,366.00	0.51	260.63	IncAzi-MWD	Scientific Drilling
4/14/2013	4,425.00	0.22	274.83	IncAzi-MWD	Scientific Drilling
4/18/2013	5,665.00	1.00		Inc-WL	Phoenix Services LLC

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this 5/23/13



Notary Public in and for San Juan County, New Mexico

My Commission expires 5/26/15



RCVD MAY 22 '13
OIL CONS. DIV.
DIST. 3

ConocoPhillips

SJB (NM Central)
SEC 6-T27N-R6W
San Juan 28-6 Unit 135P

OH 30-039-30656


Design: OH

Standard Survey Report


23 April, 2013

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 23rd of April, 2013.



Notary Signature
County of Mesa
State of Colorado



Scientific Drilling



Project: SJB (NM Central)
Site: SEC 06-T27N-R6W
Well: San Juan 28-6 Unit #135P
Wellbore: OH
Design: OH



Scientific Drilling



WELL DETAILS: San Juan 28-6 Unit #135P

Ground Level: GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)			
Northings	Easting	Latitude	Longitude
2040438.61	130145.94	36° 36' 3.927 N	107° 30' 35.991 W



Azimuths to True North
Magnetic North: 9.60°

Magnetic Field
Strength: 50446.0snT
Dip Angle: 63.33°
Date: 4/3/2013
Model: BGGM2012



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well San Juan 28-6 Unit #135P, True North
Vertical (TVD) Reference: GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Calculation Method: Minimum Curvature
Local North: True

PROJECT DETAILS: SJB (NM Central)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico Central 3002

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 28-6 Unit #135P
Project:	SJB (NM Central)	TVD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Site:	SEC 06-T27N-R6W	MD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Well:	San Juan 28-6 Unit #135P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington District

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site	SEC 06-T27N-R6W
-------------	-----------------

Site Position:		Northing:	2,040,438.60 usft	Latitude:	36° 36' 3.927 N
From:	Lat/Long	Easting:	130,145.95 usft	Longitude:	107° 30' 35.991 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-0.75 °

Well	San Juan 28-6 Unit #135P				
Well Position	+N/-S	0.0 usft	Northing:	2,040,438.60 usft	Latitude: 36° 36' 3.927 N
	+E/-W	0.0 usft	Easting:	130,145.95 usft	Longitude: 107° 30' 35.991 W
Position Uncertainty	0.0 usft		Wellhead Elevation:	usft	Ground Level: 6,154.0 usft

Wellbore	OH
-----------------	----

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2012	4/3/2013	9.60	63.33	50,446

Design	OH
---------------	----

Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	303.47

Survey Program	Date	4/23/2013		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
270.0	4,425.0	Survey #1 - MWD Survey (OH)	MWD SDI	MWD - Standard ver 1.0.1

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
270.0	1.59	334.69	270.0	3.4	-1.6	3.2	0.59	0.59	0.00
First SDI MWD Survey									
332.0	1.84	316.75	331.9	4.9	-2.7	4.9	0.95	0.40	-28.94
392.0	2.87	315.70	391.9	6.7	-4.4	7.3	1.72	1.72	-1.75
454.0	4.63	311.48	453.8	9.4	-7.3	11.3	2.87	2.84	-6.81
515.0	6.27	309.91	514.5	13.2	-11.7	17.1	2.70	2.69	-2.57
577.0	7.77	304.34	576.0	17.7	-17.8	24.6	2.65	2.42	-8.98
639.0	8.59	303.66	637.4	22.7	-25.1	33.4	1.33	1.32	-1.10
701.0	10.13	304.04	698.5	28.3	-33.5	43.5	2.49	2.48	0.61
763.0	11.15	302.86	759.5	34.6	-43.0	55.0	1.68	1.65	-1.90

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 28-6 Unit #135P
Project:	SJB (NM Central)	TVD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Site:	SEC 06-T27N-R6W	MD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Well:	San Juan 28-6 Unit #135P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington District

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
824.0	12.25	304.49	819.2	41.5	-53.3	67.3	1.88	1.80	2.67
888.0	13.43	305.09	881.6	49.6	-65.0	81.5	1.86	1.84	0.94
951.0	14.60	305.20	942.7	58.4	-77.5	96.8	1.86	1.86	0.17
1,014.0	15.06	303.61	1,003.6	67.5	-90.8	112.9	0.97	0.73	-2.52
1,077.0	15.55	304.44	1,064.4	76.8	-104.5	129.5	0.85	0.78	1.32
1,140.0	16.91	305.35	1,124.9	86.9	-119.0	147.2	2.20	2.16	1.44
1,204.0	18.71	305.63	1,185.8	98.2	-134.9	166.7	2.82	2.81	0.44
1,267.0	19.35	305.48	1,245.4	110.2	-151.6	187.2	1.02	1.02	-0.24
1,330.0	20.28	305.91	1,304.6	122.6	-169.0	208.6	1.49	1.48	0.68
1,394.0	20.64	305.09	1,364.6	135.6	-187.2	230.9	0.72	0.56	-1.28
1,457.0	21.13	304.87	1,423.5	148.5	-205.6	253.4	0.79	0.78	-0.35
1,520.0	21.32	303.67	1,482.2	161.3	-224.4	276.2	0.75	0.30	-1.90
1,583.0	22.19	304.83	1,540.7	174.5	-243.7	299.5	1.54	1.38	1.84
1,646.0	22.13	305.95	1,599.1	188.2	-263.1	323.3	0.68	-0.10	1.78
1,710.0	22.78	305.19	1,658.2	202.5	-283.0	347.7	1.11	1.02	-1.19
1,773.0	22.01	305.94	1,716.5	216.4	-302.5	371.7	1.30	-1.22	1.19
1,836.0	21.50	306.89	1,775.0	230.3	-321.3	395.0	0.98	-0.81	1.51
1,899.0	21.31	307.60	1,833.6	244.2	-339.6	418.0	0.51	-0.30	1.13
1,963.0	20.26	305.96	1,893.5	257.8	-357.8	440.6	1.88	-1.64	-2.56
2,026.0	19.70	305.68	1,952.7	270.4	-375.3	462.1	0.90	-0.89	-0.44
2,089.0	18.54	303.28	2,012.2	282.1	-392.3	482.8	2.22	-1.84	-3.81
2,152.0	17.58	302.04	2,072.1	292.6	-408.7	502.3	1.64	-1.52	-1.97
2,216.0	16.84	301.61	2,133.2	302.6	-424.8	521.2	1.17	-1.16	-0.67
2,279.0	16.09	299.71	2,193.6	311.7	-440.1	539.1	1.47	-1.19	-3.02
2,342.0	15.03	297.62	2,254.3	319.8	-455.0	555.9	1.90	-1.68	-3.32
2,405.0	14.62	297.30	2,315.2	327.3	-469.3	571.9	0.66	-0.65	-0.51
2,469.0	14.63	297.22	2,377.2	334.7	-483.6	588.0	0.04	0.02	-0.13
2,532.0	14.92	297.13	2,438.1	342.0	-497.9	604.0	0.46	0.46	-0.14
2,595.0	14.93	297.53	2,498.9	349.5	-512.3	620.1	0.16	0.02	0.63
2,659.0	14.03	297.35	2,560.9	356.8	-526.5	636.0	1.41	-1.41	-0.28
2,722.0	13.15	300.36	2,622.1	364.0	-539.5	650.8	1.79	-1.40	4.78
2,785.0	11.18	302.31	2,683.7	370.8	-550.8	664.0	3.19	-3.13	3.10
2,848.0	8.93	306.31	2,745.8	377.0	-559.9	675.0	3.74	-3.57	6.35
2,912.0	6.21	309.22	2,809.2	382.1	-566.6	683.4	4.29	-4.25	4.55
2,975.0	3.72	312.84	2,872.0	385.7	-570.8	688.8	3.98	-3.95	5.75
3,038.0	3.16	307.72	2,934.8	388.1	-573.6	692.6	1.01	-0.89	-8.13
3,101.0	1.48	313.29	2,997.8	389.8	-575.6	695.1	2.69	-2.67	8.84
3,165.0	0.47	46.72	3,061.8	390.5	-576.0	695.9	2.47	-1.58	145.98
3,228.0	0.21	132.21	3,124.8	390.6	-575.7	695.7	0.79	-0.41	135.70
3,291.0	0.24	28.54	3,187.8	390.6	-575.6	695.6	0.56	0.05	-164.56
3,354.0	0.42	99.09	3,250.8	390.7	-575.3	695.4	0.65	0.29	111.98
3,418.0	0.26	319.87	3,314.8	390.8	-575.2	695.3	1.00	-0.25	-217.53
3,481.0	0.31	185.19	3,377.8	390.7	-575.3	695.4	0.84	0.08	-213.78

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan 28-6 Unit #135P
Project:	SJB (NM Central)	TVD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Site:	SEC 06-T27N-R6W	MD Reference:	GL 6154' @ RKB 15' @ 6169.0usft (AWS 920)
Well:	San Juan 28-6 Unit #135P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington District

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,544.0	0.47	269.76	3,440.8	390.6	-575.6	695.5	0.85	0.25	134.24
3,607.0	0.27	227.31	3,503.8	390.5	-575.9	695.8	0.52	-0.32	-67.38
3,671.0	0.78	241.77	3,567.8	390.2	-576.4	696.0	0.82	0.80	22.59
3,734.0	0.44	208.20	3,630.8	389.7	-576.9	696.2	0.76	-0.54	-53.29
3,798.0	0.47	205.82	3,694.8	389.3	-577.1	696.1	0.06	0.05	-3.72
3,861.0	0.69	234.60	3,757.8	388.8	-577.6	696.2	0.57	0.35	45.68
3,924.0	0.77	249.28	3,820.8	388.5	-578.3	696.6	0.32	0.13	23.30
3,987.0	0.77	232.10	3,883.8	388.1	-579.0	697.0	0.37	0.00	-27.27
4,051.0	0.85	241.84	3,947.7	387.6	-579.8	697.4	0.25	0.13	15.22
4,114.0	1.02	245.05	4,010.7	387.1	-580.7	697.9	0.28	0.27	5.10
4,177.0	0.71	263.73	4,073.7	386.8	-581.6	698.5	0.66	-0.49	29.65
4,240.0	0.53	220.91	4,136.7	386.6	-582.1	698.8	0.77	-0.29	-67.97
4,304.0	0.81	245.71	4,200.7	386.2	-582.8	699.1	0.62	0.44	38.75
4,366.0	0.51	260.63	4,262.7	385.9	-583.4	699.5	0.55	-0.48	24.06
Last SDI MWD Survey									
4,425.0	0.22	274.83	4,321.7	385.9	-583.8	699.8	0.51	-0.49	24.07

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
270.0	270.0	3.4	-1.6	First SDI MWD Survey
4,366.0	4,262.7	385.9	-583.4	Last SDI MWD Survey

Checked By: _____ Approved By: _____ Date: _____