

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Jun 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-039-24768
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E-347-39
7. Lease Name or Unit Agreement Name San Juan 30-5 Unit
8. Well Number 219 (POW)
9. OGRID Number 217817
10. Pool name or Wildcat Basin Fruitland Coal

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
ConocoPhillips Company

3. Address of Operator
P.O. Box 4289, Farmington, NM 87499-4289

4. Well Location

Unit Letter **L** : **1586** feet from the **South** line and **1304** feet from the **West** line
Section **16** Township **30N** Range **5W** NMPM **Rio Arriba** County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☒ Annual POW Report

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

A reading from this POW was taken on 5/2/13 per the attached report.

RCVD MAY 8 '13
OIL CONS. DIV.
DIST. 3

Spud Date:

Rig Released Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Dollie L. Busse TITLE Staff Regulatory Technician DATE 5/6/13

Type or print name Dollie L. Busse E-mail address: dollie.l.busse@conocophillips.com PHONE: 505-324-6104

For State Use Only

APPROVED BY: [Signature] TITLE Deputy Oil & Gas Inspector, DATE 5/15/13

Conditions of Approval (if any):

Ar

Pressure Test Report

COMPANY INFORMATION

Company Name	CONOCOPHILLIPS
Representative	PRISCILLA SHORTY
Phone	599-4083
Fax	
Address	30TH STREET FARMINGTON, NM

E-Mail Address	priscilla.a.shorty@conocophillips.com
Service Company	PHOENIX SERVICES

WELL INFORMATION

Well Name	SAN JUAN 30-5 UNIT 219
Well Location	T30N, R5W, SEC. 16
Field and Pool	BASIN FRUITLAND COAL
Status (Oil, Gas, Water, Injection)	OBSERVATION
Perforated Intervals	3044-3080
Mid-point of Perforated Intervals (MPP)	3062
Drilling Rig Number	
Elevations	
Kelly Bushing (KB)	13
Casing Flange (CF)	
KB-CF	
Ground Level	6344
Plug Back Total Depth	3096
Total Depth	3096
Production Casing	5 1/2" 23# P110 TO 2989
Production Tubing	2 3/8" 4.7# J55 TO 2864

TEST INFORMATION

Type of Test	POOH STATIC GRADIENT
Date(s) of Test	5/2/13
Dead-weight Gauge Tubing Pressure	67
Dead-weight Gauge Casing Pressure	0
Shut-in Date (Duration)	
Date / Time on Bottom	5/2/13 @ 1333 HRS
Date / Time off Bottom	5/2/13 @ 1433 HRS
Probe Serial Number	W1039
Probe Offset from End of Tool String	0-6000
Run Depth at Probe Pressure Port	3070

PRESSURE TEST RESULTS

Maximum Recorded Probe Pressure	73.5 psig
Maximum Recorded Probe Temperature	112.9 deg F
Final Buildup Pressure	
Gradient Survey Information	
Extrapolated Pressure to MPP	
Final Gradient at Depth	
Job Number	29162WP

Company Name	CONOCOPHILLIPS
Well Name	SAN JUAN 30-5 UNIT 219
Type of Test	POOH STATIC GRADIENT
Date(s) of Test	5/2/13

PROBE INFORMATION

Probe Serial Number W1039
Model
Pressure
 Calibrated Pressure Range
 Accuracy
 Resolution
Temperature
 Calibrated Temperature Range
 Accuracy
 Resolution
Calibration File Used for Reports

PROGRAMMING DETAILS

<u>Step</u>	<u>Sample Mode</u>	<u>Period</u>	<u>Duration</u>	<u>Comment</u>
-------------	--------------------	---------------	-----------------	----------------

Program Start Time
Program End Time
Total Samples Taken
Usage for this Test
Generic Data File Name

Company Name	CONOCOPHILLIPS
Well Name	SAN JUAN 30-5 UNIT 219
Type of Test	POOH STATIC GRADIENT
Date(s) of Test	5/2/13

COMMENTS

Reported By

PHOENIX SERVICES

RAN 1.657 GR TO 3073'-SET DOWN-TD-RAN TANDEM BHP GAUGES TO 3070'-SET 1 HR-POOH
MAKING GRADIENT STOPS.

Company Name	CONOCOPHILLIPS
Well Name	SAN JUAN 30-5 UNIT 219
Type of Test	POOH STATIC GRADIENT
Date(s) of Test	5/2/13

Pressure vs. Depth

Probe Serial Number W1039

		(ft)	(psig)	(psi/ft)	(deg F)	(deg F/ft)
1333	1433	3070.000	72.531	-	112.903	-
1437	1442	2500.000	65.309	0.0127	108.201	0.0082
1444	1449	2000.000	64.323	0.0020	102.450	0.0115
1451	1456	1500.000	63.427	0.0018	95.934	0.0130
1458	1503	1000.000	62.540	0.0018	88.860	0.0141
1504	1509	500.000	61.730	0.0016	81.783	0.0142
1511	1516	0.000	60.923	0.0016	76.273	0.0110


Extrapolated to MPP:

(ft)	(psig)	(deg F)
0.000		


Company Name CONOCOPHILLIPS
Well Name SAN JUAN 30-5 UNIT 219
Type of Test POOH STATIC GRADIENT
Date(s) of Test 5/2/13

Probe Serial Number W1039

POOH Gradient Depth vs. Pressure




POOH Gradient Depth vs. Temperature



Company Name CONOCOPHILLIPS
 Well Name SAN JUAN 30-5 UNIT 219
 Type of Test POOH STATIC GRADIENT
 Date(s) of Test 5/2/13

San Juan 30-5 Unit #219



Company Name CONOCOPHILLIPS
Well Name SAN JUAN 30-5 UNIT 219
Type of Test POOH STATIC GRADIENT
Date(s) of Test 5/2/13

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	13:24:05	0.0000	0.000	70.106
2013/05/02	13:24:35	0.0083	0.000	70.173
2013/05/02	13:25:05	0.0167	0.000	70.111
2013/05/02	13:25:35	0.0250	0.000	70.223
2013/05/02	13:26:05	0.0333	0.000	70.194
2013/05/02	13:26:35	0.0417	0.000	69.861
2013/05/02	13:27:05	0.0500	0.000	69.663
2013/05/02	13:27:35	0.0583	61.211	69.676
2013/05/02	13:28:05	0.0667	61.773	69.444
2013/05/02	13:28:35	0.0750	62.557	68.002
2013/05/02	13:29:05	0.0833	63.621	67.008
2013/05/02	13:29:35	0.0917	64.724	67.834
2013/05/02	13:30:05	0.1000	66.188	71.701
2013/05/02	13:30:35	0.1083	66.839	78.562
2013/05/02	13:31:05	0.1167	73.326	89.821
2013/05/02	13:31:35	0.1250	72.916	102.135
2013/05/02	13:32:05	0.1333	72.899	105.885
2013/05/02	13:32:35	0.1417	72.828	107.803
2013/05/02	13:33:05	0.1500	72.790	109.038
2013/05/02	13:33:35	0.1583	72.750	109.931
2013/05/02	13:34:05	0.1667	72.722	110.521
2013/05/02	13:34:35	0.1750	72.718	110.966
2013/05/02	13:35:05	0.1833	72.687	111.268
2013/05/02	13:35:35	0.1917	72.680	111.510
2013/05/02	13:36:05	0.2000	72.657	111.747
2013/05/02	13:36:35	0.2083	72.643	111.895
2013/05/02	13:37:05	0.2167	72.649	111.992
2013/05/02	13:37:35	0.2250	72.645	112.082
2013/05/02	13:38:05	0.2333	72.630	112.150
2013/05/02	13:38:35	0.2417	72.648	112.219
2013/05/02	13:39:05	0.2500	72.647	112.269
2013/05/02	13:39:35	0.2583	72.622	112.311
2013/05/02	13:40:05	0.2667	72.626	112.357
2013/05/02	13:40:35	0.2750	72.610	112.383
2013/05/02	13:41:05	0.2833	72.604	112.406
2013/05/02	13:41:35	0.2917	72.609	112.428
2013/05/02	13:42:05	0.3000	72.601	112.447
2013/05/02	13:42:35	0.3083	72.606	112.458
2013/05/02	13:43:05	0.3167	72.592	112.482
2013/05/02	13:43:35	0.3250	72.608	112.498
2013/05/02	13:44:05	0.3333	72.597	112.512
2013/05/02	13:44:35	0.3417	72.596	112.523
2013/05/02	13:45:05	0.3500	72.594	112.530
2013/05/02	13:45:35	0.3583	72.596	112.548
2013/05/02	13:46:05	0.3667	72.588	112.548
2013/05/02	13:46:35	0.3750	72.601	112.550
2013/05/02	13:47:05	0.3833	72.574	112.568
2013/05/02	13:47:35	0.3917	72.579	112.582
2013/05/02	13:48:05	0.4000	72.595	112.599
2013/05/02	13:48:35	0.4083	72.598	112.600

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	13:49:05	0.4167	72.597	112.617
2013/05/02	13:49:35	0.4250	72.605	112.620
2013/05/02	13:50:05	0.4333	72.605	112.622
2013/05/02	13:50:35	0.4417	72.597	112.627
2013/05/02	13:51:05	0.4500	72.597	112.644
2013/05/02	13:51:35	0.4583	72.573	112.654
2013/05/02	13:52:05	0.4667	72.581	112.665
2013/05/02	13:52:35	0.4750	72.575	112.678
2013/05/02	13:53:05	0.4833	72.562	112.676
2013/05/02	13:53:35	0.4917	72.583	112.683
2013/05/02	13:54:05	0.5000	72.575	112.687
2013/05/02	13:54:35	0.5083	72.569	112.689
2013/05/02	13:55:05	0.5167	72.591	112.694
2013/05/02	13:55:35	0.5250	72.569	112.698
2013/05/02	13:56:05	0.5333	72.583	112.703
2013/05/02	13:56:35	0.5417	72.580	112.703
2013/05/02	13:57:05	0.5500	72.588	112.714
2013/05/02	13:57:35	0.5583	72.590	112.716
2013/05/02	13:58:05	0.5667	72.587	112.725
2013/05/02	13:58:35	0.5750	72.563	112.726
2013/05/02	13:59:05	0.5833	72.587	112.730
2013/05/02	13:59:35	0.5917	72.569	112.732
2013/05/02	14:00:05	0.6000	72.569	112.735
2013/05/02	14:00:35	0.6083	72.544	112.743
2013/05/02	14:01:05	0.6167	72.582	112.748
2013/05/02	14:01:35	0.6250	72.568	112.755
2013/05/02	14:02:05	0.6333	72.549	112.761
2013/05/02	14:02:35	0.6417	72.563	112.773
2013/05/02	14:03:05	0.6500	72.573	112.768
2013/05/02	14:03:35	0.6583	72.560	112.771
2013/05/02	14:04:05	0.6667	72.581	112.771
2013/05/02	14:04:35	0.6750	72.571	112.771
2013/05/02	14:05:05	0.6833	72.568	112.770
2013/05/02	14:05:35	0.6917	72.573	112.768
2013/05/02	14:06:05	0.7000	72.555	112.771
2013/05/02	14:06:35	0.7083	72.565	112.780
2013/05/02	14:07:05	0.7167	72.559	112.791
2013/05/02	14:07:35	0.7250	72.568	112.788
2013/05/02	14:08:05	0.7333	72.557	112.782
2013/05/02	14:08:35	0.7417	72.552	112.789
2013/05/02	14:09:05	0.7500	72.559	112.797
2013/05/02	14:09:35	0.7583	72.554	112.795
2013/05/02	14:10:05	0.7667	72.538	112.797
2013/05/02	14:10:35	0.7750	72.551	112.807
2013/05/02	14:11:05	0.7833	72.554	112.813
2013/05/02	14:11:35	0.7917	72.572	112.822
2013/05/02	14:12:05	0.8000	72.543	112.833
2013/05/02	14:12:35	0.8083	72.540	112.829
2013/05/02	14:13:05	0.8167	72.537	112.827
2013/05/02	14:13:35	0.8250	72.551	112.831

Company Name CONOCOPHILLIPS
Well Name SAN JUAN 30-5 UNIT 219
Type of Test POOH STATIC GRADIENT
Date(s) of Test 5/2/13

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	14:14:05	0.8333	72.562	112.820
2013/05/02	14:14:35	0.8417	72.543	112.824
2013/05/02	14:15:05	0.8500	72.540	112.829
2013/05/02	14:15:35	0.8583	72.538	112.824
2013/05/02	14:16:05	0.8667	72.548	112.829
2013/05/02	14:16:35	0.8750	72.540	112.838
2013/05/02	14:17:05	0.8833	72.532	112.843
2013/05/02	14:17:35	0.8917	72.561	112.854
2013/05/02	14:18:05	0.9000	72.545	112.852
2013/05/02	14:18:35	0.9083	72.542	112.851
2013/05/02	14:19:05	0.9167	72.545	112.845
2013/05/02	14:19:35	0.9250	72.540	112.833
2013/05/02	14:20:05	0.9333	72.545	112.836
2013/05/02	14:20:35	0.9417	72.548	112.845
2013/05/02	14:21:05	0.9500	72.550	112.847
2013/05/02	14:21:35	0.9583	72.529	112.851
2013/05/02	14:22:05	0.9667	72.545	112.851
2013/05/02	14:22:35	0.9750	72.553	112.840
2013/05/02	14:23:05	0.9833	72.540	112.845
2013/05/02	14:23:35	0.9917	72.529	112.845
2013/05/02	14:24:05	1.0000	72.553	112.849
2013/05/02	14:24:35	1.0083	72.548	112.847
2013/05/02	14:25:05	1.0167	72.540	112.847
2013/05/02	14:25:35	1.0250	72.534	112.854
2013/05/02	14:26:05	1.0333	72.529	112.852
2013/05/02	14:26:35	1.0417	72.558	112.860
2013/05/02	14:27:05	1.0500	72.553	112.872
2013/05/02	14:27:35	1.0583	72.534	112.878
2013/05/02	14:28:05	1.0667	72.536	112.885
2013/05/02	14:28:35	1.0750	72.537	112.881
2013/05/02	14:29:05	1.0833	72.542	112.881
2013/05/02	14:29:35	1.0917	72.539	112.888
2013/05/02	14:30:05	1.1000	72.536	112.894
2013/05/02	14:30:35	1.1083	72.541	112.899
2013/05/02	14:31:05	1.1167	72.539	112.896
2013/05/02	14:31:35	1.1250	72.547	112.899
2013/05/02	14:32:05	1.1333	72.526	112.899
2013/05/02	14:32:35	1.1417	72.539	112.899
2013/05/02	14:33:05	1.1500	72.549	112.908
2013/05/02	14:33:35	1.1583	72.525	112.908
POOH Gradient: 3070.000 ft				
2013/05/02	14:33:55	1.1639	72.531	112.903
2013/05/02	14:34:05	1.1667	66.557	112.879
2013/05/02	14:34:35	1.1750	66.190	112.593
2013/05/02	14:35:05	1.1833	65.443	112.089
2013/05/02	14:35:35	1.1917	65.369	110.941
2013/05/02	14:36:05	1.2000	65.307	110.595
2013/05/02	14:36:35	1.2083	65.326	110.395
2013/05/02	14:37:05	1.2167	65.337	110.199
2013/05/02	14:37:35	1.2250	65.298	110.008

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	14:38:05	1.2333	65.325	109.830
2013/05/02	14:38:35	1.2417	65.304	109.643
2013/05/02	14:39:05	1.2500	65.310	109.470
2013/05/02	14:39:35	1.2583	65.297	109.296
2013/05/02	14:40:05	1.2667	65.321	109.119
2013/05/02	14:40:35	1.2750	65.310	108.955
2013/05/02	14:41:05	1.2833	65.335	108.793
2013/05/02	14:41:35	1.2917	65.305	108.635
2013/05/02	14:42:05	1.3000	65.297	108.480
2013/05/02	14:42:35	1.3083	65.316	108.318
POOH Gradient: 2500.000 ft				
2013/05/02	14:43:00	1.3153	65.309	108.201
2013/05/02	14:43:05	1.3167	65.108	108.174
2013/05/02	14:43:35	1.3250	64.393	106.743
2013/05/02	14:44:05	1.3333	64.321	105.568
2013/05/02	14:44:35	1.3417	64.332	105.238
2013/05/02	14:45:05	1.3500	64.322	104.952
2013/05/02	14:45:35	1.3583	64.312	104.673
2013/05/02	14:46:05	1.3667	64.324	104.400
2013/05/02	14:46:35	1.3750	64.322	104.130
2013/05/02	14:47:05	1.3833	64.296	103.867
2013/05/02	14:47:35	1.3917	64.312	103.609
2013/05/02	14:48:05	1.4000	64.323	103.359
2013/05/02	14:48:35	1.4083	64.326	103.111
2013/05/02	14:49:05	1.4167	64.304	102.880
2013/05/02	14:49:35	1.4250	64.344	102.637
POOH Gradient: 2000.000 ft				
2013/05/02	14:50:00	1.4319	64.323	102.450
2013/05/02	14:50:05	1.4333	64.312	102.405
2013/05/02	14:50:35	1.4417	63.457	100.958
2013/05/02	14:51:05	1.4500	63.404	99.397
2013/05/02	14:51:35	1.4583	63.395	99.048
2013/05/02	14:52:05	1.4667	63.362	98.766
2013/05/02	14:52:35	1.4750	63.385	98.474
2013/05/02	14:53:05	1.4833	63.398	98.182
2013/05/02	14:53:35	1.4917	63.404	97.909
2013/05/02	14:54:05	1.5000	63.406	97.628
2013/05/02	14:54:35	1.5083	63.428	97.353
2013/05/02	14:55:05	1.5167	63.411	97.090
2013/05/02	14:55:35	1.5250	63.404	96.829
2013/05/02	14:56:05	1.5333	63.418	96.561
2013/05/02	14:56:35	1.5417	63.404	96.307
2013/05/02	14:57:05	1.5500	63.407	96.058
POOH Gradient: 1500.000 ft				
2013/05/02	14:57:20	1.5542	63.427	95.934
2013/05/02	14:57:35	1.5583	63.107	95.734
2013/05/02	14:58:05	1.5667	62.537	93.196
2013/05/02	14:58:35	1.5750	62.486	92.219
2013/05/02	14:59:05	1.5833	62.487	91.864
2013/05/02	14:59:35	1.5917	62.501	91.522

Company Name CONOCOPHILLIPS
Well Name SAN JUAN 30-5 UNIT 219
Type of Test POOH STATIC GRADIENT
Date(s) of Test 5/2/13

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	15:00:05	1.6000	62.529	91.188
2013/05/02	15:00:35	1.6083	62.530	90.849
2013/05/02	15:01:05	1.6167	62.517	90.516
2013/05/02	15:01:35	1.6250	62.551	90.185
2013/05/02	15:02:05	1.6333	62.542	89.866
2013/05/02	15:02:35	1.6417	62.541	89.562
2013/05/02	15:03:05	1.6500	62.558	89.260
2013/05/02	15:03:35	1.6583	62.536	88.959
POOH Gradient: 1000.000 ft				
2013/05/02	15:03:45	1.6611	62.540	88.860
2013/05/02	15:04:05	1.6667	61.928	87.969
2013/05/02	15:04:35	1.6750	61.664	85.341
2013/05/02	15:05:05	1.6833	61.622	84.787
2013/05/02	15:05:35	1.6917	61.670	84.474
2013/05/02	15:06:05	1.7000	61.677	84.157
2013/05/02	15:06:35	1.7083	61.680	83.826
2013/05/02	15:07:05	1.7167	61.712	83.518
2013/05/02	15:07:35	1.7250	61.703	83.212
2013/05/02	15:08:05	1.7333	61.712	82.904
2013/05/02	15:08:35	1.7417	61.707	82.602
2013/05/02	15:09:05	1.7500	61.744	82.314
2013/05/02	15:09:35	1.7583	61.739	82.020
POOH Gradient: 500.000 ft				
2013/05/02	15:10:00	1.7653	61.730	81.783
2013/05/02	15:10:05	1.7667	61.591	81.716
2013/05/02	15:10:35	1.7750	60.971	79.450
2013/05/02	15:11:05	1.7833	60.892	77.931
2013/05/02	15:11:35	1.7917	60.884	77.731
2013/05/02	15:12:05	1.8000	60.906	77.605
2013/05/02	15:12:35	1.8083	60.910	77.482
2013/05/02	15:13:05	1.8167	60.913	77.347
2013/05/02	15:13:35	1.8250	60.920	77.221
2013/05/02	15:14:05	1.8333	60.938	77.088
2013/05/02	15:14:35	1.8417	60.942	76.959
2013/05/02	15:15:05	1.8500	60.933	76.838
2013/05/02	15:15:35	1.8583	60.949	76.705
2013/05/02	15:16:05	1.8667	60.955	76.582
2013/05/02	15:16:35	1.8750	60.956	76.465
2013/05/02	15:17:05	1.8833	60.943	76.374
2013/05/02	15:17:35	1.8917	60.941	76.330
2013/05/02	15:18:05	1.9000	60.939	76.285
POOH Gradient: 0.000 ft				
2013/05/02	15:18:15	1.9028	60.923	76.273
2013/05/02	15:18:35	1.9083	0.000	76.096
2013/05/02	15:19:05	1.9167	0.000	75.920
2013/05/02	15:19:35	1.9250	0.000	75.634
2013/05/02	15:20:05	1.9333	0.000	75.450
2013/05/02	15:20:35	1.9417	0.000	75.434
2013/05/02	15:21:05	1.9500	0.000	75.601
2013/05/02	15:21:35	1.9583	0.000	75.848

Date	Time	Cum.Time BH1	BH Pres 1	BH Temp 1
		hr	psig	deg F
2013/05/02	15:22:05	1.9667	0.000	76.005
2013/05/02	15:22:35	1.9750	0.000	76.186
2013/05/02	15:23:05	1.9833	0.000	76.384
2013/05/02	15:23:35	1.9917	0.000	76.719
2013/05/02	15:24:05	2.0000	0.000	76.856
2013/05/02	15:24:35	2.0083	0.000	76.791
2013/05/02	15:25:05	2.0167	0.000	76.660
2013/05/02	15:25:35	2.0250	0.000	76.573
2013/05/02	15:26:05	2.0333	0.000	76.140
2013/05/02	15:26:35	2.0417	0.000	75.760
2013/05/02	15:27:05	2.0500	0.000	75.533
2013/05/02	15:27:35	2.0583	0.000	75.466
2013/05/02	15:28:05	2.0667	0.000	75.702