District III

District IV

1301 W. Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S. St. Francis Dr., Santa Fe, NM 87505
Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1 Operator: ConocoPhillips Company OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: State Com T 16
API Number: 30-045-09456 OCD Permit Number:
U/L or Qtr/Qtr: M(SW/SW) Section: 16 Township 30N Range: 11W County: SAN JUAN
Center of Proposed Design: Latitude: 36.807566 °N Longitude: 108.001741 °W NAD: X 1927 1983
Surface Owner: Federal X State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other  Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other  Liner Scams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
5 Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	∏Yes ∏No		
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Ycs No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No NA Yes No No Yes No		
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended         <ul> <li>Written confirmation or verification from the municipality: Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul> </li> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> <li>Within a 100-year floodplain</li> <li>FEMA map</li> </ul>	Yes         No           Yes         No           Yes         No           Yes         No           Yes         No           No         No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan  API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division

Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Ab Instructions: Please identify the facility or facilities for the disposal of facilities are required.	ove Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NN liquids, drilling fluids and drill cuttings. Use attachment if more than	MAC)		
•	Disposal Facility Permit #:			
Disposal Facility Name:				
Will any of the proposed closed-loop system operations and associated and Yes (If yes, please provide the information No	piated activities occur on or in areas that will not be used for fut	ure service and		
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
		Tyes Dis		
Ground water is less than 50 feet below the bottom of the buried - NM Office of the State Engineer - iWATERS database search; U		Yes No		
Ground water is between 50 and 100 feet below the bottom of the	buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search; U	SGS; Data obtained from nearby wells	N/A		
Ground water is more than 100 feet below the bottom of the burie	ed waste.	Yes No		
- NM Office of the State Engineer - iWATERS database search; U	SGS; Data obtained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of a lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the propos		Yes No		
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site; Aerial photo	n, or church in existence at the time of initial application.	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or sp watering purposes, or within 1000 horizontal fee of any other fresh wat application.	Yes No			
- NM Office of the State Engineer - iWATERS database; Visual in: Within incorporated municipal boundaries or within a defined municipal adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	al fresh water well field covered under a municipal ordinance	Yes No		
- Written confirmation or verification from the municipality; Writt Within 500 feet of a wetland		Yes No		
<ul> <li>US Fish and Wildlife Wetland Identification map; Topographic r</li> <li>Within the area overlying a subsurface mine.</li> </ul>		Yes No		
<ul> <li>Written confirantion or verification or map from the NM EMNR Within an unstable area.</li> </ul>	D-Mining and Mineral Division	Yes No		
Engineering measures incorporated into the design; NM Bureau of Society; Topographic map	f Geology & Mineral Resources; USGS; NM Geological			
Within a 100-year floodplain FEMA map		Yes No		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please				
indicate, by a check mark in the box, that the documents are at		iosure pian. Tieuse		
Siting Criteria Compliance Demonstrations - based upon t	he appropriate requirements of 19.15.17.10 NMAC	•		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable)	based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requireme		and the second second		
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

19 Operator Application Certification:		·		
I hereby certify that the information submitted with this application is true, accur	Trivia.			
Name (Print): Signature:	Title: Date:			
e-mail address;	Telephone:			
C-man address.				
OCD Approval: Permit Application (including closure plan)  OCD Representative Signature:  Title:	Closure <del>Plan (only)</del> OCD Permit N	OCD Conditions (see attachment)  Approval Date: 3/21/2013  umber:		
Closure Report (required within 60 days of closure completion): Subset Instructions: Operators are required to obtain an approved closure plan prior to report is required to be submitted to the division within 60 days of the completion approved closure plan has been obtained and the closure activities have been considered.	o implementing any closure on of the closure activities. ompleted. —			
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.	Alternative Closure Met	hod X Waste Removal (Closed-loop systems only)		
Closure Report Regarding Waste Removal Closure For Closed-loop System   Instructions: Please identify the facility or facilities for where the liquids, drill facilities were utilized.    Disposal Facility Name:   Envirotech / JFJ Landfarm % IEI	Disposal Facility Pen Disposal Facility Pen Disposal Facility Pen on or in areas that will not b No (Original Appro	mit Number: NM-01-005		
-24				
Closure Report Attachment Checklist: Instructions: Each of the following the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location:  Latitude:	owing items must be attach	ed to the closure report. Please indicate, by a check mark  NAD		
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Denise Journey	Title:	Regulatory Technician		
Signature: Denish Journey	Date:	8/19/2013		
e-mail address: Denise.Journey@conocophillips.com	Telephone:	505-326-9556		