Attached is the correct wording and amended closure form C141 for the VALDEZ 8C closure report. ("Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future."). This statement was put on our Dig & Haul Closure plan as a General Statement while processing closure reports prior to Pit Ruling. Burlington Resources has corrected statement.

Any questions or concerns please let me know.

Thank you, Jamie Goodwin Regulatory Tech. ConocoPhillips 505-326-9784

> DENED By Jonathan Kelly 8/28/2013

No correction to wording received under Part 3 of Closure Report Covering Provision 4 of Closure Plan, wording has been removed instead of corrected. See denied permit # 10664 for more information District 1 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Ave., Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Amended C141 Attached Form C-14 Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III 1000 Río Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
P	t, Closed-Loop System, Beloved Alternative Method Permit	
Týpe of action:	Permit of a pit, closed-loop system, belo Closure of a pit, closed-loop system, belo Modification to an existing permit Closure plan only submitted for an exist below-grade tank, or proposed alternative	w-grade tank, or proposed alternative method ow-grade tank, or proposed alternative method ng permitted or non-permitted pit, closed-loop system, e method
Please be advised that approval of this	request does not relieve the operator of liability should	losed-loop system, below-grade tank or alternative request operations result in pollution of surface water, ground water or the applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Address: P.O. Box 4289, Farmington		OGRÍĎ#: <u>14538</u>
	11111 07-127	
		mit Number:
U/L of Qtr/Qtr: A(NE/NE) Section: Center of Proposed Design: Latitude: Surface Owner: X Federal	28 Township: 28N Rar 36.635593 °N Longit State Private Tribal Trus	
	tation P&A type: Thickness 20 mil X L	RCVD DEC 4 '1.' OIL CONS. DIV DIST. 3 The proof both Dimensions L 120' x W 55' x D 12'
	pe: Thickness mil	permit or val of false state ment (see first tooks); BY:_Jonathan Kelly
Below-grade tank: Subsection For Volume: bbl Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner Üner Type: Thickness	Type of fluid: tion Visible sidewalls, liner, 6-inch Visible sidewalls only Other	lift and automatic overflow shut-off
Àlternative Method:	ad Eventions must be submitted to the Sont	Fe Environmental Bureau office for consideration of approval

Form C-144

Oil Conservation Division.

Page 1 of 5

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Chain link, six-leet in neight, two strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify:					
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		}			
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19.15.17.11 NMAC					
12" X124", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	,				
X Signed in compliance with 19.15.3.103.NMAC					
9 Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency, are required. Please refer to 19.15.17 NMAC for guidance;					
Please check à box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for	or consideration of ar	oproval.			
(Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 Siting Criteria (regarding permitting) 19:15.17.10 NMAC	į				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteri	ia				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa (measured from the ordinary high-water mark).	lake Yes	□No			
- Topographic map; Visual inspection (certification) of the proposed site		-			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applied to permanent pits)	NA	۱۳۰۰۰			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock water purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	ering Yes	∐No.			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed sites		_			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No			
- Written confirmation or verification from the municipality. Written approval obtained from the municipality - Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed significant of the pro	ite Yes	No-			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes.	No			
Within an unstable area.	ical Yes	No			
Society; Topographic map	Nat				
Within a 100-year floodplain FEMA map.	Yes	s No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19:15:17.9.NMAC						
lustructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11-NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19:15.17.9 NMAC and 19:15.17.13 NMAC						
Previously Approved Design (attach copy of design) API						
12						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17:9 NMAC Instructions: Each of the following items must be attached to the application: Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19:15:17.9						
NMAC and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
13						
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached:						
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19:15:17:10 NMAC						
Climatological Factors Assessment						
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC						
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC						
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan						
Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Ĭ4·						
Proposed Closure: 19:15:17:13 NMAC						
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade. Tank Closed-loop System Alternative						
Proposed Closure Method: Waste Excavation and Removal.						
Waste Removal (Closed-lööp systems önly):						
On-site Closure Method (only for temporary pits and closed-loop systems)						
In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
Waste Excavation and Removal Closure Plan Checklist (19:15:17:13 NMAC) Instructions: Each of the following items must be attached to the closure plan.						
Please indicate, by a check mark in the box, that the documents are attached.						
Protocols and Procedures based upon the appropriate requirements of 19:15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drillicuttings) Soil Backfill and Cover Design Specifications: based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

16					
Waste Removal Closure For Closed-loop Systems That Utili Instructions: Please identify the facility or facilities for the disp	ze Above Ground Steel Tanks o <u>r Haul-off Bins Only</u> (19.15.17.13.D NMAC osal of liquids, drilling fluids and drill cuttings. Use attachment if more than hi)			
facilities are required.					
Disposal Facility Name: Disposal Facility Permit #:					
Disposal Facility Name:	Disposal Facility Permit #:				
	and associated activities occur on or in areas that will nbe used for future. No	re service and			
Re-vegetation Plan - based upon the appropriate re	sed upon the appropriate requirements of Subsection H of 19,15,17,13 quirements of Subsection 1 of 19,15,17,13 NMAC	ŊŃĄC:			
Site Reclamation Plan - based upon the appropriate	e requirements of Subsection G of 19.15.17.13 NMAC				
certain siting criteria may require administrative approval from the app	nly: 19.15:17.10 NMAC ce in the closure plan. Recommendations of acceptable source material are provided belo propriate district office or may be considered an exception which must be submitted to the ms of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the		Yes No			
- NM Office of the State Engineer - iWATERS database s	earch; USGS; Data obtained from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bott	om of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database so	earch; USGS; Data obtained from nearby wells	∏N/A			
Ground water is more than 100 feet below the bottom of	the buried waste.	Yes: No			
- NM Office of the State Engineer - iWATERS database se	earch; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 (measured from the ordinary high-water mark).	feet of any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the	proposed site				
Within 300 feet from a permanent residence, school, hospital, - Visual inspection (certification) of the proposed site: Aer	nstitution, or church in existence at the time of initial application; ial photo; satellite image	Yes No			
		Yes No			
	If or spring that less than five households use for domestic or stock-watering r well or spring, in existence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined in pursuant to NMSA 1978, Section 3-27-3, as amended.	nunicipal fresh water well field covered under a municipal ordinance adopted	Yes No			
 Written confirmation or verification from the municipali Within 500 feet of a wetland 	ty; Written approval obtained from the municipality	Dv: Div			
	graphic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM		Yes No.			
Within an unstable area.	And the second s	Yes No			
the entrance of the entrance o	Bureau of Geology & Mineral Resources; USGS, NM Geological Society;				
Within a 100-year floodplain. - FEMA map		Yës No			
) Instructions: Each of the following items must bee attached to the	closure plan. Please indicate,			
by a check mark in the box, that the documents are an	ed upon the appropriate requirements of 19:15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F. of. 19. 15.17.13 NMAC Construction/Design Plan of Burial-Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC.					
l ——	in place burial of a drying pad); based upon the appropriate requireme				
Protocols and Procedures - based upon the appro					
1 == " ' " ' "	sed upon the appropriate requirements of Subsection F of 19.15.17.13 P	VMAC			
	appropriate requirements of Subsection F of 19.15;17:13 NMAC	• •• •			
	liquids, drilling fluids and drill cuttings or in case on site closure stand	lards cannot be achieved)			
Soil Cover Design - based upon the appropriate	requirements of Subsection H of 19:15.17.13 NMAC				
	requirements of Subsection Lof 19.15/17/13 NMAC				
Site, Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17:13: NMAC					

19	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my keeping that the information submitted with this application is true, accurate and complete to the best of my keeping that the information is true.	Triowledge and helief
Arria o	
Name (Print): 11tte: Signature: Date:	
e-mail address: Telephone:	
OCD Approval: Permit Application (ii OCD Representative Signature:	Conditions (see attachment)
Title:	
2]	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC: Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities report is required to be submitted to the division within 60 days of the completion of the closure activities. Please dapproved closure plan has been obtained and the closure activities have been completed. X Closure Completion	o not complete this section of the form until an
22 Closure Method: X Waste Excavation and Removal On-site Closure Method Alternative Closure Method If different from approved plan, please explain.	Waste Removal (Ctosed-loop systems only)
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were diwere utilized. Disposal Facility Name: Register See Lead Course Polymers Facility Parmit N	
Disposal Facility Name: Envirotech / JFJ Landfarm % IE1 Disposal Facility Permit N Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit N	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used	
X Yes (If yes, please demonstrate complitane to the items below)	
Required for impacted areas which will not be used for future service and operations: X Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the box, that the documents are attached.	ne closure report! Please indicate, by a check mark in
X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure)	•
X Plot Plan (for on-site closures and temporary pits)	
X Confirmation Sampling Analytical Results (if applicable)	1
Waste Material Sampling Analytical Results (if applicable)	·
X Disposal Facility Name and Permit Number	
X Soil Backfilling and Cover Installation	
X Re-vegetation Application Rates and Seeding Technique	
X Site Reclamation (Photo Documentation)	. ·
On-site Closure Location: Latitude: 36.635426 °N Longitude: 107.250	94 °W NAD [1927 X 1983
25 Opèrator Closure Certification:	
Operator Closure Certuication: I hereby certify that the information and atlactiments submitted with this closure report is twee accurate and complete the closure complete with all applicable closure requirements and conditions specified in the approved closure plan	leté to the best of my knowledge ánd bellef. Tálso certify,that ni
Name (Print): Jamie Goodwin Title:	Regulatory Tech.
Signature: Ormu GOOCLO Date:	11/2001-3
e-mail address: jamie.i.goodwin@conocophillips.com. Telephone:	505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: VALDEZ 8C API No.: 30-039-30362

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- C-141 (Included as an attachment)
- C-141 (included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

 All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on FederalLand, certified mail is not required for Federal Land per BLM/OCD MOU.)

- Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.
- 4. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

5. All contents of the temporary pit including the liner will be excavated and hauled to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit #NM-01-0011.

Liner of temporary pit and pit contents was excavated and hauled to Envirotech Land Farm (Permit #NM-01-0011). Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried.

6. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken from the soil beneath the pit to conclude if a release had occurred using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	90.6 (% REC) ug/kG
TPH	EPA SW-846 418.1	2500	140 mg/kg
GRO/DRO	EPA SW-846 8015M	500	209 mg/Kg
Chlorides	EPA 300.1	1000/500	96 mg/L

7. Upon testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The pit area passed testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. The cover included one foot of suitable material to establish vegetation at the site.

8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

9. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished on 9/24/12 with the following seeding regiment:

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

10. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native

perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished on 9/24/12 with the above seeding regiment. Seeing was accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.

11. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The temporary pit was excavated and no on-site burial marker was required.

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

To:

Cc:

Wednesday, January 07, 2009 9:13 AM 'mark_kelly@nm.blm.gov'; 'jimmy_dickerson@nm.blm.gov' 'jreidinger@fs.fed.us'; Sessions, Tamra D; Tally, Ethel ; Tafoya, Crystal Valdez 8C - Surface Owner Notification

Subject:

The subject well will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

Thank you,

Crystal L. Tafoya Regulatory Technician ConocoPhillips Company San Juan Business Unit Phone: (505) 326-9837

Email: Crystal.Tafoya@conocophillips.com

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210.

District III.

1000 Rio Brazos Rd., Aztec, NM 87410

District IV.

1220 S. St. Francis Dr.; Sants Fc, NM 87505

498

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised July 16, 2010 Submit one copy to appropriate District Office


☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDIGATION PLAT

	PI Number		2.	2 Pool Code 3 Pool Name					
4 Property, Code	0				_	rty Name LDEZ	•		6 Well Number 8C
7 OGRID No	. .		8 Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP						9 Elevation 7355
	·····			·	10 SURFACI	LOCATION			
OL or lot no.	Section	Township	Range	Lot Idri	Feet from the	North/South line	Feet from the	East/West line	County'
Ä	28	28-N	04-W	:	1350	NORTH	1120	EAST	RIO ARRIBA
			II. B	ottom H	ole Location	If Different Fro	m Surface		
UL ar lot no.	Section	Township	Range		Feet from the	North/South line	Feet from the	East/West line	County
G	28	28-N	04:W		1410	NORTH	1860	EAST	RIO ARRIBA
Dedicated Acres	13 Joi	int or mill	14 Consolida	tion Code	15 Order No.	<u></u>	anie processione annies annies annies		
320			,						,

NO ALLOWABLE WILL BÉASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION






OR PIPELINES. Y MARKED OR UNMARKED BURIED AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION. OR UNDERGROUND UTILITIES C CALL FOR LOCATION OF ANY PAD AND OR ACCESS ROAD A C.C.I. SURVEYS IS NOT CONTRACTOR SHOULD C PIPELINES OR CABLES (

BURLINGTON RESOURCES OIL & GAS COMPANY LP

VALDEZ #8C 1,350 FNL, 1,120 FEL

SEC.28, T28N, R04W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO

ELEV.: 7,355' NAVD88, OCTOBER 4, 2006 NO NEW ACCESS



ISSUED FOR REVIEW

CHENAULT CONSULTING INC.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Attached =

Release Notification and Corrective Action **OPERATOR** Initial Report Final Report Name of Company Burlington Resources Oil, Gas Company, LP Contact. Jamie Goodwin Address 3401 East 30th St, Farmington, NM Telephone No. (505) 326-9784 Facility Name: VALDEZ 8C Facility Type: Gas Well Mineral Owner FED Lease No.NM-03863 Surface Owner FOREST LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County 4W A. 28 28N. RIO ARRIBA Latitude36.635426 Longitude107.250940 NATURE OF RELEASE Volume of Release N/A Type of Release Pit Closure Summary Volume Recovered N/A Source of Release N/A Date and Hour of Occurrence N/A Date and Hour of Discovery N/A If YES, To Whom? Was Immediate Notice Given? ☐ Yes. ☐ No ☒ Not Required By Whom? N/A Date and Hour N/A Was a Watercourse Reached? If YES; Volume Impacting the Watercourse: N/A ☐ Yes ☐ No. If a Watercourse was Impacted, Describe Fully:* N/A Describe Cause of Problem and Remedial Action Taken.* N/A Describe Area Affected and Cleanup Action Taken.* N/A I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Pinal Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations: Signature: Approved by District Supervisor: Printed Name: Jamie Goodwin **Expiration Date:** Approval Date: Title: Regulatory Tech.

-Conditions of Approval:-

11/26/12; Phone: (505):326-9784

E=mail=Address:-jamie:l-goodwin@conocophillips.com

^{*} Attach Additional Sheets If Necessary

Analytical Report

Lab Order 1205566

Date Reported: 5/18/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Conoco Phillips Farmington

Client Sample ID: Back Ground

Project: Valdez #8C

Collection Date: 5/11/2012 11:00:00 AM

Lab ID: 1205566-001

Matrix: SOIL

Received Date: 5/12/2012 11:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG			Analyst: JMP		
Diesel Range Organics (DRO)	ŅD	9.6	mg/Kg	1	5/16/2012 10:29:55 AM
Surr; DNOP	94.3	82.1-121	%REC	1	5/16/2012 10:29:55 AM
EPA METHOD 8015B: GASOLINE RA	NGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	5/16/2012 4:05:30 PM
Surr: BFB	103	69.7-121	%REC	1	5/16/2012 4:05:30 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.049	mg/Kg	1	5/16/2012 4:05:30 PM
Toluene	ND	0:049	mg/Kg	1	5/16/2012 4:05:30 PM
Ethylbenzene	ND	0.049	mg/Kg	1	5/16/2012 4:05:30 PM
Xylenes, Total	ND	0.097	mg/Kg	1	5/16/2012 4:05:30 PM
Surr: 4-Bromofluorobenzene	91.1	80-120	%REC	1	5/16/2012 4:05:30 PM
EPA METHOD 300.0: ANIONS	•				Analyst: BRM
Chloride	29	1,5	mg/Kg	1	5/16/2012 9:08:30 AM
EPA METHOD 418.1: TPH					Analyst: JMP
Petroleum Hydrocarbons, TR	ŃD	20	mg/Kg	-1	5/18/2012

Qualifiers:

X Value exceeds Maximum Contaminant Level.

E Value above quantifation range

J Analyte detected below quantitation limits;

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank-

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Page 1 of 8

Analytical Report

Lab Order 1205566

Date Reported: 5/18/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Conoco Phillips Farmington

Client Sample ID: Reserve Pit

Project: Vald

Valdez #8C

Collection Date: 5/11/2012 11:30:00 AM

Lab ID: 1205566-002

Matrix: SOIL

Received Date: 5/12/2012 11:20:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE	ORGANICS				Analyst: JMP
Diesel Ränge Organics (DRO)	120	10	mg/Kg	1	5/16/2012 3:30:21 PM
Surr: DNOP	103	82.1-121	%REC	1	5/16/2012 3:30:21 PM
EPA METHOD 8015B: GASOLINE RAN	IGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	10	mg/Kg	2	5/17/2012 11:04:00 PM
Surr: BFB	106	69.7-121	%REC	2	5/17/2012 11:04:00 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.10	mg/Kg	2	5/17/2012 11:04:00 PM
Toluene	ND	0.10	mg/Kg	2	5/17/2012 11:04:00 PM
Ethylbenzene	ND	0.10	mg/Kg	2	5/17/2012 11:04:00 PM
Xylenes, Total	ИD	0.21	mg/Kg	2	5/17/2012 11:04:00 PM
Surr: 4-Bromofluorobenzene	90.6	80-120	%REC	ż .	5/17/2012 11:04:00 PM
EPA METHOD 300.0: ANIONS					Analyst: BRM
Chloride	96	30	mg/Kg	20	5/16/2012 9:45:44 AM
EPA METHOD 418.1: TPH					Analyst: JMP
Petroleum Hydrocarbons, TR	140	20	mg/Kg	1	5/18/2012

Qualifiers:

X Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits:

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank -

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Detection Limit

Hall Environmental Analysis Laboratory, Inc.

WO#:

1205566

18-May-12

Client:

Conoco Phillips Farmington

Project:

Valdez #8C

Sample ID	MB-1960
-----------	---------

SampType: MBLK

TestCode: EPA Method 300.0: Anlons

Client ID:

PBS-

Batch ID: 1960

RunNo: 2810

Prep Date: 5/16/2012

Analysis Date: 5/16/2012

SeqNo: 78101

SPK value SPK Ref Val %REC LowLimit

Units: mg/Kg HighLimit[®]

Analyte ChlorideResult ND

%RPD

RPDLimit

Qual

Sample ID LCS-1960

SampType: LCS

PQL

1:5

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 1960

RunNo: 2810

Prep Date: 5/16/2012

Analysis Date: 5/16/2012

SeqNo: 78102

Units: mg/Kg

Analyté

PQL SPK value SPK Ref Val

%REC LowLimit HighLimit

%RPD **RPDLimit** Qual

99.0

110

Chloride

15

1.5 15.00

TestCode: EPA Method 300.0: Anions

Sample ID 1205536-001AMS Client ID: BatchQC

SampType: MS Batch ID: 1960

RunNo: 2810

Prep Date: 5/16/2012 Analysis Date: 5/16/2012

SeqNo: 78104

Units: mg/Kg

118

Analyte

Result 14

PQL SPK value SPK Ref Val

15.00

15.00

%REC LowLimit 95.3

HighLimit

%RPD **RPDLimit**

Qual

Chloride.

SampType: MSD

TestCode: EPA Method 300.0: Anions

Client ID:

Sample ID 1205536-001AMSD **BatchQC**

Batch ID: 1960

RunNo: 2810

Prep Date:

5/16/2012:

Analysis Date: 5/16/2012

SeqNo: 78105

Units: mg/Kg

Analyte

Result

LowLimit

%RPD

RPDLimit Qual

Chloride.

SPK value SPK Ref Val PQL 14 7.5

7.5

%REC 94.5

74.6

74.6

HighLimit, 118

0.888

Qualifiers:

- */X Value exceeds Maximum Contaminant Level:
- Value above quantitation range
- Analyte detected below quantitation limits RPD outside accepted recovery limits
- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded H Not Detected at the Reporting Limit ND
 - Reporting Detection Limit
- Page 3 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1205566

18-May-12

Client:

Conoco Phillips Farmington

Project:

Valdez #8C

Sample	ID	MB-1987
--------	----	---------

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 1987

RunNo: 2870

Prep Date: 5/17/2012

Analysis Date: 5/18/2012

SeqNo: 79619

Units: mg/Kg

HighLimit

Analyte

Result PQL. SPK value SPK Ref Val %REC LowLimit

%RPD

Qual

Petroleum Hydrocarbons, TR

ND, 20

TestCode: EPA Method 418.1: TPH

Sample ID. LCS-1987 Client ID: LCSS

SampType: LCS Batch ID: 1987

RunNo: 2870

Prep Date: 5/17/2012

100

Units: mg/Kg

Analyte

Analysis Date: 5/18/2012

SeqNo: 79620

115

Qual

Petroleum Hydrocarbons, TR

Result PQL

SPK value SPK Ref Val %REC

LowLimit HighLimit 87.8

%RPD **RPDLImit**

Sample ID LCSD-1987

SampType: LCSD

TestCode: EPA Method 418.1: TPH

RPDLimit

Client ID: LCSS02

Batch ID:: 1987

RunNo: 2870

Analyte

Prep Date: 5/17/2012

Analysis Date: 5/18/2012

SeqNo: 79621

Units: mg/Kg

RPDLimit Qual

%REC LowLimit HighLimit Result SPK value SPK Ref Val Petroleum Hydrocarbons, TR 100 100.0 101

100.0

%RPD 87.8 115 2.56 8.04

Qualifiers:

*/X Value exceeds Maximum Contaminant Level,

Value above quantitation range;

Analyte detected below quantitation limits RPD outside accepted recovery limits

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit: Reporting Detection Limit

Page 4 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 1205566

18-May-12

Client:

Conoco Phillips Farmington

Project:	Valdez #8	SC										
Sample ID	MB-1953	SampT	ype: ME	BLK	Tes	Code: EF	A Method	8015B: Diese	el Range C	Organics		
Client ID:	PBS	Batch	ID: 19	53	F	tunNo: 28	303					
Prep Date:	5/15/2012	Analysis D	ate: 5/	16/2012	S	ieqNo: 77	78,88	Units: mg/K	ğ			
Analyte		Result		SPK value	SPK Ref Val	%REC	LowLimit	,HighLimit	%RPD	RPDLimit	Qual	
Diesel Ränge (Surr: DNOP	Organics (DRO)	ND 10	10	10,00		99.7	82.1	121.				
Sample ID.	LCS-1953	SampT	ype: LC	s	Tes	(Code: EF	A Method	8015B: Dies	el Range (Organics		
Client ID:	LCSS	Batch	ID: 19	53	F	RunNo: 28	303	•			•	
Prep Date:	5/15/2012	Analysis D	ate: 5/	16/2012	5	SéqNo: :7	7910	Units: mg/Kg				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit.	HighLimit	%RPD	RPDLimit	Qual	
•	Organics (DRO)	51	10	50.00	0	102	52.6	130				
Surr: DNOP		.4.9		5.000		98.6	82.1	121		·		
Sample ID	1205516-001AMS	SampT	ype: M	S	Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics		
Client ID:	BatchQC	Batch	ID: 19	53	RunNo: 2803							
Prep Date:	5/15/2012	Analysis D	ate: 5	116/2012	5	SeqNo: 7	8004	Units: mg/Kg				
Analyte.		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range (Organics (DRO)	48	10	50.61	0	94.4	57.2	146				
Surr: DNOP		4.5		5.061		89.3	82.1	121				
Sample ID	1205516-001AMSI	D SampT	ype: M	SD	Tes	(Code: El	PA Method	8015B: Dies	el Range (Organics		
Client ID:	BatchQC	Batch	1D: 19	53	F	RunNo: 2	803					
Prep Date: 5/15/2012 Analysis Date: 5/16/2012					9	SeqNo: 7	8005	Units: mg/Kg				
Analyte		Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
	Organics (DRO)	50	10		0	99.4	57.2	146	4.33	26.7		
Sun: DNOP		4.5		5.020		90.0	82.1	121	Õ	0		

Qualifiers:

*/X Value exceeds Maximum Contaminant Level:

E Value above quantitation range

J Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B. Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL. Reporting Detection Limit

Page 5 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1205566

18-May-12

Client:

Conoco Phillips Farmington

Project:

Valdez#8C

			<u> </u>									
Sample ID MB-1952	SampType: M	BLK,	TestCode: EPA Method 8015B: Gasoline Range									
Client ID: PBS	Batch ID: 19	52	R	unNo: 2								
Prep Date: 5/15/2012	Analysis Date: 5	/16/2012	S	eqNo: 7	B966	Units: mg/K	(g					
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%ŔŖD	RPDLimit	Qual.			
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 1,000	1,000		:105	69.7	121						
Sample ID LCS-1952	SampType: L	cs	Tes	Code: El	PA Method	8015B: Gaso	line Rang					
Client ID: LCSS	Batch ID: 1	952	F	unNo: 2	816							
Prep Date: 5/15/2012	Analysis Date:	/16/2012	s	eqNo: 7	8967	Units: mg/k	(g					
Analyte	Result PQL	SPK value	SPK Ref Val.	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO)	29 5.0	25.00	0	117	98.5	133						
Surr: BFB	1,100	1,000		112	69;7	121						
Sample ID 1205516-001AMS	SampType: N	ıs	Tes	tCode: E	PA Method	80,15B::Gasc	oline Rang	je				
Client ID: BatchQC	Batch ID: 1	952	F	kunNo: 2	816							
Prep Date: 5/15/2012	Analysis Date:	5/16/2012	ģ	SegNo: 7	8969	Units: mg/i						
Analyte	Resúlt PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO)	31 4.8	3 23.76	Ō	132		147		•				
Surr: BFB	1,100	950,6		112	69.7	121						
Sample ID 1205516-001AMS	SD SampType: N	ISD.	Tes	tCode: E	PA Method	8015B: Gas	oline Rang	je				
Client ID: BatchQC	Batch ID: 1	952	RunNo: 2816									
Prep Date: 5/15/2012	Analysis Date:	5/16/2012	S	SeqNo: 7	8970	Ųņitsi: mg/Kg						
Analyte	Result PQL	SPK value	SPK Ref Val.	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual			
Gasoline Range Organics (GRO)	.31 4.	7 23.67	0	133	85,4	147	0.317	19.2				
Surr: BFB	1,100	947.0		113	69.7	121	Ò	0.				

Qualifiers:

*/X Value exceeds Maximum Contaminant Level.

E Value above quantitation range.

J. Analyte detected below quantitation limits

R RPD outside accepted recovery limits

B: Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RL Reporting Defection Limit

Page 6 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#: 1205566

18-May-12

CI	ien	t	:	
-				

Conoco Phillips Farmington

Project:	Valdez #8	С	-	· ·								
Sample ID	MB-1952	SampT	уре: МВ	LK	Test							
Client,ID:	PBS	Batch	ID: 195	52	R	unNo: 28	816					
Prep Date:	5/15/2012	Analysis D	ate: 5/	16/2012	s	eqNo: 78	8994	Units: mg/Kg				
Analýte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene		ND.	0.050					•				
Toluené		ND	0.050									
Ethylbenzene		NÓ	0.050									
Xylenes, Total		ND	0.10					,				
Surr: 4-Brom	ofluorobenzene	0.94	<u> </u>	1.000		94.0	80	120				
Sample ĨĎ	LCS-1952	SampT	ype: LC	s	Test	tCode: El	PA Method	8021B: Volat	tiles	-		
Client ID:	LCSS	Batch	ID: 19	52	R	RunNo: 2	816					
Prep Date:	5/15/2012	Analysis D	ate: 5/	16/2012	S	SeqNo: 7	8995	Units: mg/K	(g			
Analyté		Result	PQL	SPK valùe	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Quai	
Benzene		0.92	0.050	1.000	0	92.1	83.3	107				
Toluene		0.96	0.050	1.000	0	95.6 [/]	74.3	115				
Ethylbenzene '		0.93	0.050	1.000	0	93,1	80.9	122				
Xylenes, Total		2.9	0.10	3.000	0	95.0	85.2	123				
Surr: 4-Brom	ofluorobenzene	0.97		1.000		97.4	80	120				
Sample ID	1205566-001AMS	ŞampT	ypë: MS	3	Tes	tCode: E	PA Method	8021B: Voia	tifes			
Client ID:	Back Ground	Batch	iD: 19	52	F	RunNo: 2						
Prep Date:	5/15/2012	Analysis D	ate: 5/	16/2012	S	SeqNo: 7	9000	Units: mg/f	S g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit [*]	Qual	
Benzene		0.95	0.050	1.003	0	94.8	67.2	113				
Toluene		. 1.0	0.050	1.003	0	99.8	62.1	116				
Ethylbenzene.		0.97	0.050	1.003	0	96.6	67.9	127				
Xylenes, Total		3.0	0.10	3.009	0	98.4	60,6	134				
Surr: 4-Bron	nofluorobenzene:	0.97		1.003		97.2	80	120				
Sample ID	1205566-001AMS) Sampī	Type: M	SD	Teş	TestCode: EPA Method 8021B: Volatiles						
Client ID:	Back Ground	Batc	h ID: 19	52	RunNo: 2816							
Prep Date:	5/15/2012	Analysis [Date: 5	/16/2012	5	SeqNo: 7	9001	Units: mg/l	Kg			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC		HighLimit	%RPD	RPDLimit	Qual	
Benzene		0.95	0.051	1.010	.0.	94.1	67.2	113	0.0394	14.3		
Toluene		0.99	0.051	1.010	0	97.9		116	1.22	15.9		
Ethylbenzené		0.98	0.051	1.010		96.8		127	0.852	14.4		
Xylenes, Total		3.0	0.10	3.030	0	97.7	60.6	134	0:100	12.6		
Surr. 4-Bron	nofluorobenzene	0.96		1.010		95.4	.80	120	- 0	0.		

Qualifiers:

*/X Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits

RPD outside accepted recovery limits

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit Reporting Detection Limit

Page 7 of 8

Hall Environmental Analysis Laboratory, Inc.

WO#:

1205566

18-May-12

Client:

Conoco Phillips Farmington

Project:

Valdez #8C

Sample ID 5ML RB

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

80

Client ID:

PBS

Batch ID: R2849

PQL.

RunNo: 2849

Prep Date:

Analysis Date: 5/17/2012

SeqNo: 79697

Units: %REC

Analyte

Result

SPK value SPK Ref Val %REC LowLimit HighLimit

RPDLimit

Qual

Surr. 4-Bromofluorobenzene

Client ID: LCSS

0.91

1.000

90.8

120

Sample ID 100NG BTEX LCS

SampType: LCS Batch ID: R2849 TestCode: EPA Method 8021B: Volatiles

RuñNo: 2849

Prep Date:

Analysis Date: 5/17/2012

SeqNo: 79698

Units: %REC

Analyte

Result

SPK value SPK Ref Val %REC

LowLimit

Surr: 4-Bromofluorobenzene

97:4

HighLimit 80

%RPD

%RPD

0.97

1.000

120

RPDLimit

Qual

Sample ID 1205746-001AMS

SampType: MS

TestCode: EPA Method 8021B: Volatiles

80

Client ID: BatchQC Prep Date:

Batch ID: R2849 Analysis Date: 5/17/2012 RunNo: 2849 SeqNo: 79701

Units: %REC

Análýte

Result

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit** Qual

Surr: 4-Bromofluorobenzene

0.55

0.5715

96.5

120

Sample ID 1205746-001AMSD Client ID:

BatchQC

SampType: MSD

TestCode: EPA Method 8021B: Volatiles

Prep Date:

Batch ID: R2849

RunNo: 2849 SeqNo: 79702

Units: %REC

Qual

Analyte

Analysis Date: 5/17/2012

SPK value «SPK Ref Val

%REC

LowLimit

HighLimit

%RPD

RPDLimit

Surr: 4-Bromofluorobenzene

Result 0.56

0.5715

98.4

120

0

Qualifiers:

- */X Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- RPD outside accepted recovery limits

- Analyte detected in the associated Method Blank
- Ή Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
- Page 8 of 8

Reporting Detection Limit

Submit To Appropr Two Copies	State of New Mexico Energy, Minerals and Natural Resources							Form C-105 July 17, 2008									
District I 1625 N. French Dr.	Ener	urai Ke	eso	1. WELL API NO.													
District II 1301 W. Grand Avo	enue, Artesia,	NM 88210		Divisio	30-039-30362												
District III 1000 Rio Brazos Ro	d., Aztec, NN	1 87410			O South St	,				2. Type of Lease. ☐ FEE ☐ FED/INDIAN							
District IV 1220 S. St. Francis	Dr., Santa Fe	, NM 87505			Santa Fe, N					3. State Oil & Gas Lease No.							
\A/F11.	COMPL	ETION OF	L DECO	4DL F	TION DE	DOD	T A NIC	5.1	OC.	NM - 038	63	مُ مُستم الأرجاب					
4. Reason for fili		ETIONO	RECON	/IPLE	ETION RE	PUR	I AIVL	JL	-06	5. Lease Name or Unit Agreement Name							
	ū	angewen na tan		.: Holer	the Carry threat File	11	1)			VALDEZ							
│		***					-			6. Well Number:							
C-144 CLOS #33; attach this a	SURE ATT	ACHMENT to the C-144 ck	(Fill in boxes osure renort in	#1 thro accor	ough #9, #15 Da dance with 19.1	ate Rig 5.17.1.	Released 3.K NMA	l and AC)	d#32 and/or) de							
7. Type of Comp	oletion:									n 🗆 offuri							
8. Name of Opera	WELL	WORKOVER	DEEPEN	IING-	<u> □P</u> LÚGBAČÍ	К 📙 І	DIFFERE	NI	RESERVOI	R GOTHER 9. OGRID		<u> </u>					
Burlington R	esources	Oil Gas C	ompany, I	P						14538							
10. Address of O PO Box 4298, Fa	perator irmington, l	√M 87499								11. Pool nan	ie or j	Wildcat	•	-			
12.Location	Ųni t L tr	Section	Townsh	ip	Range	Lot		F	cet from the	N/S Line Feet from the.			E/W Line County				
Surface:								T				•					
BH:								T									
13. Date Spudde	d 14. Dat	e T.D. Reached	1. 15. Da 12/23/		Released.		16	5: Da	ate Complete	ed (Ready to Pro	oduce		. Elevations (I F, GR, etc.)	OF and RKB;			
18. Total Measur	red Depth of	f Well	19: Pli	ığ Bac	k Measured De	pth	20). W	Vas Direction	onal Survey Made? 21. Type Electric and Other Logs Run.							
22. Producing In	terval(s), of	this completio	n - Top, Botto	om, Na	me		***** *** ***				·			* ***			
23.				TA C	ING REC	<u>ODI</u>) (Rer	or	t all strir	age set in v	llav.	`	<u></u>				
CASING SI	ZE	WEIGHT I			DEPTH SET				E SIZE	CEMENT			AMOUN	IT PULLED			
													:				
	-					-+											
						- 1											
24.	LTOD		DOTTOM.	LINI	ER RECORD		Leoner	**!		5.		ING RECO		MED CITY			
SIZE	TOP		BOTTOM		SACKS CEM	ILNI	SCREEN S			SIZE DEPTH/SET PACKER SE							
		-															
26. Perforation	n record (in	terval, size, and	l number)						, SHOT, FI	RACTURE, C				D			
							DEPTE	1 111	HERVAL	AMOUNT	ANL	KIND MA	TERIAL USE	υ			
														· ·			
28., Date First Produ		l Dato	duotion Math	ad ZEL	owing, gas lift; p		ODUC			L Wan Crai	in /D	rod, or Shut-	····				
Daté Lust Llodin	iction	1,10	auction Men	oй (t.uc	įwing, gas iyi, į	yunipin	g - 312¢ a	nia i	type pump)	Well Stat	us (i,	roa, or snai-	uil				
Date of Test	l·lours	Tested	Choke Size:		Prod'n For Test Period		Oil - B	bl	.	as - MCF		Water - Bbl.	Gas	- Oil Ratio			
Flow Tubing Press.	Casing	Pressure	Calculated 2 Hour Rate	4-	Oil - Bbl.		Ga	is - N	MGE	Water - Bbl:		Oil Gra	vity - API - <i>(</i> (Corř.)			
29. Disposition	of Gas (Sold	d, used for fuel,	vented, etc.)							•	3.0	: Test Witne	ssed By				
31. List Attachn			- 4-7														
32. If a tempora	ry pit was u	sed at the well,	attach a plat	with th	e location of th	e temp	orary pit.										
33. If an on-site	burial was	used at the wel	, report the ex	xact loc	cation of the on-	-site bu	irial:										
N/A DIG & HU	JAL.	2	Lati	tüde-	°N Loi	ngitude	0°	W	NAD 192	7 □1983	- C 2"	in less ariel es	dan mad La	iof			
Thereby cert Signature	ijy thát th	ie information	in snown o	Pri	nted				_					iĸl			
()	LV 1		olu L		Name Jamie Goodwin Title: Regulatory Tech. Date: 11/26/2012												
E-mail Addr	ess jamie	e.gooawm(<i>a</i>)	conocopni	mps.c	:UII												

the state of the s

ConocoPhillips

Pit Closure Form:
Date: 7-19-12
Well Name: Valdez 8C
Footages: 1350 FML, 1120 FEL Unit Letter: A
Section: <u>38</u> , T- <u>38</u> -N, R- <u>A</u> -W, County: <u>R.A.</u> State: <u>MM</u>
Contractor Closing Pit:
Pit Closure Start Date: 7-13-12
Pit Closure Complete Date: 7-19-12
Construction Inspector: Norman Faver Date: 7-19-12
Inspector Signature: Thursan fair
Partial Dig & haul hauled 1104 yards to IEI Revised 11/4/10
Office Use Only: Subtask DSM Folder

Goodwin, Jamie L

From:

Payne: Wendy F

Sent: To: Wednesday, June 27, 2012 1:15 PM

(Brandon Powell@state.nm.us); GRP:SJBU Regulatory; Jonathan Kelly;

(Ipuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Mark Kelly; Randy McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Dee; Harry P; Eric Smith (sconsulting eric@gmail.com); Faver Norman; Fred Martinez; Lowe, Terry; McCarty Jr, Chuck R; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Bassing, Kendal R.; Kennedy; Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets; Steve A; Thibodeaux, Gordon A; Eddie; Quintana Tony (tquintana@flintenergy.com); Barton, Austin; Blakley, Mac; Coats, Nathan W; Farrell, Juanita R; Maxwell, Mary Alice; McWilliams, Peggy L; Rhoads;

Travis P (Finney Land Co.); Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trey

Cc:

Montya Dona (donamontoya@aol.com)

Subject:

Reclamation Notice; Valdez 8C (Area 25*Run 557)

Importance:

High

Attachments:

VALDEZ 8C.pdf

M&M Trucking will move a tractor to the **Valdez 8C** to start the reclamation process on Monday, July 9, 2012. Please contact Norm Faver (320-0670) if you have questions or need further assistance.



VALDEZ 8C.pdf (47 KB)

Buřlíngtón Resources Well - Network # 10158898 - Activity code D250 (Reclamation) and D260 (pit closure) - PO: Kaitlw Rio Arriba County, NM

Valdez 8C - Forest

Onsite: John Reidinger 6-12-07' Twin: Valdez 8 (existing) 1350' FNL, 1120' FEL Sec.28, T28N, R4W Unit Letter " A " Lease # USA NM-03863

BH: SWNE, Sec.28, T28N, R4W Latitude: 36° 38' 08" N (NAD 83) Longitude: 107° 15' 03" W (NAD 83)

Elevation: 7355'

Total Acres Disturbed: 3:03 acres

Access Road: n/a API# 30-039-30362 Within City Limits: NO Pit Lined: **YES**

NOTE: Arch monitoring IS required on this location (WCRM 326-7420)

Wendy Payne
ConocoPhillips-SJBU
505-326-9533
Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:		
Date: //-2-12	_	
Well Name: Valdez	8 C	
Footages: 1350 FMI	. 1/20 FEL Unit Letter:	<u> </u>
Section: <u>28</u> , T- <u>28</u> -N	I, R- <u>서</u> -W. County: <u>. 오 5</u> State:	NM
Reclamation Contractor: _	MM	·
Reclamation Start Date:	7-13-12	
Reclamation Complete Da	te: 7-24)-12	
Road Completion Date:	7-25-12	<u> </u>
Seeding Date:	9-24)-12	
**PIT MARKER STATUS (When Required): Picture of Marker set ne	aded
MARKER PLACED :	8-1-12	(DATE)
LATATUDE: 36	38.130	
LONGITUDE: 107	15.064	
Pit Manifold removed		(DATE)
	Norman Faver Date: 11	
Inspector Signature:	Man Faw	w 114 w
Office Use Only: Subtask	FolderPictures	
Revised 6/14/2012	VW	1 to 5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

ConocoPhillips WELL NAME: **OPEN PIT INSPECTION FORM** Valdez 8C INSPECTOR Fred Mtz Fred Mtz Fred Mtz Fred Mtz Fred Mtz Fred Mtz E. Perry Fred Fred 12/22/11 DATE 08/19/11 08/30/11 09/07/11 10/21/11 11/01/11 11/16/11 12/06/11 12/14/11 Week 1 Week 2 Week 3 Week 4 Week 5 Week 6 Week 7 Week 8 Week 9 *Please request for pit extention after 26 weeks ☑ Drilled Drilled Drilled: ✓ Drilled Drilled Drilled Drilled Drilled ☐ Drilled ☑ Completed Completed ☐ Completed Completed: ☐ Completed ✓ Completed Completed Completed Completed PIT'STATUS' Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up is the location marked with the proper flagging? ☑ Yes ☐ No ☑ Yes ☐ No Yes: No Yes No Yes. No Yes . No ☑ Yes ☐ No Yes . No: ☑ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible Yes No Yes \ \ No ☑ Yes ☐ No ☑ Yes ☐ No: ☑ Yes ☐ No ☑ Yes: ☐ No. Yes No Yes No Yes No Š from access road? is the access road in good driving condition? Yes V No ☑ Yès ☐ No Yes No Yes No Yes: No Yes No Yes' No Yes No Yes I.No. (deep ruts, bladed) Are the culverts free from debris or any object Yes 🔲 No ☑ Yes ☐ No ☑ Yes □:No Yes No Yes, No Yes No Yes No ☑ Yes ☐ No Yes No preventing flow? is the top of the location bladed and in good ☐ Yes ☐ Ño Yes No ☐ Yes 🗸 No Yes V No ☑ Yes ☐ No Yes No-☑ Yes □ No Yes No Yes No operating condition? is the fence stock-proof? (fences tight, barbed ☑ Yes ☐ No Yes V No. Yes. V No-☑ Yes ☐ No Yes No Yes 🔲 No Yes No Yes | No Yes No wire, fence clips in place? is the pit liner in good operating condition? (no ☐ Yes ☐ No. ✓ Yes ☐ No ☑ Ýes ☐ No ☑ Yes, ☐ No. ☑ Yes ☐ No Yes No ☐ Yes ☐ No Yes No Yes | No. tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and Yes No Yes No ✓ Yes □ No ✓ Yes. ☐ No ✓ Yes ☐ No. ☑ Yes ☐ No ☑ Yes ☐ Ño ☑ Yes ☐ No. Yes No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check Yes . No Yes No ☑ Yes ☐ No ☑ Yes. ☐ No ☑ Yes ☐ No ☑ Yes ☐ Ño Yes 🗌 No ☑ Yes ☐ No Yes No the water levels) is there any standing water on the blow pit? Yes No ☐ Yes ☑ No ☐ Yes ☐ No ☐ Yes No: Yes No. Yes No ☐ Yes ☐ No Yès 🛛 No Yes V No Are the pits free of trash and oil? ☑ Yes ☐ No Yes No ✓ Yes ☐ No. ☑-Yes ☐ No. Yes: No Yes No ☐ Yes ☐ No Yes No ☑ Yes ☐ No Are there diversion ditches around the pits for ☑ Yes ☐ No Yes No Yes No Yes No ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes ☐ No ✓ Yes 🗌 No ☑ Yes ☐ Ño natural drainage? is there a Manifold on location? ☑ Yes ☐ No Yes No ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No Yes No Yes No Yes No Is the Manifold free of leaks? Are the hoses in ☑ Yes ☐ Nŏ Yes No Yes No Yes No ✓ Yes 🗌 No ☑ Yes ☐ No Yes No ✓ Yes ☐ No ✓ Yes No. good condition? ☐ Yes ☑ No Yes V No Was the OCD contacted? Yes No Yes No Yes No Yes V No ☐ Yes 🗸 No Yes V No ☐ Yes 🔽 No ☐ Yes: ☑ No Yes V No Yes V No ☐ Yes ☑ No Yes V No Yes No Yes - No Yes No Yes V No PICTURE TAKEN COMMENTS No Diversion Road and Loc Ditch NOT Fence needs aztec rig on Debri in Pit DRILLED Bad Debri in Oit Repaired Fence Loose Rigion location location No repairs: rig on loc

WELL NAME: Valdez 8C INSPECTOR Fred Mtz Fred Mtz ΕP Fred.Mtz F.Mtz Fred Mtz Fred Mtz Fred Mtz Fred Mtz DATE 12/30/11 01/05/11 01/12/12 01/19/12 02/02/12 02/17/12 03/05/12 03/09/12 03/16/12 Week 15 Week 16 Week 17 Week 18 *Please request for pit extention after 26 weeks: Week 10 Week 11 Week 12 Week 13 Week 14 ✓ Drilled ✓ Drilled Drilled Orilled ☑ Drilled 7 Drilled Drilled □ Drilled ☑ Drilled Completed Completed Completed Completed Completed Completed Completed Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up is the location marked with the proper flagging? ☐ Yes ☐ No. ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No Yes No ☑ Yes ☐ Nó ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes: 🗌 No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible Yes No Yes No Yes No ☑ Yes ☐ No ☑ Yes ☐ No. ☑·Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes \ No from access road? Is the access road in good driving condition? Yes No Yes. V No ☐ Yes 🗸 N∩ Yes V No ☐ Yes ☑ No Yes V No. ☑ Yes ☐ No Yes I No ☐ Yes ☑.No (deep ruts, bladed) Are the culverts free from debris or any object ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No-✓ Yes □ No ✓ Yes ☐ No Yes No. Yes No ☑ Yes ☐ No ✓ Yes ☐ No. preventing flow? is the top of the location bladed and in good ☐ Yes ☑ No ☑ Yes ☐ No ☑ Yes ☐ No Yes V No Yes No Yes: V No. Yes V No ☐ Ÿes ☑ No Tyes I No. operating condition? is the fence stock-proof? (fences tight, barbed ☐ Yes ☑ No Yes V No ☐ Yes ☑ No ☐ Yes ☑ No Yes 🗸 No Yes No ☑ Yes ☐ No ☐ Yes ☑ No ☑ Yes ☐ No wire, fence clips in place? s the pit liner in good operating condition? (no. ☑ Yes ☐ No ✓ Yes 🗌 No ☑ Yes □ No ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yès ☐ No ☑ Yes ☐ No ☑·Yes ☐ No ✓ Yes 🗌 No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ☑ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes 🗌 No ☑ Yes ☐ No ✓ Yes ☐ No. ✓ Yes ☐ No ☑ Yes ☐ No other materials? (cables, pipe threads, etc.) NVIRONMENTAL Does the pit contain two feet of free board? (check ✓ Yes 🗌 No ✓ Yes 🗌 No Yes. No ✓ Yes ☐ No. ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes □ No he water levels) is there any standing water on the blow pil? ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes No: ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☐ Yes ✓ No Yes No ✓ Yes 🗆 No Are the pits free of trash and oil? ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑.Yes ☐ No ☐ Yes 🔽 No ☑ Yes ☐ No Yes No ☑ Yes ☐ No Yes I No Are there diversion ditches around the pits for ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No Yes No. ✓ Yes 🗌 No Yes 🗹 No ☑ Yes ☐ No Yes No ✓ Yes No natural drainage? Is there a Manifold on location? ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No is the Manifold free of leaks? Are the hoses in ☑ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes

☐ No ✓ Yes 🗌 No Yes No. ☑·Yes ☐ No ✓ Yes ☐ No. ✓ Yes □ No good condition? Yes I No Yes V No Σ \triangle Was the OCD contacted? Yes 🗹 No Yes V No Yes 🗸 No Yes V No. Yes V No Yes V No Yes V No Yes No Yes 🗸 No ☐ Yes ☑ No Yes V No Yes I No. Yes 🗹 No Yes V No Yes V No PICTURE TAKEN ☐ Yes ✓ No Debri in pit road debri in pit road location and Road and Ria and location Location and COMMENTS rutted location location need need bladed rds loc. Ruts and rutted bad road need road need snow fence bladed fence contact M.N.R to location needs needs bladed Pit rutted location bladed fence bladed and there pull pit. loose, debri in pit bladed. fence loose needs bladed. loose is debri in the pit Ino repairs loose.

WELL NAME: Valdez 8C INSPECTOR Fred Mtz Fred Miz Fred Mtz 06/13/12 04/26/12 05/11/12 05/30/12 06/06/12 06/13/12 DATE 03/30/12 04/13/12 04/20/12 Week 24 Week 25 *Week 26* Week 27 Week 19 Week 20 Week 21 Week 22 Week 23 *Please request for pit extention after 26 weeks ✓ Drilled ✓ Drilled Drilled ☑ Drilled ☑ Drilled Drilled. ☑ Drilled Drilled. ✓ Drilled ✓ Completed Completed Completed Completed Completed Completed Completed ☑ Completed ☐ Completed PIT STATUS Clean-Up Cléan-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Is the location marked with the proper flagging? ☑ Yes ☐ No ✓ Yes ☐ No: ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No Yes .No Yes | No ✓ Yes ☐ No Yes No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ✓ Yes 🗌 No. ☐ Yes. ☐ No. ✓ Yes No ✓ Yes 🗌 No Yes No ☐ Yes ☐ No. ✓ Yes ☐ No. Yes No. ☑ Yes ☐ No. from access road? Is the access road in good driving condition? ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No Yes No ✓ Yes ☐ No ☑ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes: ☐ No (deep ruis, bladed). Are the culverts free from debris or any object ✓ Yes ☐ No . ☑ Yes 🗌 No .☑ Yes ☐ No ✓ Yes. 🗌 No Yes No Yes No ☑ Yes ☐ No ☐ Yes ☐ No. Yes No preventing flow? is the top of the location bladed and in good Yes No Yes V No ☑ Yes ☐ No Yes No Yes V No ☑ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No operating condition? is the fence stock-proof? (fences tight, barbed ✓ Yes ☐ No ☑ Yes ☐ No. ☑ Yes ☐ No ☑ Yes ☐ No Yes: No Yes. No Yes .No Yes No Yes No wire, fence clips in place? is the pit liner in good operating condition? (no ✓ Yes: ☐ No Yes No ☑ Yes ☐ No Yes: No Yes No ✓ Yes: ☐ No ☐ Yes ☐ No ✓ Yes 🗌 No ✓ Yes □ No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ☐ Yes ☐ No Yes V No ✓ Yes 🗌 No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No. Yes V No. ✓ Yes ☐ No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check ✓ Yes ☐ No ✓ Yes' 🗌 No ☑ Yes: ☐ No Yes No Yes. No ☑ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No the water levels) Is there any standing water on the blow pit? ☑ Yès ☐ No Yes: No ☑ Yes ☐ No ☐ Yes ☐ No. ✓ Yes ☐ No ☑ Yes ☐ No Yes 🗌 No ✓ Yes 🗌 No Yes No Are the pits free of trash and oil? ☐ Yes. ☑ No ✓ Yes No ✓ Yes ☐ No ✓ Yes ☐ No Yes I No Yes No Yes No ✓ Yes ☐ No ☐.Yes ☐ No Are there diversion ditches around the pits for ☑ Yes ☐ No ☑ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes ☐ No Yes No ✓ Yes ☐ No ☐ Yes ☑ No Yes V No natural drainage? Is there a Manifold on location? ✓ Yes No Yes T No ☑ Yes ☐ No Yes No ☑ Yes ☐ No ☑ Yes. ☐ No ☐ Yes ☐ No Yes: No ☑ Yes ☐ No Is the Manifold free of leaks? Are the hoses in ☑ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes ☐ No . ✓ Yés 🔲 No Yes No ☑ Yes □、No. ✓ Yes □ No Yes No good condition? □ Was the OCD contacted? Yes V No ☐ Yes ☐ No Yes V No Yes V No Yes V No Yes V No ☐ Yes ☑ No Yes . No Yes V No ☐ Yes ☐ No ☐ Yes ☑ No Yes No PICTURE TAKEN Yes INO Yes: No ☐ Yes ☑ No Yes No Yes V No Yes V No Oil stains:on location debri in pit fence loose road needs COMMENTS bladed and Sample bit debri Debri in pit fence: contact Flint to location need debri in pit flow Rig on location in pitroil stains needs tighten clean up bladed Debri in pil. back on location key 12 from frack trucks. Flint to fix fence. rig on location locations. Debri in pit.

	WELL NAME:	,								No.
	Valdez 8C					· <u> </u>				
-	INSPECTO DAT		Fred Mtz 06/27/12							
<u> </u>	*Please request for pit extention after 26 weeks	Week 28	Week 29"	Week 30	Week 31	Week 32	Week 33	Week 34	Week 35	Week 36
	PIT STATUS	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled. ☑ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean;Up	Drilled Completed Clean:Up	☐ Drilled☐ Completed☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Cean-Up
VIION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes □ No	✓ Yes: □ No	Yes No	☐ Yes: ☐ No	Yes: No	☐ Yes ☐ No	☐ Āeē: ☐ Nòo	☐ Yes ☐ No	☐ Yes ☐ No
LOCA	Is the temporary well sign on location and visible from access road?	☑ 'Yes, ' Nŏ	☑ Yes: ☐ No	☐ Yes ☐ No	☐ Yes: ☐ No	☐:Yes ☐ No	Yes .No	Yes	Yes No	Yes . No
	Is the access road in good driving condition? (deep ruts, bladed)	Yes No	✓ Yes No	`□ Yes □ No	Yes . No	Yes No	Yes No	Yes No.	☐ Yes ☐ No	Yes No.
	Are the culverts free from debris or any object preventing flow?	✓ Yes □ No	☑ Yeś 🗌 No	☐ Yes ☐ No	Yes No	Yès 🔲 No	☐ Yēs ☐ No.	TYes . No.	☐ Yes ☐ No	Yes No
	Is the top of the location bladed and in good operating condition?	☑ Yes □ No	. ✓ Yes: ☐ No	Yes No	. ☐ Yeş . ☐ No	☐ Yeş. ☐ No	☐ Yeş ☐ Njọ	☐ Yes ☐ Ño	☐ Yes ☐ No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes: ☐, No	Yes No	☐ Yes ☐ No.	Yes No	Yes No:	☐ Yes ☐ No	Yes No	Ü Yeş ☐ No
COMPLIANCE	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑·Yés. ☐ 'No.	☑ Yes: ☐ No	Yes No	☐ Yes: ☐ No	☐ Yes ☐ No	Yes .No.	Yes No	☐'Yes☐ No.	Yes No
11 -	other materials? (cables, pipe threads, etc.)	.□ Yes ☑ No	☑ Ÿes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yés ☐ No	Yes No
ENVIRONMENTAL	Does the pit contain two leet of free board? (check the water levels)	Yes, No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	□`Yeş :□ Ño:	☐ Ŷes ☐ Ņo	☐ Yes ☐ No.	☐ Ýes ☐ Ņọ	☐ Yes ☐ No
RON	Is there any standing water on the blow pit?	☑ Yes □ No	☑ Yes ☐ No	Yes No	Yes No.	Yes No	Yes No	Yes No	Yeş No	Yes No.
ENV	Are the pits free of trash and oil?	☑ Yéś ☐ No	☐ Yes ☑ No	Yes No	Yes No	Yes No.	Yes No	Yes No	☐ Yes ☐ No	☐ Yeş ☐ No.
	Are there diversion ditches around the pits for natural drainage?	Yes . No	Yes Vo	☐ Yes ☐ No	☐ Yés ☐ No	∷Yes □ No	☐'Yes ☐ No	□ Ÿes □ No	☐ Ýểs ☐ No	Yes No.
	Is there a Manifold on location?	✓ Yes 🔲 No	☑ Yes No:	☐ Yes ☐ No	☐ Yes ☐ No.	□.Ŷes □ No	□:Ýes, □.No;	Yes No:	Yes No	Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes. ☐ No	☑ Yeš 🔲 No.	Yes No.	☐ Yes ☐ No	□'Yes □ No	Yes No	□ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No
ပ္က ြ	Was the OCD contacted?	Yes 🗹 No	Yes V No.	☐ Yes ☐ Nö	☐ Yes ☐ No	☐ Yes ☐ No	, ☐ Yes ☐ No	'YesNo*	☐-Yes: ☐:No	Yes, No:
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ Nò	Yes. 🔲 No	Yes No.	Yes: 🔲 No	Yes No
	COMMENTS		Facility's being set							

