Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103 Revised August 1, 2011
<u>District 1</u> – (575) 393-6161 Enc 1625 N. French Dr., Hobbs, NM 88240	ergy, Minerals and Natural Resource	WELL API NO.
<u>District II</u> – (575) 748-1283	L CONSERVATION DIVISIO	N 30-045-35474
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fc, NM 87505	Sainta 1 0, 11111 073 03	NM L 2986-1 & NM LG 1034-9
SUNDRY NOTICES AND (DO NOT USE THIS FORM FOR PROPOSALS TO D		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FO PROPOSALS.)	OR PERMIT" (FORM C-101) FOR SUCH	Chaco 2408-36P
	Other	8. Well Number #143H
2. Name of Operator		.9. OGRID Number
WPX Energy Production, LLC		120782
3. Address of Operator P. O. Box 640, Aztec, NM 87410 (505) 333	3-1822	10. Pool name or Wildcat Lybrook Gallup
4. Well Location		zyerosa samap
	eet from the _S line and	244' feet from the E line
Section 36 Township		NMPM County Sandoval
	vation (Show whether DR, RKB, RT, C	
6922' (GR	
12. Check Appropri	ate Box to Indicate Nature of N	lotice, Report or Other Data
NOTICE OF INTENTA	ON TO:	OUDOFOLIENT DEDORT OF
NOTICE OF INTENTION PERFORM REMEDIAL WORK ☐ PLUG	JN TO: AND ABANDON ☐ REMEDIA	SUBSEQUENT REPORT OF: L WORK ALTERING CASING
		CE DRILLING OPNS. ☐ P AND A ☐
		CEMENT JOB
DOWNHOLE COMMINGLE		
OTHER:	☐ OTHER: S	PUD/SURFACE CASING
13. Describe proposed or completed oper		ails, and give pertinent dates, including estimated date
	RULE 19.15.7.14 NMAC. For Multi	ple Completions: Attach wellbore diagram of
<u>9/21/13-</u> <u>SPUD 12-1/4</u> " HOLE @ 1730 HRS		RCVD SEP 25 13
<u>9/22/13-</u> TD 12-1/4" SURF HOLE <u>@</u> 435', 0230 HRS		DIL CONS. DIV.
RAN 10 JTS, 9-5/8", LT&C, 36#, J-55, CSG SET @ 426	i', FC @ 383'	DIST. 3
		ce star a trans
Press test 1500#, Pump 20 Bbl FW Spacer, 230sx Class C with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin		48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES.	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace sld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES.	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace sld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED.	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES, T. TEST PLUG, PUMP & CHARTS USED. Pt	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace sld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES.	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace sld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED.	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES, T. TEST PLUG, PUMP & CHARTS USED. Pt	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace sld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED.	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date:	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace eld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600#
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED. Spud Date: 9/21/13	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date:	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace eld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600#
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED. Spud Date: 9/21/13	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date:	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace eld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600#
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD.TEST PUMP & CHART USED. Spud Date: 9/21/13 I hereby certify that the information above is t	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES, T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date: TITLE Permit Supry	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace eld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600# owledge and belief.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED. Spud Date: 9/21/13 I hereby certify that the information above is t	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date: TITLE Permit Suprv E-mail address:Larr	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace old.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600# owledge and belief.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD. TEST PUMP & CHART USED. Spud Date: 9/21/13 I hereby certify that the information above is t SIGNATURE Type or print name Larry Higgins For State Use Only	Rig Release Date: TITLE Permit Suprv E-mail address:Larr	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace eld.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600# owledge and belief.
with 30 Bbl FW, full returns thru job, 15 bbl Cmt to pit, fin S/M. INSTALL TEST PLUG & PRESS TEST PIPE & B 5 MIN EACH, 1500# HIGH 10 MIN EACH. GOOD TES 30 MIN, GOOD.TEST PUMP & CHART USED. Spud Date: 9/21/13 I hereby certify that the information above is t SIGNATURE Type or print nameLarry Higgins	al Press 200#,bump Plug to 600#,check float,he LIND RAMS,CHOKE MANIFOLD VALVES T. TEST PLUG, PUMP & CHARTS USED. Pt Rig Release Date: TITLE Permit Suprv E-mail address:Larr	48 bbl, 269 cuft)(15.8ppg, 1.17 Yld)Drop Plug & Displace old.Plug Dn @ 08:21, 9/22/2013.Wash lines & clean up. CHOKE & KILL LINE VALVES,4" TIW VALVE @ 250# LOW JLL TEST PLUG & TEST CASING AGAINST BLINDS @ 600# owledge and belief.