District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
0 Prop	Pit, Closed-Loop System, Below-Grac bosed Alternative Method Permit or Clo	
Type of action:	 Permit of a pit, closed-loop system, below-grade ta Closure of a pit, closed-loop system, below-grade Modification to an existing permit Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method 	tank, or proposed alternative method
Please be advised that approval	application (Form C-144) per individual pit, closed-lo of this request does not relieve the operator of liability should operations lieve the operator of its responsibility to comply with any other applicable	result in pollution of surface water, ground water or the
I Operator: ConocoPhillips Company Address: PO Box 4289, Farmingto		OGRID#: <u>217817</u>
Facility or well name: Lindrith B U	nit 30	
	0-039-23859 OCD Permit Numbe	er:
U/L or Qtr/Qtr: I(NE/SE) Section Center of Proposed Design: Latitude Surface Owner: X Federal		3W County: Rio Arriba -107.15476 °W NAD: X 1927 1983 n Allotment 1927 1983
	kover avitation P&A ner type: Thickness mil LLDPE	RCVD DEC 23 '13 OIL CONS. DIV. DIST. 3 HDPE PVC Other
X Closed-loop System: Subsect Type of Operation: P&A	ion H of 19.15.17.11 NMAC Cancel Permit filed on 5/	/30/13
X Lined Unlined Line	nd Steel Tanks Haul-off Bins Other r type: Thickness 20 mil X LLDPE H ictory Other	IDPE PVD Other
4 Below-grade tank: Subsection I Volume: bi Tank Construction material:	bl Type of fluid:	omatic overflow shut-off
5 Alternative Method: Submittal of an exception request is req	uired. Exceptions must be submitted to the Santa Fe Enviror	nmental Bureau office for consideration of approval.
Form C-144	Oil Conservation Division	Page 1 of 5

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
8 <u>Signs:</u> Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
¹⁰ <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes	Νο	
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes NA	No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes	No	
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - "Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□ No	
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 	Yes		

•---

...

11 Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API				
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14 Proposed Closure; 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan Please indicate, by a check mark in the bax, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

•---

.....

.

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Groun</u> Instructions: Please identify the facility or facilities for the disposal of liquids, d facilities are required.	d Steel Tanks or Haul-off Bins On rilling fluids and drill cuttings. Use	l <u>y:</u> (19.15.17.13.D NMAC) attachment if more than two			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:	NM-0109911 / NM 01-00	010B		
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:	NM-01-005			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and opera Soil Backfill and Cover Design Specification - based upon the app Re-vegetation Plan - based upon the appropriate requirements of S Site Reclamation Plan - based upon the appropriate requirements of	ropriate requirements of Subsect ubsection I of 19.15.17.13 NMA	С	.c		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10) Instructions: Each siting criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate distria office for consideration of approval. Justifications and/or demonstrations of equivalent	e plan. Recommendations of acceptable of office or may be considered an excep	tion which must be submitted to	,		
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Da	ta obtained from nearby wells		N/A		
Ground water is between 50 and 100 feet below the bottom of the buried	waste		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the burjed waste			Tyes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Dat			□ □N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).			Yes No		
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; satellite		pplication.	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. • NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh wa pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approva		ipal ordinance adopted	Yes No		
Within 500 feet of a wetland	n ootanieu noin the maneipanty				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visua	l inspection (certification) of the pro	posed site			
Within the area overlying a subsurface mine.			Yes No		
- Written confiration or verification or map from the NM EMNRD-Mining Within an unstable area.	and Mineral Division		Tyes No		
 Engineering measures incorporated into the design; NM Bureau of Geology Topographic map 	& Mineral Resources; USGS; NM	Geological Society;			
Within a 100-year floodplain. - FEMA map			Yes No		
¹⁸ On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items mus	st bee attached to the closs	rre plan. Please indicate,		
	opriate requirements of 19.15.17	10 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 					

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

. .

12

•

19		
Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurat	-	ny knowledge and belief.
Name (Print):	Title:	
Signature:		
e-mail address:	Telephone:	
	······································	
# OCD Approval: Permit Application (including closury plan)	Chaura Blan (art)	OCD Conditions (see attachment)
OCD Representative Signature:	lly	Approval Date:7/20(4
Title: Compliance officer	OCD Permit Nui	mher:
21		
Closure Report (required within 60 days of closure completion): Subsec		
Instructions: Operators are required to obtain an approved closure plan prior to report is required to be submitted to the division within 60 days of the completion	•	e .
approved closure plan has been obtained and the closure activities have been con	5	se do not complete and section of the form with the
	X Closure Com	pletion Date: N/A Cancel Permit
p		
22 Closure Method:		
	Alternative Closure Method	d X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.		
# Cleanse Banast Baranding Weste Bamaugi Cleanse Fast Cleand Ioan Sustema'	That Litling Above Cround S	Steel Table or Haul off Bins Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please identify the facility or facilities for where the liquids, drillin		
were utilized.		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit	Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit	Number: <u>NM-01-005</u>
Were the closed-loop system operations and associated activities performed on	or in areas that will not be use	ed for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	No (Original Approve	d Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and oper	rations:	
Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
24		
Closure Report Attachment Checklist: Instructions; Each of the follow the box that the documents are attached	ving items must be attached to	o the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		_
On-site Closure Location: Latitude:	Longitude:	NAD X 1927 1983
25		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure r the closure complies with all applicable closure requirements and conditions spec		
Name (Print): Kenny Davis	Title:	Staff Regulatory Technician
Signature:	Date:	12/20/2013
e-mail address: kender.r.davis@conocophillips.com	Telephone:	505-599-4045
•		

Oil Conservation Division

Page 5 of 5

•--

....

Form C-144

•