1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.
	osed-Loop System, Below-G	
Proposed Al	ternative Method Permit or C	Closure Plan Application
Type of action: Permit	of a pit, closed-loop system, below-grad	de tank, or proposed alternative method
X Closur	e of a pit, closed-loop system, below-gra	ade tank, or proposed alternative method
Modif	ication to an existing permit	
		rmitted or non-permitted pit, closed-loop system,
	-grade tank, or proposed alternative meth	
••		d-loop system, below-grade tank or alternative request
• • • • • • • • • • • • • • • • • • • •	•	icable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Company		OGRID#: 217817
Address: PO Box 4289, Farmington, NM 874	199	217017
Facility or well name: State Com R 14M	,	
API Number: 30-045-3541	4 OCD Permit Nu	imber:
U/L or Qtr/Qtr: N(SE/SW) Section: 36	Township: 30N Range:	9W County: San Juan
Center of Proposed Design: Latitude:	36.76376 °N Longitude:	107.73134 °W NAD: 1927 X 1983
Surface Owner:  Federal X Sta	te Private Tribal Trust or In	ndian Allotment
2		
Pit: Subsection F or G of 19.15.17.11 NMAC		RCVD JAN 3 '14
Temporary: Drilling Workover		OIL CONS. DIU
Permanent Emergency Cavitation	□P&A	DIST.3
Lined Unlined Liner type:	Thickness mil LLDPE _	HDPE PVC Other
String-Reinforced		
Liner Seams: Welded Factory	Other Volume:	bbl Dimensions Lx Wx D
3		
X Closed-loop System: Subsection H of 19.  Type of Operation: P&A X Drilling a		es to activities which require prior approval of a permit or
Type of operation.	notice of intent)	to determines which require prior approval of a permit of
X Drying Pad X Above Ground Steel Tan	ks Haul-off Bins Other	
	Thickness 20 mil X LLDPE	HDPE PVD Other
Liner Seams: X Welded X Factory	Other	
4 Poloni grada tanki. Subscation Laf 10 15 17		
I I Majore anada tante. Subcastion Lat 10 15 17	LL NINGA(!	

Alternative Method:

Tank Construction material:

Visible sidewalls and liner

Secondary containment with leak detection

Thickness

Volume:

Liner Type:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Other

 $\exists PVC$ 

Type of fluid:

-- Visible sidewalls only

mil

**HDPE** 

bbl

Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Other

6		
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
	I beneited institution on shough	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school	i, nospitat, institution or church)	
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
A organical in compitation with 19713-3-700 MinAc		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	•	
Please check a box if one or more of the following is requested, if not leave blank:	office for consideration of	
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau (Fencing/BGT Liner)	ornee for consideration of approval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Exception(s). Reducts must be satisfacted to the Santa Le Environmental Buleau office for consideration of approval.		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acc source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from	- I	
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office	•	
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting	· .	
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or p	olaya lake Yes No	
(measured from the ordinary high-water mark).		
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initia	ıl Yes No	
application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	-	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	. Yes No	
(Applied to permanent pits)  Visual inspection (contification) of the proposed cite. A crist phase, Setallita inspect	∐NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	\	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	k watering Yes No	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordin	ance Yes No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland.	Yes No	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed		
Within the area overlying a subsurface mine.	Yes No	
Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
Within an unstable area.	Yes No	
<ul> <li>Engineering measures incorporated into the design; NM Burcau of Geology &amp; Mineral Resources; USGS; NM Geolo Society; Topographic map</li> </ul>	gical	
Within a 100-year floodplain	Yes No	
- FEMA map		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9		
NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
☐ Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan  Cleaves Plan based was the assessment of Subsection C of 10.15.17.13 NIMAC and 10.15.17.13 NIMAC.		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Proposed Closure: 19,15,17,13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist: (19:15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
<ul> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.	,			
Disposal Facility Name: Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information  No				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM. Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC			
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image	☐Yes ☐No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.	Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No			
Topographic map				
Within a 100-year floodplain FEMA map	Yes No			
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the close by a check mark in the box, that the documents are attached.	ure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.  Name (Print):  Title:
Signature: Date:  e-mail address: Telephone:
e-man address.
OCD Approval: Permit Application (including closure plan) Closure Flan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 3/6/2013
22 Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-0010 NM-01-0010 NM-01-005  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliant to the items below) No (Original Approved Drving Pad was not utilized for this location)  Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  24  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):  Kenny Dayis  Title: Staff Regulatory Technician
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.