

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

11993
45-11592

- Type of action:
- Below grade tank registration
 - Permit of a pit or proposed alternative method
 - Closure of a pit, below-grade tank, or proposed alternative method
 - Modification to an existing permit/or registration
 - Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: BP America Production Company _____ OGRID #: 778 _____
Address: 200 Energy Court, Farmington, NM 87401 _____
Facility or well name: Gallegos Canyon Unit 195 _____
API Number: 3004511592 _____ OCD Permit Number: _____
U/L or Qtr/Qtr N Section 33 Township 29N Range 12W County: San Juan _____
Center of Proposed Design: Latitude 36.67808 Longitude -108.10484 NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

OIL CONS. DIV. DIST. 3
JUN 24 2014

2.
 Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
 Lined Unlined Liner type: Thickness _____ mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
 Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank A
Volume: 95.0 bbl Type of fluid: Produced water _____
Tank Construction material: Steel _____
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other Single walled/Single bottomed _____
Liner type: Thickness _____ mil HDPE PVC Other _____

4.
 Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

- Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
- Four foot height, four strands of barbed wire evenly spaced between one and four feet
- Alternate. Please specify _____

6.

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

- Screen Netting Other _____
- Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.16.8 NMAC

8.

Variations and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting

Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Yes No
 NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Yes No
 NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

Yes No

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

Yes No

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

Within an unstable area. **(Does not apply to below grade tanks)**

Yes No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

Yes No

- FEMA map

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

Yes No

- Topographic map; Visual inspection (certification) of the proposed site

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

Yes No

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

Yes No

- Topographic map; Visual inspection (certification) of the proposed site

<p>Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 100 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><u>Temporary Pit Non-low chloride drilling fluid</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><u>Permanent Pit or Multi-Well Fluid Management Pit</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No

10.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11.

Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 A List of wells with approved application for permit to drill associated with the pit.
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
 Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.

Proposed Closure: 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fluid Management Pit
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method

14.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Ground water is less than 25 feet below the bottom of the buried waste.
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> NA |
| Ground water is between 25-50 feet below the bottom of the buried waste
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste.
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).
- Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet of a wetland.
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance | <input type="checkbox"/> Yes <input type="checkbox"/> No |

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

16. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17. **Operator Application Certification:**
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

18. **OCD Approval:** Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 7/14/2014

Title: Compliance Officer OCD Permit Number: _____

19. **Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: 4/22/2014

20. **Closure Method:**
 Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
 If different from approved plan, please explain.

21. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.67808 Longitude -108.10484 NAD: 1927 1983

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Jeff Peace Title: Area Environmental Advisor

Signature:  Date: June 23, 2014

e-mail address: peace.jeffrey@bp.com Telephone: (505) 326-9479

BP AMERICA PRODUCTION COMPANY
SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit 195

API No. 3004511592

Unit Letter N, Section 33, T29N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approved BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
Notice is attached. BP sent a notice to FIMO since this is Navajo Allotted surface and there are multiple surface owners. One of the landowner letters is attached.
2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
Notice is attached.
3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)

- e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method 95 bbl BGT	Release Verification (mg/Kg)	Sample results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

7. BP shall notify the division District III office of its results on form C-141.
C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
Sampling results indicate no release occurred.
9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not within the active process area
The area under the BGT was backfilled with clean soil and is still within the active well area.
10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.
The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.
11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.
The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.
12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
The area over the BGT is still within the active well area. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.
13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.
BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

BP will notify NMOCD when re-vegetation is successful.

15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: BP	Contact: Jeff Peace
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326-9479
Facility Name: Gallegos Canyon Unit 195	Facility Type: Natural gas well
Surface Owner: Tribal	Mineral Owner: Tribal
API No. 3004511592	

LOCATION OF RELEASE

Unit Letter N	Section 33	Township 29N	Range 12W	Feet from the 790	North/South Line South	Feet from the 2,310	East/West Line West	County: San Juan
------------------	---------------	-----------------	--------------	----------------------	---------------------------	------------------------	------------------------	------------------

Latitude 36.67808 Longitude 108.10484

NATURE OF RELEASE

Type of Release: none	Volume of Release: N/A	Volume Recovered: N/A
Source of Release: below grade tank – 95 bbl	Date and Hour of Occurrence: N/A	Date and Hour of Discovery: N/A
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* Sampling of the soil beneath the BGT was done during removal to ensure no soil impacts from the BGT. Soil analysis resulted in TPH, BTEX and chlorides below standards. Analysis results are attached.		
Describe Area Affected and Cleanup Action Taken.* BGT was removed and the area underneath the BGT was sampled. The excavated area was backfilled and compacted and is still within the active well area.		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<u>OIL CONSERVATION DIVISION</u>	
Printed Name: Jeff Peace	Approved by Environmental Specialist:	
Title: Area Environmental Advisor	Approval Date:	Expiration Date:
E-mail Address: peace.jeffrey@bp.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: June 23, 2014	Phone: 505-326-9479	

* Attach Additional Sheets If Necessary

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	API #: 3004511592
		TANK ID (if applicable): A

FIELD REPORT: (circle one): <input checked="" type="checkbox"/> BGT CONFIRMATION / <input type="checkbox"/> RELEASE INVESTIGATION / <input type="checkbox"/> OTHER:	PAGE #: 1 of 1
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------

SITE INFORMATION:	SITE NAME: GCU # 195	DATE STARTED: 04/10/14
QUAD/UNIT: N SEC: 33 TWP: 29N	RNG: 12W PM: NM CNTY: SJ ST: NM	DATE FINISHED:
1/4 - 1/4/FOOTAGE: 790'S/2,310'W	SE/SW LEASE TYPE: FEDERAL / STATE / FEE / INDIAN	ENVIRONMENTAL SPECIALIST(S): JCB
LEASE #: I-149-IND-8486	PROD. FORMATION: DK CONTRACTOR: ELKHORN MBF - P. ALEXANDER	


REFERENCE POINT:	WELL HEAD (W.H.) GPS COORD.: 36.67791 X 108.10522	GL ELEV.: 5,415'
1) 95 BGT (SW/SB)	GPS COORD.: 36.67808 X 108.10484	DISTANCE/BEARING FROM W.H.: 127', N59E
2)	GPS COORD.:	DISTANCE/BEARING FROM W.H.:
3)	GPS COORD.:	DISTANCE/BEARING FROM W.H.:
4)	GPS COORD.:	DISTANCE/BEARING FROM W.H.:

SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL	OVM READING (ppm)
1) SAMPLE ID: 95 BGT 5-pt. @ 5'	SAMPLE DATE: 04/10/14 SAMPLE TIME: 1544 LAB ANALYSIS: 418.1/8015B/8021B/300.0 (CI)	0.0
2) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
3) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
4) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	

SOIL DESCRIPTION:	SOIL TYPE: <input checked="" type="checkbox"/> SAND / <input type="checkbox"/> SILTY SAND / <input type="checkbox"/> SILT / <input type="checkbox"/> SILTY CLAY / <input type="checkbox"/> CLAY / <input type="checkbox"/> GRAVEL / OTHER
SOIL COLOR: DARK YELLOWISH ORANGE	PLASTICITY (CLAYS): <input type="checkbox"/> NON PLASTIC / <input type="checkbox"/> SLIGHTLY PLASTIC / <input type="checkbox"/> COHESIVE / <input type="checkbox"/> MEDIUM PLASTIC / <input type="checkbox"/> HIGHLY PLASTIC
COHESION (ALL OTHERS): <input checked="" type="checkbox"/> NON COHESIVE / <input type="checkbox"/> SLIGHTLY COHESIVE / <input type="checkbox"/> COHESIVE / <input type="checkbox"/> HIGHLY COHESIVE	DENSITY (COHESIVE CLAYS & SILTS): <input type="checkbox"/> SOFT / <input type="checkbox"/> FIRM / <input type="checkbox"/> STIFF / <input type="checkbox"/> VERY STIFF / <input type="checkbox"/> HARD
CONSISTENCY (NON COHESIVE SOILS): <input checked="" type="checkbox"/> LOOSE / <input type="checkbox"/> FIRM / <input type="checkbox"/> DENSE / <input type="checkbox"/> VERY DENSE	HC ODOR DETECTED: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION -
MOISTURE: <input checked="" type="checkbox"/> DRY / <input type="checkbox"/> SLIGHTLY MOIST / <input type="checkbox"/> MOIST / <input type="checkbox"/> WET / <input type="checkbox"/> SATURATED / <input type="checkbox"/> SUPER SATURATED	
SAMPLE TYPE: GRAB <input checked="" type="checkbox"/> COMPOSITE # OF PTS. 5	ANY AREAS DISPLAYING WETNESS: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION -
DISCOLORATION/STAINING OBSERVED: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION -	

SITE OBSERVATIONS:	LOST INTEGRITY OF EQUIPMENT: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION -
APPARENT EVIDENCE OF A RELEASE OBSERVED AND/OR OCCURRED: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION: -	
EQUIPMENT SET OVER RECLAIMED AREA: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXPLANATION -	
OTHER: BGT CONSTRUCTION ACTUALLY SW/DB.	

SOIL IMPACT DIMENSION ESTIMATION: NA ft. X NA ft. X NA ft.	EXCAVATION ESTIMATION (Cubic Yards): NA
DEPTH TO GROUNDWATER: <50'	NEAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: <200' NMOCD TPH CLOSURE STD: 100 ppm

SITE SKETCH BGT Located: off <input checked="" type="checkbox"/> on site PLOT PLAN circle: attached  <p style="text-align:center;">X - S.P.D.</p>	OVM CALIB. READ. = 100.4 ppm RF=1.00 OVM CALIB. GAS = 100 ppm TIME: 7:00 am/pm DATE: 04/10/14 MISCELL. NOTES WO: N15387273 PO #: PK: ZEVH01BGT2 PJ #: Z2-006Q0 Permit date(s): 06/14/10 OCD Appr. date(s): 11/25/13 Tank ID: A OVM = Organic Vapor Meter ppm = parts per million BGT Sidewalls Visible: <input checked="" type="checkbox"/> Y / N BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N Magnetic declination: 10° E
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION DEPRESSION; B.G. = BELOW GRADE; B = BELOW, T.H. = TEST HOLE; ~ = APPROX.; W.H. = WELL HEAD; T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELOW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA - NOT APPLICABLE OR NOT AVAILABLE; SW - SINGLE WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	

NOTES:	ONSITE: 03/10/14
--------	-------------------------

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 95 BGT 5-pt @ 5'

Project: GCU 195

Collection Date: 4/10/2014 3:44:00 PM

Lab ID: 1404595-001

Matrix: SOIL

Received Date: 4/12/2014 12:00:00 PM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/15/2014 5:49:36 PM	12686
Surr: DNOP	73.7	66-131		%REC	1	4/15/2014 5:49:36 PM	12686
EPA METHOD 8015D: GASOLINE RANGE							Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	4/16/2014 2:28:18 AM	12692
Surr: BFB	86.8	74.5-129		%REC	1	4/16/2014 2:28:18 AM	12692
EPA METHOD 8021B: VOLATILES							Analyst: RAA
Benzene	ND	0.048		mg/Kg	1	4/16/2014 2:28:18 AM	12692
Toluene	ND	0.048		mg/Kg	1	4/16/2014 2:28:18 AM	12692
Ethylbenzene	ND	0.048		mg/Kg	1	4/16/2014 2:28:18 AM	12692
Xylenes, Total	ND	0.097		mg/Kg	1	4/16/2014 2:28:18 AM	12692
Surr: 4-Bromofluorobenzene	102	80-120		%REC	1	4/16/2014 2:28:18 AM	12692
EPA METHOD 300.0: ANIONS							Analyst: JRR
Chloride	ND	30		mg/Kg	20	4/15/2014 1:13:53 PM	12716
EPA METHOD 418.1: TPH							Analyst: BCN
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	4/15/2014	12673

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH greater than 2.
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1404595

22-Apr-14

Client: Blagg Engineering

Project: GCU 195

Sample ID	MB-12673	SampType:	MBLK	TestCode:	EPA Method 418.1: TPH					
Client ID:	PBS	Batch ID:	12673	RunNo:	17999					
Prep Date:	4/11/2014	Analysis Date:	4/15/2014	SeqNo:	519327	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID	LCS-12673	SampType:	LCS	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS	Batch ID:	12673	RunNo:	17999					
Prep Date:	4/11/2014	Analysis Date:	4/15/2014	SeqNo:	519328	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	96	20	100.0	0	96.4	80	120			

Sample ID	LCSD-12673	SampType:	LCSD	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS02	Batch ID:	12673	RunNo:	17999					
Prep Date:	4/11/2014	Analysis Date:	4/15/2014	SeqNo:	519329	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	98	20	100.0	0	97.8	80	120	1.42	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1404595

22-Apr-14

Client: Blagg Engineering

Project: GCU 195

Sample ID	MB-12686	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	12686	RunNo:	17962					
Prep Date:	4/14/2014	Analysis Date:	4/14/2014	SeqNo:	518408	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	10		10.00		101	66	131			

Sample ID	LCS-12686	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	12686	RunNo:	17962					
Prep Date:	4/14/2014	Analysis Date:	4/14/2014	SeqNo:	518409	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	51	10	50.00	0	102	60.8	145			
Surr: DNOP	4.5		5.000		90.3	66	131			

Sample ID	MB-12726	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	12726	RunNo:	18017					
Prep Date:	4/15/2014	Analysis Date:	4/17/2014	SeqNo:	521794	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	8.4		10.00		84.4	57.9	140			

Sample ID	LCS-12726	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	12726	RunNo:	18017					
Prep Date:	4/15/2014	Analysis Date:	4/17/2014	SeqNo:	521795	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.3		5.000		86.4	57.9	140			

Qualifiers:

- | | |
|---------------------------------------------------|------------------------------------------------------|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1404595

22-Apr-14

Client: Blagg Engineering

Project: GCU 195

Sample ID	MB-12692	SampType:	MBLK	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	PBS	Batch ID:	12692	RunNo:	17997					
Prep Date:	4/14/2014	Analysis Date:	4/15/2014	SeqNo:	519538	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	870		1000		86.9	74.5	129			

Sample ID	LCS-12692	SampType:	LCS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS	Batch ID:	12692	RunNo:	17997					
Prep Date:	4/14/2014	Analysis Date:	4/15/2014	SeqNo:	519539	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	96.3	71.7	134			
Surr: BFB	920		1000		91.9	74.5	129			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
E Value above quantitation range
J Analyte detected below quantitation limits
O RSD is greater than RSDlimit
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
P Sample pH greater than 2.
RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1404595

22-Apr-14

Client: Blagg Engineering

Project: GCU 195

Sample ID	MB-12692	SampType:	MBLK	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	PBS	Batch ID:	12692	RunNo:	17997					
Prep Date:	4/14/2014	Analysis Date:	4/15/2014	SeqNo:	519613	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		104	80	120			

Sample ID	LCS-12692	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS	Batch ID:	12692	RunNo:	17997					
Prep Date:	4/14/2014	Analysis Date:	4/15/2014	SeqNo:	519614	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.050	1.000	0	110	80	120			
Toluene	1.0	0.050	1.000	0	102	80	120			
Ethylbenzene	1.0	0.050	1.000	0	101	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		110	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
E Value above quantitation range
J Analyte detected below quantitation limits
O RSD is greater than RSDlimit
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
P Sample pH greater than 2.
RL Reporting Detection Limit

Sample Log-In Check List

Client Name: **BLAGG**

Work Order Number: **1404595**

RcptNo: **1**

Received by/date: **AF** **04/12/14**
 Logged By: **Lindsay Mangin** **4/12/2014 12:00:00 PM**
 Completed By: **Lindsay Mangin** **4/14/2014 8:37:09 AM**
 Reviewed By: **[Signature]** **04/14/2014**

[Signature]
[Signature]

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Courier

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 6. Sample(s) in proper container(s)? Yes No
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? Yes No
- 9. Was preservative added to bottles? Yes No NA
- 10. VOA vials have zero headspace? Yes No No VOA Vials
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels? Yes No # of preserved bottles checked for pH: (<2 or >12 unless noted)
- 13. Are matrices correctly identified on Chain of Custody? Yes No Adjusted?
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met? Yes No Checked by:
- (If no, notify customer for authorization.)

Special Handling (if applicable)


- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	4.1	Good	Yes			



BP America Production Company
200 Energy Court
Farmington, NM 87401
Phone: (505) 326-9200

March 14, 2014

Federal Indian Minerals Office
Attn: Christine Bitsoi
6251 College Blvd, Suite B
Farmington, NM 87402

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank
Well Name: GCU 195


Dear Christine,

Please see the attached letter and list of surface owners. BP America Production Company (BP) recently sent certified letters to these individuals as part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. to inform them of our plans to close/remove the below grade tank on its well pad located on their surface. BP also wishes to inform FIMO of our efforts to inform the surface owners about out plans.

Sincerely,

Jerry Van Riper
Surface Land Negotiator
BP America Production Company

bp



BP America Production Company
200 Energy Court
Farmington, NM 87401
Phone: (505) 326-9200

March 7, 2014

Arlana R Upshaw
PO Box 1543
Fruitland, NM 87416-1543

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank
Well Name: GALLEGOS CANYON UNIT 195

Dear Mrs. Upshaw:

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about April 1, 2014. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

A handwritten signature in black ink, appearing to read "Jerry Van Ripper".

Jerry Van Ripper
Surface Land Negotiator
BP America Production Company

v Surface Owner List

791 211660

Page 1

STIUX C GARNIER
8416 W COUNTY RD 300 N
FARMLAND, IN 47340

LORI MESTETH
PO BOX 153
WOUNDED KNEE, SD 57794-0153

JACQUELINE GARNIER
PO BOX 204
WOUNDED KNEE, SD 57794-0204

RAQUEL STAUFFER
PO BOX 548
PINE RIDGE, SD 57770-0548

RACHEL A GARNIER
GERALDINE HELPER
PARENT OF RACHEL A GARNIER
PO BOX 1946
PINE RIDGE, SD 57770-1946

BETTY WHITEY ESTATE
537 CHAMA S.E
ALBUQUERQUE, NM 87108

MARLENE MASON
MARLENE U MASON
PO BOX 1604
FRUITLAND, NM 87416-1604

ASIA DINEH TAYLOR
CO CARLA TAYLOR
2117 SIERRA LN NE
RIO RANCHO, NM 87144-8062

NAVAJO NATION
-NAVAJO NATION MINERALS DEPT.
PO BOX 1910
WINDOW ROCK, AZ 86515

ESTHER VICTOR
PO BOX 4
AZTEC, NM 87410-0004

RICHARD R UPSHAW
PO BOX 1543
FRUITLAND, NM 87416-1543

IRENE PETE ESTATE
PO BOX 5141
FARMINGTON, NM 87499

BEVERLY G DISWOOD
PO BOX 1892
FARMINGTON, NM 87499-1892

INETH M BEDAH
605 CIRCLE DR
FARMINGTON, NM 87401-2653

RETHA F MURDOCK
PO BOX 44
SHAWNEE, OK 74802-0044

ELVARAE D REED
7300 GEORGETOWN AVE NW
ALBUQUERQUE, NM 87120-4932

ERNEST BLACKIE ESTATE
126 EAST MAIN
FARMINGTON, NM 87401

JENNIE D BUCK
PO BOX 1012
FRUITLAND, NM 87416-1012

ELSIE H WHITEY
392 CNTY RD 390
FARMINGTON, NM 87401

JESSIE THOMAS
PO BOX 184
FRUITLAND, NM 87416-0184

DAISY H ARVISO
PO BOX 214
FRUITLAND, NM 87416-0214

ROY J SMITH
PO BOX 1933
BLOOMFIELD, NM 87413-1933

CHRISTINE M SMITH
PO BOX 1663
BLOOMFIELD, NM 87413-1663

MABEL R SMITH
PO BOX 1663
BLOOMFIELD, NM 87413-1663

JESSIE SMITH
PO BOX 1574
BLOOMFIELD, NM 87413-1574

MATILDA M BEGAY
PO BOX 583
BLOOMFIELD, NM 87413-0583

BRUCE VICTOR
PO BOX 4
AZTEC, NM 87410-0004

VICTORIA M VICTOR
PO BOX 4
AZTEC, NM 87410-0004

CLARA M ANTHONY
PO BOX 561
BLOOMFIELD, NM 87413-0561

WILSON C JIM
4205 FOXWOOD TRAIL SE
RIO RANCHO, NM 87124-8223

Surface Owner List

791 211660

Page 2

VERLIN L DISWOOD
PO BOX 3287
KIRTLAND, NM 87417-3287

STEVEN IGNACIO
PO BOX 1492
CHURCH ROCK, NM 87311-1492

LUCY M MASON
PO BOX 1862
BLOOMFIELD, NM 87413-1862

REBECCA P ELDRIDGE
PO BOX 1493
BLOOMFIELD, NM 87413-1493

RHETA VICTOR
3614 W WEBSTER CT
ANTHEM, AZ 85086-6021

VERA MAE ARAGON
PO BOX 730
FLORA VISTA, NM 87415-0730

HELEN L MANUELITO
PO BOX 1526
KIRTLAND, NM 87417-1526

LANCE YAZZIE
PO BOX 3163
KIRTLAND, NM 87417-3163

VIOLET PETE
PO BOX 2054
FARMINGTON, NM 87499-2054

BILLY PETE
PO BOX 5141
FARMINGTON, NM 87499-5141

HILDA BALDWIN
PO BOX 1794
KIRTLAND, NM 87417-1794

VALVANO R JOHNSON
5953 CLEAR VISTA DR
SALT LAKE CTY, UT 84118-7775

MARY IGNACIO
PO BOX 2574
BLOOMFIELD, NM 87413-2574

ELEANOR CAMBRIDGE
PO BOX 58
WATERFLOW, NM 87421-0058

BESSIE P SLIM
208 E BROADWAY AVE
BLOOMFIELD, NM 87413-6236

NAH-DEZ-BAH S HARRISON
1110 N HENNESS RD LOT 1548
CASA GRANDE, AZ 85122-5570

SUSIE WHITE
1511 MONO AVE APT 1
SAN LEANDRO, CA 94578-2070

LAWRENCE A HARRISON
823 VIA POWDRE
SAN LORENZO, CA 94580-3012

DELORES R LEDESMA
PO BOX 751
PLYMOUTH, CA 95669-0751

DOROTHY BLACKIE
PO BOX 1843
BLOOMFIELD, NM 87413-1843

HERMAN VICTOR
PO BOX 4
AZTEC, NM 87410-0004

EARL DOBEY JR
PO BOX 1621
KIRTLAND, NM 87417-1621

RENA ANN YAZZIE
PO BOX 1643
KIRTLAND, NM 87417-1643

KATHERINE T ETSITTY
PO BOX 278
MENTMORE, NM 87319-0278

FRANCIS JIM
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

DAVID YAZZIE
PO BOX 222
FARMINGTON, NM 87499 0222

MARLENE DOBEY
PO BOX 553
FRUITLAND, NM 87416-0553

CAROL J PETTIGREW
PO BOX 2288
FRUITLAND, NM 87416-2288

JOANNE C LAMBSOEN
PO BOX 1236
KIRTLAND, NM 87417-1236

TROY TSOSIE
PO BOX 1461
KIRTLAND, NM 87417-1461

Surface Owner List

791 211660

Page 3

VIRGINIA RUSSELL
PO BOX 533
FRUITLAND, NM 87416-0533

MARY A GARCIA
PO BOX 1658
KIRTLAND, NM 87417-1658

ELLA PETE
PO BOX 5141
FARMINGTON, NM 87499-5141

ERNEST PETE
126 E MAIN ST
FARMINGTON, NM 87401-2702

DAVID PETE
PO BOX 5141
FARMINGTON, NM 87499-5141

SARAPHINE ETCITY
PO BOX 3404
FARMINGTON, NM 87499-3404

ALBERT PETE
126 E MAIN ST
FARMINGTON, NM 87401-2702

CALVIN J YAZZIE
844 E BELL RD APT 1109
PHOENIX, AZ 85022-7602

CLARENCE J YAZZIE
11850 N 19TH AVE APT 206
PHOENIX, AZ 85029-3544

LAWRENCE J YAZZIE
PO BOX 1613
FRUITLAND, NM 87416-1613

LANCE J YAZZIE
PO BOX 1401
SHIPROCK, NM 87420-1401

TARRENCE J YAZZIE
16 ROAD 3320
AZTEC, NM 87410-9799

JAMES J YAZZIE
PO BOX 222
FRUITLAND, NM 87416-0222

HARRISON DOBEY
PO BOX 2162
SHIPROCK, NM 87420-2162

DELBERT PETE
PO BOX 5141
FARMINGTON, NM 87499-5141

NANCY A HOWARD
1636 N MESA DR
MESA, AZ 85201-2322

JOHNNIE H YAZZIE
PO BOX 1733
FRUITLAND, NM 87416-1733

SHARON A YAZZIE
2720 EASTRIDGE CT
FARMINGTON, NM 87401-4546

ROBERT UPSHAW
PO BOX 1852
BLOOMFIELD, NM 87413-1852

THOMAS J YAZZIE
PO BOX 222
FRUITLAND, NM 87416-0222

ARLANA R UPSHAW
PO BOX 1543
FRUITLAND, NM 87416-1543

MARLENA MASON
PO BOX 1604
FRUITLAND, NM 87416-1604

LEONARD MASON
PO BOX 1604
FRUITLAND, NM 87416-1604

SHANE MITCHELL MASON
PO BOX 1604
FRUITLAND, NM 87416-1604

RUTH J CLAH
PO BOX 2301
FARMINGTON, NM 87499-2301

LEONARD MASON SR
PO BOX 1604
FRUITLAND, NM 87416-1604

WILFRED JIM
WILFRED B JIM
PO BOX 1174
FARMINGTON, NM 87499-1174

MARY JO JIM
2650 E NEOLGE DR
MOHAVE VALLEY, AZ 86440-9521

HARRISON JIM
PO BOX 5524
FARMINGTON, NM 87499-5524

EDISON JIM
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

Surface Owner List

791 211660

Page 4

DICK BLACKIE JR
PO BOX 1943
BLOOMFIELD, NM 87413-1843

KEVIN JIM
PO BOX 444
FARMINGTON, NM 87459-0444

SARAH ANN TAYLOR
PO BOX 983
BLOOMFIELD, NM 87413-0983

CALVIN SILVER
PO BOX 278
MENTMORRE, NM 87319-0278

IRVIN BLACKIE
PO BOX 13
GARDINER, MT 59030-0013

BERNICE STRAIT
1121 GEORGIA ST SE
ALBUQUERQUE, NM 87108-4951

LUCY J SYLVESTER
PO BOX 414
NAGEEZI, NM 87037-0414

MELVIN JIM
PO BOX 444
FARMINGTON, NM 87499-0444

PRISCILLA JIM
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

LORENZO H WHITEY
CR 5578 #7
FARMINGTON, NM 87401

VALERIE BLACKIE
PO BOX 1006
BLOOMFIELD, NM 87413-1006

ETHELINDA WHITEY
305 W GLADDEN DR
FARMINGTON, NM 87401-3533

ALFRED JIM ESTATE
SHIPROCK AGENCY
ATTN: DIVISION OF PROBATE AND
PO BOX 3538
SHIPROCK, NM 87420

BETTY J BLACKIE-CAYETANO
10407 HIGHWAY 189 SPC 35
BIG PINEY, WY 83113-7703

LARRY J WHITEY
7 ROAD 5578
FARMINGTON, NM 87401-1459

CASEY JIM
PO BOX 444
FARMINGTON, NM 87401

LORENZO BLACKIE
PO BOX 1843
BLOOMFIELD, NM 87413-1843

ROBERTA A WERITO-JONES
4715 GILA ST TRLR 17
FARMINGTON, NM 87402-8748

TASHIYA E WHITEY
11041 N 18TH DR
PHOENIX, AZ 85029-3706

CECELIA CHAVEZ
525 N 1ST ST TRLR 36
BLOOMFIELD, NM 87413-5364

LEROY D BLACKIE
PO BOX 1843
BLOOMFIELD, NM 87413-1843

MARY H CHAVEZ
PO BOX 3481
SHIPROCK, NM 87420-3481

WILSON D BLACKIE
PO BOX 1843
BLOOMFIELD, NM 87413-1843

KARSTEN D IGNACIO
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

STAUICIA A IGNACIO
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

AUDRIANNE S GOLDBERG
730 3RD ST SW
WARREN, OH 44483-6424

ANGEL A MEDINA
605 S DALE CT
DENVER, CO 80219 3516

CHRISTINE A HARVEY
C O INDIAN CENTER
105 TEXAS ST SE
ALBUQUERQUE, NM 87108-3221

JEREMY RUSSELL
312 WEST BROADWAY
FARMINGTON, NM 87401

HARRISON HARVEY JR
PO BOX 2301
FARMINGTON, NM 87499

Surface Owner List

791 211660

Page 5

SHAWN W KEOUGH
1821 HILL AVE APT 3
HAYWARD, CA 94541-3172

RAYMOND W KEOUGH
36764 LOCUST ST
NEWARK, CA 94560-2204

TROY A B KEOUGH
PO BOX 1482
NEWARK, CA 94560-6482

TANYA I KEOUGH
823 VIA PONDRE
SAN LORENZO, CA 94580

RAYLENE R UPSHAW
JENNIFER VIGTI.
PARENT OF RAYLENE ROSE UPSHAW
PO BOX 6805
FARMINGTON, NM 87499-6805

STEVEN D IGNACIO
233 NW FIRWAY LN
BREMERTON, WA 98311

SHAINÉ MASON
PO BOX 1494
FRUITLAND, NM 87416-1494

BP America Production Company
200 Energy Court
Farmington, NM 87401
Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

January 30, 2014

New Mexico Oil Conservation Division
1000 Rio Brazos Road
Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT 195
API 30-045-11592
(G) Section 33 – T29N – R12W
San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,



Jeff Peace
BP Field Environmental Advisor

(505) 326-9479

505-947-9900

BP AMERICA PRODUCTION COMPANY
GALLEGOS CANYON UNIT 195
API 3004511592 LEASE NMNM78391C
790 FSL 2310 FWL (N) SEC 33 T29N R12W
San Juan County ELEV 5415
LAT 36° 40' 40.584"
LONG 108° 6' 18.720"

Previous 95 bbl BGT
Position (Tank ID: A)

A