

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.  
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or  
Proposed Alternative Method Permit or Closure Plan Application

12092

- Type of action:  Below grade tank registration  
 Permit of a pit or proposed alternative method  
 Closure of a pit, below-grade tank, or proposed alternative method  
 Modification to an existing permit/or registration  
 Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

**Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request**

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: BP America Production Company \_\_\_\_\_ OGRID #: 778 \_\_\_\_\_  
Address: 200 Energy Court, Farmington, NM 87401 \_\_\_\_\_  
Facility or well name: Florance 27 \_\_\_\_\_  
API Number: 3004507807 \_\_\_\_\_ OCD Permit Number: \_\_\_\_\_  
U/L or Qtr/Qtr L \_\_\_\_\_ Section 26 \_\_\_\_\_ Township 29N \_\_\_\_\_ Range 9W \_\_\_\_\_ County: San Juan \_\_\_\_\_  
Center of Proposed Design: Latitude 36.69424 \_\_\_\_\_ Longitude -107.75513 \_\_\_\_\_ NAD:  1927  1983  
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

OIL CONS. DIV DIST. 3  
JUL 29 2014

2.  
 **Pit:** Subsection F, G or J of 19.15.17.11 NMAC  
Temporary:  Drilling  Workover  
 Permanent  Emergency  Cavitation  P&A  Multi-Well Fluid Management Low Chloride Drilling Fluid  yes  no  
 Lined  Unlined Liner type: Thickness \_\_\_\_\_ mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 String-Reinforced  
Liner Seams:  Welded  Factory  Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_

3.  
 **Below-grade tank:** Subsection I of 19.15.17.11 NMAC Tank B  
Volume: 95.0 \_\_\_\_\_ bbl Type of fluid: Produced water \_\_\_\_\_  
Tank Construction material: Steel \_\_\_\_\_  
 Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
 Visible sidewalls and liner  Visible sidewalls only  Other Double walled/double bottomed; side walls not visible \_\_\_\_\_  
Liner type: Thickness \_\_\_\_\_ mil  HDPE  PVC  Other \_\_\_\_\_

4.  
 **Alternative Method:**  
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

27

5.

**Fencing:** Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- Four foot height, four strands of barbed wire evenly spaced between one and four feet
- Alternate. Please specify \_\_\_\_\_

6.

**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- Screen  Netting  Other \_\_\_\_\_
- Monthly inspections (If netting or screening is not physically feasible)

7.

**Signs:** Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.16.8 NMAC

8.

**Variations and Exceptions:**

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

*Please check a box if one or more of the following is requested, if not leave blank:*

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC

*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

**General siting**

**Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.**

- NM Office of the State Engineer - iWATERS database search;  USGS;  Data obtained from nearby wells

Yes  No  
 NA

**Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Yes  No  
 NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

Yes  No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

Yes  No

Within an unstable area. **(Does not apply to below grade tanks)**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Yes  No

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

- FEMA map

Yes  No

**Below Grade Tanks**

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

Yes  No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Yes  No

**Temporary Pit using Low Chloride Drilling Fluid** (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

Yes  No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Yes  No

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  Yes  No

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Within 100 feet of a wetland.  Yes  No

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

**Temporary Pit Non-low chloride drilling fluid**

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Yes  No

- Topographic map; Visual inspection (certification) of the proposed site

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Yes  No

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  Yes  No

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Within 300 feet of a wetland.  Yes  No

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

**Permanent Pit or Multi-Well Fluid Management Pit**

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Yes  No

- Topographic map; Visual inspection (certification) of the proposed site

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Yes  No

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  Yes  No

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Within 500 feet of a wetland.  Yes  No

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

10. **Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

11. **Multi-Well Fluid Management Pit Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- A List of wells with approved application for permit to drill associated with the pit.
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

12.

**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.

**Proposed Closure:** 19.15.17.13 NMAC

**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type:  Drilling  Workover  Emergency  Cavitation  P&A  Permanent Pit  Below-grade Tank  Multi-well Fluid Management Pit  
 Alternative
- Proposed Closure Method:  Waste Excavation and Removal  
 Waste Removal (Closed-loop systems only)  
 On-site Closure Method (Only for temporary pits and closed-loop systems)  
 In-place Burial  On-site Trench Burial  
 Alternative Closure Method

14.

**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.

**Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

**Instructions:** Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

- |   |   |
|---|---|
| Ground water is less than 25 feet below the bottom of the buried waste.<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells   | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Ground water is between 25-50 feet below the bottom of the buried waste<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells   | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste.<br>- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  | <input type="checkbox"/> Yes <input type="checkbox"/> No<br><input type="checkbox"/> NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).<br>- Topographic map; Visual inspection (certification) of the proposed site                        | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.<br>- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.<br>- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within 300 feet of a wetland.<br>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance   | <input type="checkbox"/> Yes <input type="checkbox"/> No                                |

|   |  |
|---|--|
| adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| - Written confirmation or verification from the municipality; Written approval obtained from the municipality                               |  |
| Within the area overlying a subsurface mine.  | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division   |  |
| Within an unstable area.  | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map |  |
| Within a 100-year floodplain.   | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| - FEMA map  |  |

16. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17. **Operator Application Certification:**


I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): \_\_\_\_\_ Title: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_ Telephone: \_\_\_\_\_

18. **OCD Approval:**  Permit Application (including closure plan)  Closure Plan (only)  OCD Conditions (see attachment)

OCD Representative Signature:  Approval Date: 8/5/14

Title: Environmental Spec. OCD Permit Number: \_\_\_\_\_

19. **Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC

*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*

Closure Completion Date: 10/29/2013

20. **Closure Method:**

Waste Excavation and Removal  On-Site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)

If different from approved plan, please explain.

21. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.69424 Longitude -107.75513 NAD:  1927  1983

**Operator Closure Certification:**

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Jeff Peace Title: Area Environmental Advisor

Signature:  Date: July 28, 2014

e-mail address: peace.jeffrey@bp.com Telephone: (505) 326-9479

BP AMERICA PRODUCTION COMPANY  
SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Florance 27, Tank B (95 bbl)  
API No. 3004524126  
Unit Letter C, Section 27, T29N, R9W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approved BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.  
**Notice to BLM is attached.**
2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.  
**Notice e-mailed to NMOCD is attached.**
3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
  - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)

- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

**All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.**

- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

**The BGT was transported to a storage area for sale and re-use.**

- 5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

**All equipment associated with the BGT has been removed.**

- 6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

| Constituents | Testing Method<br><b>95 bbl BGT, Tank B</b> | Release Verification<br>(mg/Kg) | Sample results |
|--------------|---|---------------------------------|----------------|
| Benzene      | US EPA Method SW-846 8021B or 8260B         | 0.2                             | ND             |
| Total BTEX   | US EPA Method SW-846 8021B or 8260B         | 50                              | ND             |
| TPH          | US EPA Method SW-846 418.1                  | 100                             | ND             |
| Chlorides    | US EPA Method 300.0 or 4500B                | 250 or background               | 10             |

**Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.**

**Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.**

- 7. BP shall notify the division District III office of its results on form C-141.  
**C-141 is attached.**
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

**Sampling results indicate no release occurred.**

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not within the active process area

**The area under the BGT was backfilled with clean soil. It is still within the active well area and is covered by the LPT.**

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

**The area over the BGT is still within the active well area and is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.**

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

**The area over the BGT is still within the active well area and is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.**

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

**The area over the BGT is still within the active well area and is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.**

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

**BP will seed the area when the well is plugged and abandoned.**

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

**BP will notify NMOCD when re-vegetation is successful.**

15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;

- a. proof of closure notification (surface owner and NMOCD)
- b. sampling analytical reports; information required by 19.15.17 NMAC;
- c. disposal facility name and permit number
- d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
- e. site reclamation, photo documentation.

**Closure report on C-144 form is included.**

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

**Certification section of C-144 has been completed.**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised August 8, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

|   |                                 |
|---|---------------------------------|
| Name of Company: BP                             | Contact: Jeff Peace             |
| Address: 200 Energy Court, Farmington, NM 87401 | Telephone No.: 505-326-9479     |
| Facility Name: Florance 27                      | Facility Type: Natural gas well |
| Surface Owner: Federal                          | Mineral Owner: Federal          |
| API No. 3004507807                              |                                 |

**LOCATION OF RELEASE**

|                  |               |                 |             |                        |                           |                      |                        |                  |
|------------------|---------------|-----------------|-------------|------------------------|---------------------------|----------------------|------------------------|------------------|
| Unit Letter<br>L | Section<br>26 | Township<br>29N | Range<br>9W | Feet from the<br>1,650 | North/South Line<br>South | Feet from the<br>990 | East/West Line<br>West | County: San Juan |
|------------------|---------------|-----------------|-------------|------------------------|---------------------------|----------------------|------------------------|------------------|

Latitude 36.69424 Longitude 107.75513

**NATURE OF RELEASE**

|  |   |                             |
|--|---|-----------------------------|
| Type of Release: none – BGT closure sampling report  | Volume of Release: N/A                    | Volume Recovered: N/A       |
| Source of Release: 95 bbl BGT, Tank B  | Date and Hour of Occurrence:              | Date and Hour of Discovery: |
| Was Immediate Notice Given?<br><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required | If YES, To Whom?                          |                             |
| By Whom?   | Date and Hour                             |                             |
| Was a Watercourse Reached?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  | If YES, Volume Impacting the Watercourse. |                             |

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\* Sampling of the soil beneath the BGT was done to ensure no soil impacts from the BGT. Soil analysis showed TPH, BTEX and chloride below the standard. A groundwater sample beneath the BGT was also taken for analysis, with BTEX below standards. Analysis results are attached.

Describe Area Affected and Cleanup Action Taken.\* BGT was removed and the area underneath the BGT was backfilled and compacted. The area over the site of the BGT is still within the active well area and is covered by the LPT.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |                                       |                                   |
|--|---------------------------------------|-----------------------------------|
| Signature:  | <u>OIL CONSERVATION DIVISION</u>      |                                   |
| Printed Name: Jeff Peace   | Approved by Environmental Specialist: |                                   |
| Title: Area Environmental Advisor  | Approval Date:                        | Expiration Date:                  |
| E-mail Address: peace.jeffrey@bp.com   | Conditions of Approval:               | Attached <input type="checkbox"/> |
| Date: July 28, 2014  | Phone: 505-326-9479                   |                                   |

\* Attach Additional Sheets If Necessary

**FIELD REPORT:**

(circle one):  BGT CONFIRMATION /  RELEASE INVESTIGATION /  OTHER:

PAGE #: **1** of **1**

**SITE INFORMATION:**

SITE NAME: **FLORANCE #27**

DATE STARTED: **10/17/13**

QUAD/UNIT: **L SEC: 26 TWP: 29N RNG: 9W PM: NM CNTY: SJ ST: NM**

DATE FINISHED:

1/4 - 1/4 FOOTAGE: **1,650'S / 990'W NW/SW** LEASE TYPE:  FEDERAL /  STATE /  FEE /  INDIAN

ENVIRONMENTAL SPECIALIST(S): **NJV**

LEASE #: **SF080000** PROD. FORMATION: **MV** CONTRACTOR: **ELKHORN MBF - B. SCHUMAN**

**REFERENCE POINT:**

WELL HEAD (W.H.) GPS COORD.: **36.69401 X 107.75561** GL ELEV.: **5,625'**

- |   |  |  |
|---|--|--|
| 1) <b>95 BGT (DW/DB) - B</b>            | GPS COORD.: <b>36.69424 X 107.75513</b>            | DISTANCE/BEARING FROM W.H.: <b>156', N59E</b>            |
| 2) <del><b>95 BGT (DW/DB) - C</b></del> | <del>GPS COORD.: <b>36.69410 X 107.75493</b></del> | <del>DISTANCE/BEARING FROM W.H.: <b>167', N66E</b></del> |
| 3) _____                                | GPS COORD.: _____                                  | DISTANCE/BEARING FROM W.H.: _____                        |
| 4) _____                                | GPS COORD.: _____                                  | DISTANCE/BEARING FROM W.H.: _____                        |

**SAMPLING DATA:**

CHAIN OF CUSTODY RECORD(S) # OR LAB USED: **HALL**

OVM READING (ppm)

- |  |   |                                     |   |   |
|--|---|-------------------------------------|---|---|
| 1) SAMPLE ID: <b>4 PC-SW @ 2'-3' (95) - B</b>            | SAMPLE DATE: <b>10/17/13</b>            | SAMPLE TIME: <b>1300</b>            | LAB ANALYSIS: <b>418.1/8015B/8021B/300.0(CI)</b>            | OVM READING (ppm): <b>NA</b>            |
| 2) SAMPLE ID: <b>GW @ 5' (95) - B</b>                    | SAMPLE DATE: <b>10/17/13</b>            | SAMPLE TIME: <b>1255</b>            | LAB ANALYSIS: <b>8021/300.1(CI)</b>                         | OVM READING (ppm): <b>NA</b>            |
| 3) <del>SAMPLE ID: <b>4 PC-SW @ 2'-3' (95) - C</b></del> | <del>SAMPLE DATE: <b>10/17/13</b></del> | <del>SAMPLE TIME: <b>1245</b></del> | <del>LAB ANALYSIS: <b>418.1/8015B/8021B/300.0(CI)</b></del> | <del>OVM READING (ppm): <b>NA</b></del> |
| 4) <del>SAMPLE ID: <b>GW @ 5' (95) - C</b></del>         | <del>SAMPLE DATE: <b>10/17/13</b></del> | <del>SAMPLE TIME: <b>1235</b></del> | <del>LAB ANALYSIS: <b>8021/300.1(CI)</b></del>              | <del>OVM READING (ppm): <b>NA</b></del> |

**SOIL DESCRIPTION:**

SOIL TYPE:  SAND / SILTY SAND /  SILT / SILTY CLAY /  CLAY /  GRAVEL / OTHER

SOIL COLOR: **MODERATE BROWN**

COHESION (ALL OTHERS):  NON COHESIVE /  SLIGHTLY COHESIVE /  COHESIVE /  HIGHLY COHESIVE

PLASTICITY (CLAYS):  NON PLASTIC /  SLIGHTLY PLASTIC /  COHESIVE /  MEDIUM PLASTIC /  HIGHLY PLASTIC

CONSISTENCY (NON COHESIVE SOILS):  LOOSE /  FIRM /  DENSE /  VERY DENSE

DENSITY (COHESIVE CLAYS & SILTS):  SOFT /  FIRM /  STIFF /  VERY STIFF /  HARD

MOISTURE:  DRY /  SLIGHTLY MOIST /  MOIST /  WET /  SATURATED /  SUPER SATURATED

HC ODOR DETECTED: YES  NO  EXPLANATION - \_\_\_\_\_

SAMPLE TYPE:  GRAB /  COMPOSITE # OF PTS. **4**

DISCOLORATION/STAINING OBSERVED: YES  NO  EXPLANATION - \_\_\_\_\_

ANY AREAS DISPLAYING WETNESS: YES  NO  EXPLANATION - **GROWNDWATER EXPOSED AFTER REMOVAL OF BGTS.**


APPARENT EVIDENCE OF A RELEASE OBSERVED AND/OR OCCURRED: YES  NO  EXPLANATION: \_\_\_\_\_

ADDITIONAL COMMENTS: \_\_\_\_\_

SOIL IMPACT DIMENSION ESTIMATION: **NA** ft. X **NA** ft. X **NA** ft. EXCAVATION ESTIMATION (Cubic Yards): **NA**

DEPTH TO GROUNDWATER: **<50'** NEAREST WATER SOURCE: **>1,000'** NEAREST SURFACE WATER: **<1,000'** NMOCD TPH CLOSURE STD: **100** ppm

**SITE SKETCH**



PLOT PLAN circle: **attached**

OVM CALIB. READ. = **NA** ppm RF = 0.52  
OVM CALIB. GAS = **NA** ppm  
TIME: **NA** am/pm DATE: **NA**

**MISCELL. NOTES**

WO: **N15165390**  
PO #: \_\_\_\_\_  
PK: **ZEVH01BGT2**  
PJ #: **Z2-006Q0**  
Permit date(s): **06/14/10**  
OCD Appr. date(s): **04/03/13**

|         |   |
|---------|---|
| Tank ID | OVM = Organic Vapor Meter ppm = parts per million                                       |
| A       | BGT Sidewalls Visible: Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |
| B       | BGT Sidewalls Visible: Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |
| C       | BGT Sidewalls Visible: Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |

Magnetic declination: **10° E**

NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WELL HEAD; T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELOW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA = NOT APPLICABLE OR NOT AVAILABLE; SW - SINGLE WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.

TRAVEL NOTES: CALLOUT: \_\_\_\_\_ ONSITE: **10/17/13**

## Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 4PC -SW @ 2'-3' (95)-B

Project: Florance #27

Collection Date: 10/17/2013 1:00:00 PM

Lab ID: 1310951-001

Matrix: SOIL

Received Date: 10/19/2013 11:00:00 AM

| Analyses                                       | Result | RL     | Qual | Units | DF | Date Analyzed          | Batch               |
|--|--------|--------|------|-------|----|------------------------|---------------------|
| <b>EPA METHOD 8015D: DIESEL RANGE ORGANICS</b> |        |        |      |       |    |                        | Analyst: <b>BCN</b> |
| Diesel Range Organics (DRO)                    | ND     | 10     |      | mg/Kg | 1  | 10/23/2013 1:49:52 PM  | 9947                |
| Surr: DNOP                                     | 102    | 66-131 |      | %REC  | 1  | 10/23/2013 1:49:52 PM  | 9947                |
| <b>EPA METHOD 300.0: ANIONS</b>                |        |        |      |       |    |                        | Analyst: <b>JRR</b> |
| Chloride                                       | 10     | 1.5    |      | mg/Kg | 1  | 10/22/2013 12:19:09 PM | 9956                |
| <b>EPA METHOD 8260B: VOLATILES SHORT LIST</b>  |        |        |      |       |    |                        | Analyst: <b>RAA</b> |
| Benzene  | ND     | 0.048  |      | mg/Kg | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Toluene  | ND     | 0.048  |      | mg/Kg | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Ethylbenzene                                   | ND     | 0.048  |      | mg/Kg | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Xylenes, Total                                 | ND     | 0.095  |      | mg/Kg | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Surr: 1,2-Dichloroethane-d4                    | 105    | 70-130 |      | %REC  | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Surr: 4-Bromofluorobenzene                     | 98.0   | 70-130 |      | %REC  | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Surr: Dibromofluoromethane                     | 108    | 70-130 |      | %REC  | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Surr: Toluene-d8                               | 93.5   | 70-130 |      | %REC  | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| <b>EPA METHOD 8015D MOD: GASOLINE RANGE</b>    |        |        |      |       |    |                        | Analyst: <b>RAA</b> |
| Gasoline Range Organics (GRO)                  | ND     | 4.8    |      | mg/Kg | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| Surr: BFB                                      | 98.0   | 70-130 |      | %REC  | 1  | 10/23/2013 6:07:06 AM  | 9929                |
| <b>EPA METHOD 418.1: TPH</b>                   |        |        |      |       |    |                        | Analyst: <b>BCN</b> |
| Petroleum Hydrocarbons, TR                     | ND     | 20     |      | mg/Kg | 1  | 10/23/2013             | 9948                |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

|                    |   |   |    |  |
|--------------------|---|---|----|--|
| <b>Qualifiers:</b> | * | Value exceeds Maximum Contaminant Level.        | B  | Analyte detected in the associated Method Blank    |
|                    | E | Value above quantitation range                  | H  | Holding times for preparation or analysis exceeded |
|                    | J | Analyte detected below quantitation limits      | ND | Not Detected at the Reporting Limit                |
|                    | O | RSD is greater than RSDlimit                    | P  | Sample pH greater than 2 for VOA and TOC only.     |
|                    | R | RPD outside accepted recovery limits            | RL | Reporting Detection Limit                          |
|                    | S | Spike Recovery outside accepted recovery limits |    |  |

**Hall Environmental Analysis Laboratory, Inc.**

CLIENT: Blagg Engineering

Client Sample ID: GW @ 5' (95)-B

Project: Florance #27

Collection Date: 10/17/2013 12:55:00 PM

Lab ID: 1310951-002

Matrix: AQUEOUS

Received Date: 10/19/2013 11:00:00 AM

| Analyses                                     | Result | RL     | Qual | Units | DF | Date Analyzed         | Batch        |
|--|--------|--------|------|-------|----|-----------------------|--------------|
| <b>EPA METHOD 300.0: ANIONS</b>              |        |        |      |       |    |                       | Analyst: JRR |
| Chloride                                     | 46     | 5.0    |      | mg/L  | 10 | 10/21/2013 8:38:42 PM | R14248       |
| <b>EPA METHOD 8260: VOLATILES SHORT LIST</b> |        |        |      |       |    |                       | Analyst: DJF |
| Benzene                                      | ND     | 1.0    |      | µg/L  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Toluene                                      | ND     | 1.0    |      | µg/L  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Ethylbenzene                                 | ND     | 1.0    |      | µg/L  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Xylenes, Total                               | ND     | 2.0    |      | µg/L  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Surr: 1,2-Dichloroethane-d4                  | 92.1   | 70-130 |      | %REC  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Surr: 4-Bromofluorobenzene                   | 92.2   | 70-130 |      | %REC  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Surr: Dibromofluoromethane                   | 96.5   | 70-130 |      | %REC  | 1  | 10/26/2013 5:28:33 AM | R14372       |
| Surr: Toluene-d8                             | 91.8   | 70-130 |      | %REC  | 1  | 10/26/2013 5:28:33 AM | R14372       |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| Qualifiers: |   |  |
|-------------|---|--|
| *           | Value exceeds Maximum Contaminant Level.        | B Analyte detected in the associated Method Blank    |
| E           | Value above quantitation range                  | H Holding times for preparation or analysis exceeded |
| J           | Analyte detected below quantitation limits      | ND Not Detected at the Reporting Limit               |
| O           | RSD is greater than RSDlimit                    | P Sample pH greater than 2 for VOA and TOC only.     |
| R           | RPD outside accepted recovery limits            | RL Reporting Detection Limit                         |
| S           | Spike Recovery outside accepted recovery limits |  |

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

|                       |                           |                                    |           |             |      |          |           |      |          |      |
|-----------------------|---------------------------|------------------------------------|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: MB-9956    | SampType: MBLK            | TestCode: EPA Method 300.0: Anions |           |             |      |          |           |      |          |      |
| Client ID: PBS        | Batch ID: 9956            | RunNo: 14283                       |           |             |      |          |           |      |          |      |
| Prep Date: 10/22/2013 | Analysis Date: 10/22/2013 | SeqNo: 409634 Units: mg/Kg         |           |             |      |          |           |      |          |      |
| Analyte               | Result                    | PQL                                | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride              | ND                        | 1.5                                |           |             |      |          |           |      |          |      |

|                       |                           |                                    |           |             |      |          |           |      |          |      |
|-----------------------|---------------------------|------------------------------------|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: LCS-9956   | SampType: LCS             | TestCode: EPA Method 300.0: Anions |           |             |      |          |           |      |          |      |
| Client ID: LCSS       | Batch ID: 9956            | RunNo: 14283                       |           |             |      |          |           |      |          |      |
| Prep Date: 10/22/2013 | Analysis Date: 10/22/2013 | SeqNo: 409635 Units: mg/Kg         |           |             |      |          |           |      |          |      |
| Analyte               | Result                    | PQL                                | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride              | 14                        | 1.5                                | 15.00     | 0           | 91.1 | 90       | 110       |      |          |      |

|                                 |                           |                                    |           |             |      |          |           |      |          |      |
|---------------------------------|---------------------------|------------------------------------|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: 1310951-001AMS       | SampType: MS              | TestCode: EPA Method 300.0: Anions |           |             |      |          |           |      |          |      |
| Client ID: 4PC -SW @ 2'-3' (95) | Batch ID: 9956            | RunNo: 14283                       |           |             |      |          |           |      |          |      |
| Prep Date: 10/22/2013           | Analysis Date: 10/22/2013 | SeqNo: 409641 Units: mg/Kg         |           |             |      |          |           |      |          |      |
| Analyte                         | Result                    | PQL                                | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                        | 25                        | 1.5                                | 15.00     | 9.965       | 101  | 58.8     | 109       |      |          |      |

|                                 |                           |                                    |           |             |      |          |           |      |          |      |
|---------------------------------|---------------------------|------------------------------------|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: 1310951-001AMSD      | SampType: MSD             | TestCode: EPA Method 300.0: Anions |           |             |      |          |           |      |          |      |
| Client ID: 4PC -SW @ 2'-3' (95) | Batch ID: 9956            | RunNo: 14283                       |           |             |      |          |           |      |          |      |
| Prep Date: 10/22/2013           | Analysis Date: 10/22/2013 | SeqNo: 409642 Units: mg/Kg         |           |             |      |          |           |      |          |      |
| Analyte                         | Result                    | PQL                                | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                        | 26                        | 1.5                                | 15.00     | 9.965       | 105  | 58.8     | 109       | 2.56 | 20       |      |

## Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

**Client:** Blagg Engineering

**Project:** Florance #27

| Sample ID: <b>A5</b>      | SampType: <b>CCV_5</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408497</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 8.0                              | 0.50                                      | 8.000     | 0           | 100                | 90       | 110       |      |          |      |

| Sample ID: <b>MB</b>  | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|-----------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>PBW</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:            | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408499</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte               | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride              | ND                               | 0.50                                      |           |             |                    |          |           |      |          |      |

| Sample ID: <b>LCS</b>  | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|------------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>LCSW</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:             | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408500</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte                | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride               | 5.0                              | 0.50                                      | 5.000     | 0           | 100                | 90       | 110       |      |          |      |

| Sample ID: <b>A6</b>      | SampType: <b>CCV_6</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408509</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 12                               | 0.50                                      | 12.00     | 0           | 103                | 90       | 110       |      |          |      |

| Sample ID: <b>A4</b>      | SampType: <b>CCV_4</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408521</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 4.7                              | 0.50                                      | 5.000     | 0           | 94.9               | 90       | 110       |      |          |      |

| Sample ID: <b>A5</b>      | SampType: <b>CCV_5</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |                    |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |                    |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408533</b>                      |           |             | Units: <b>mg/L</b> |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC               | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 7.8                              | 0.50                                      | 8.000     | 0           | 97.5               | 90       | 110       |      |          |      |

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

|                           |                                  |   |           |             |      |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>A6</b>      | SampType: <b>CCV_6</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408545</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 12                               | 0.50                                      | 12.00     | 0           | 104  | 90       | 110       |      |          |      |

|                       |                                  |   |           |             |      |          |           |      |          |      |
|-----------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>MB</b>  | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>PBW</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:            | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408547</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte               | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride              | ND                               | 0.50                                      |           |             |      |          |           |      |          |      |

|                        |                                  |   |           |             |      |          |           |      |          |      |
|------------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>LCS</b>  | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>LCSW</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:             | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408548</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte                | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride               | 4.9                              | 0.50                                      | 5.000     | 0           | 98.4 | 90       | 110       |      |          |      |

|                           |                                  |   |           |             |      |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>A4</b>      | SampType: <b>CCV_4</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/21/2013</b> | SeqNo: <b>408557</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 4.8                              | 0.50                                      | 5.000     | 0           | 95.1 | 90       | 110       |      |          |      |

|                           |                                  |   |           |             |      |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>A6</b>      | SampType: <b>CCV_6</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>408568</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 12                               | 0.50                                      | 12.00     | 0           | 104  | 90       | 110       |      |          |      |

|                           |                                  |   |           |             |      |          |           |      |          |      |
|---------------------------|----------------------------------|---|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>A4</b>      | SampType: <b>CCV_4</b>           | TestCode: <b>EPA Method 300.0: Anions</b> |           |             |      |          |           |      |          |      |
| Client ID: <b>BatchQC</b> | Batch ID: <b>R14248</b>          | RunNo: <b>14248</b>                       |           |             |      |          |           |      |          |      |
| Prep Date:                | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>408575</b> Units: <b>mg/L</b>   |           |             |      |          |           |      |          |      |
| Analyte                   | Result                           | PQL                                       | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Chloride                  | 4.7                              | 0.50                                      | 5.000     | 0           | 94.9 | 90       | 110       |      |          |      |

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

|                              |                                  |  |           |             |      |          |           |      |          |      |
|------------------------------|----------------------------------|--|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>MB-9948</b>    | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 418.1: TPH</b>   |           |             |      |          |           |      |          |      |
| Client ID: <b>PBS</b>        | Batch ID: <b>9948</b>            | RunNo: <b>14277</b>                      |           |             |      |          |           |      |          |      |
| Prep Date: <b>10/22/2013</b> | Analysis Date: <b>10/23/2013</b> | SeqNo: <b>409560</b> Units: <b>mg/Kg</b> |           |             |      |          |           |      |          |      |
| Analyte                      | Result                           | PQL                                      | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Petroleum Hydrocarbons, TR   | ND                               | 20                                       |           |             |      |          |           |      |          |      |

|                              |                                  |  |           |             |      |          |           |      |          |      |
|------------------------------|----------------------------------|--|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>LCS-9948</b>   | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 418.1: TPH</b>   |           |             |      |          |           |      |          |      |
| Client ID: <b>LCSS</b>       | Batch ID: <b>9948</b>            | RunNo: <b>14277</b>                      |           |             |      |          |           |      |          |      |
| Prep Date: <b>10/22/2013</b> | Analysis Date: <b>10/23/2013</b> | SeqNo: <b>409561</b> Units: <b>mg/Kg</b> |           |             |      |          |           |      |          |      |
| Analyte                      | Result                           | PQL                                      | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Petroleum Hydrocarbons, TR   | 110                              | 20                                       | 100.0     | 0           | 106  | 80       | 120       |      |          |      |

|                              |                                  |  |           |             |      |          |           |      |          |      |
|------------------------------|----------------------------------|--|-----------|-------------|------|----------|-----------|------|----------|------|
| Sample ID: <b>LCSD-9948</b>  | SampType: <b>LCSD</b>            | TestCode: <b>EPA Method 418.1: TPH</b>   |           |             |      |          |           |      |          |      |
| Client ID: <b>LCSS02</b>     | Batch ID: <b>9948</b>            | RunNo: <b>14277</b>                      |           |             |      |          |           |      |          |      |
| Prep Date: <b>10/22/2013</b> | Analysis Date: <b>10/23/2013</b> | SeqNo: <b>409562</b> Units: <b>mg/Kg</b> |           |             |      |          |           |      |          |      |
| Analyte                      | Result                           | PQL                                      | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Petroleum Hydrocarbons, TR   | 100                              | 20                                       | 100.0     | 0           | 103  | 80       | 120       | 2.51 | 20       |      |

## Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

| Sample ID: <b>MB-9947</b>    | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 8015D: Diesel Range Organics</b> |                     |             |      |          |           |      |          |      |
|------------------------------|----------------------------------|--|---------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: <b>PBS</b>        | Batch ID: <b>9947</b>            | RunNo: <b>14241</b>                                      |                     |             |      |          |           |      |          |      |
| Prep Date: <b>10/22/2013</b> | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>408483</b>                                     | Units: <b>mg/Kg</b> |             |      |          |           |      |          |      |
| Analyte                      | Result                           | PQL  | SPK value           | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Diesel Range Organics (DRO)  | ND                               | 10   |                     |             |      |          |           |      |          |      |
| Surr: DNOP                   | 9.5                              |  | 10.00               |             | 95.2 | 66       | 131       |      |          |      |

| Sample ID: <b>LCS-9947</b>   | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 8015D: Diesel Range Organics</b> |                     |             |      |          |           |      |          |      |
|------------------------------|----------------------------------|--|---------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: <b>LCSS</b>       | Batch ID: <b>9947</b>            | RunNo: <b>14241</b>                                      |                     |             |      |          |           |      |          |      |
| Prep Date: <b>10/22/2013</b> | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>408493</b>                                     | Units: <b>mg/Kg</b> |             |      |          |           |      |          |      |
| Analyte                      | Result                           | PQL  | SPK value           | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Diesel Range Organics (DRO)  | 48                               | 10   | 50.00               | 0           | 95.2 | 77.1     | 128       |      |          |      |
| Surr: DNOP                   | 4.5                              |  | 5.000               |             | 89.6 | 66       | 131       |      |          |      |

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

| Sample ID: <b>mb-9929</b>    | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 8260B: Volatiles Short List</b> |           |             |                     |          |           |      |          |      |
|------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>PBS</b>        | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                     |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b> | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409097</b>                                    |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                      | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene                      | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Toluene                      | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Ethylbenzene                 | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Xylenes, Total               | ND                               | 0.10  |           |             |                     |          |           |      |          |      |
| Surr: 1,2-Dichloroethane-d4  | 0.52                             |   | 0.5000    |             | 103                 | 70       | 130       |      |          |      |
| Surr: 4-Bromofluorobenzene   | 0.51                             |   | 0.5000    |             | 102                 | 70       | 130       |      |          |      |
| Surr: Dibromofluoromethane   | 0.56                             |   | 0.5000    |             | 111                 | 70       | 130       |      |          |      |
| Surr: Toluene-d8             | 0.47                             |   | 0.5000    |             | 94.7                | 70       | 130       |      |          |      |

| Sample ID: <b>mb-9929</b>    | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 8260B: Volatiles Short List</b> |           |             |                     |          |           |      |          |      |
|------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>PBS</b>        | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                     |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b> | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409512</b>                                    |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                      | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene                      | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Toluene                      | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Ethylbenzene                 | ND                               | 0.050   |           |             |                     |          |           |      |          |      |
| Xylenes, Total               | ND                               | 0.10  |           |             |                     |          |           |      |          |      |
| Surr: 1,2-Dichloroethane-d4  | 0.52                             |   | 0.5000    |             | 103                 | 70       | 130       |      |          |      |
| Surr: 4-Bromofluorobenzene   | 0.51                             |   | 0.5000    |             | 102                 | 70       | 130       |      |          |      |
| Surr: Dibromofluoromethane   | 0.56                             |   | 0.5000    |             | 111                 | 70       | 130       |      |          |      |
| Surr: Toluene-d8             | 0.47                             |   | 0.5000    |             | 94.7                | 70       | 130       |      |          |      |

| Sample ID: <b>LCS-9929</b>   | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 8260B: Volatiles Short List</b> |           |             |                     |          |           |      |          |      |
|------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>LCSS</b>       | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                     |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b> | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409534</b>                                    |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                      | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene                      | 1.1                              | 0.050   | 1.000     | 0           | 109                 | 70       | 130       |      |          |      |
| Toluene                      | 1.0                              | 0.050   | 1.000     | 0           | 99.8                | 69.9     | 139       |      |          |      |
| Ethylbenzene                 | 1.0                              | 0.050   | 1.000     | 0           | 104                 | 70       | 130       |      |          |      |
| Xylenes, Total               | 3.2                              | 0.10  | 3.000     | 0           | 108                 | 70       | 130       |      |          |      |
| Surr: 1,2-Dichloroethane-d4  | 0.52                             |   | 0.5000    |             | 105                 | 70       | 130       |      |          |      |
| Surr: 4-Bromofluorobenzene   | 0.47                             |   | 0.5000    |             | 93.4                | 70       | 130       |      |          |      |
| Surr: Dibromofluoromethane   | 0.54                             |   | 0.5000    |             | 108                 | 70       | 130       |      |          |      |
| Surr: Toluene-d8             | 0.48                             |   | 0.5000    |             | 95.2                | 70       | 130       |      |          |      |

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

| Analyte                     | Result                    | PQL | SPK value                                       | SPK Ref Val | %REC        | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|-----------------------------|---------------------------|-----|---|-------------|-------------|----------|-----------|------|----------|------|
| Sample ID: 5ml rb           | SampType: MBLK            |     | TestCode: EPA Method 8260: Volatiles Short List |             |             |          |           |      |          |      |
| Client ID: PBW              | Batch ID: R14372          |     | RunNo: 14372                                    |             |             |          |           |      |          |      |
| Prep Date:                  | Analysis Date: 10/25/2013 |     | SeqNo: 412568                                   |             | Units: µg/L |          |           |      |          |      |
| Benzene                     | ND                        | 1.0 |   |             |             |          |           |      |          |      |
| Toluene                     | ND                        | 1.0 |   |             |             |          |           |      |          |      |
| Ethylbenzene                | ND                        | 1.0 |   |             |             |          |           |      |          |      |
| Xylenes, Total              | ND                        | 2.0 |   |             |             |          |           |      |          |      |
| Surr: 1,2-Dichloroethane-d4 | 9.3                       |     | 10.00   |             | 93.1        | 70       | 130       |      |          |      |
| Surr: 4-Bromofluorobenzene  | 9.8                       |     | 10.00   |             | 97.6        | 70       | 130       |      |          |      |
| Surr: Dibromofluoromethane  | 9.7                       |     | 10.00   |             | 96.6        | 70       | 130       |      |          |      |
| Surr: Toluene-d8            | 9.1                       |     | 10.00   |             | 91.3        | 70       | 130       |      |          |      |

| Analyte                       | Result                    | PQL | SPK value                                       | SPK Ref Val | %REC        | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|-------------------------------|---------------------------|-----|---|-------------|-------------|----------|-----------|------|----------|------|
| Sample ID: 100nglcs/200ngacac | SampType: LCS             |     | TestCode: EPA Method 8260: Volatiles Short List |             |             |          |           |      |          |      |
| Client ID: LCSW               | Batch ID: R14372          |     | RunNo: 14372                                    |             |             |          |           |      |          |      |
| Prep Date:                    | Analysis Date: 10/25/2013 |     | SeqNo: 412569                                   |             | Units: µg/L |          |           |      |          |      |
| Benzene                       | 22                        | 1.0 | 20.00   | 0           | 109         | 70       | 130       |      |          |      |
| Toluene                       | 22                        | 1.0 | 20.00   | 0           | 110         | 82.2     | 124       |      |          |      |
| Surr: 1,2-Dichloroethane-d4   | 9.3                       |     | 10.00   |             | 92.6        | 70       | 130       |      |          |      |
| Surr: 4-Bromofluorobenzene    | 10                        |     | 10.00   |             | 102         | 70       | 130       |      |          |      |
| Surr: Dibromofluoromethane    | 8.8                       |     | 10.00   |             | 88.0        | 70       | 130       |      |          |      |
| Surr: Toluene-d8              | 9.6                       |     | 10.00   |             | 95.6        | 70       | 130       |      |          |      |

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1310951

29-Oct-13

Client: Blagg Engineering

Project: Florance #27

| Sample ID: <b>mb-9929</b>     | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 8015D Mod: Gasoline Range</b> |           |             |                     |          |           |      |          |      |
|-------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>PBS</b>         | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                   |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b>  | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409104</b>                                  |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                       | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | ND                               | 5.0   |           |             |                     |          |           |      |          |      |
| Surr: BFB                     | 510                              |   | 500.0     |             | 102                 | 70       | 130       |      |          |      |

| Sample ID: <b>mb-9929</b>     | SampType: <b>MBLK</b>            | TestCode: <b>EPA Method 8015D Mod: Gasoline Range</b> |           |             |                     |          |           |      |          |      |
|-------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>PBS</b>         | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                   |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b>  | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409535</b>                                  |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                       | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | ND                               | 5.0   |           |             |                     |          |           |      |          |      |
| Surr: BFB                     | 510                              |   | 500.0     |             | 102                 | 70       | 130       |      |          |      |

| Sample ID: <b>LCS-9929</b>    | SampType: <b>LCS</b>             | TestCode: <b>EPA Method 8015D Mod: Gasoline Range</b> |           |             |                     |          |           |      |          |      |
|-------------------------------|----------------------------------|---|-----------|-------------|---------------------|----------|-----------|------|----------|------|
| Client ID: <b>LCSS</b>        | Batch ID: <b>9929</b>            | RunNo: <b>14255</b>                                   |           |             |                     |          |           |      |          |      |
| Prep Date: <b>10/21/2013</b>  | Analysis Date: <b>10/22/2013</b> | SeqNo: <b>409536</b>                                  |           |             | Units: <b>mg/Kg</b> |          |           |      |          |      |
| Analyte                       | Result                           | PQL   | SPK value | SPK Ref Val | %REC                | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Gasoline Range Organics (GRO) | 24                               | 5.0   | 25.00     | 0           | 94.1                | 80       | 120       |      |          |      |
| Surr: BFB                     | 450                              |   | 500.0     |             | 90.2                | 70       | 130       |      |          |      |

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit



Hall Environmental Analysis Laboratory  
 4901 Hawkins NE  
 Albuquerque, NM 87109  
 TEL: 505-345-3975 FAX: 505-345-4107  
 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: **BLAGG**

Work Order Number: 1310951

RcptNo: 1

Received by/date: AF 10/19/13

Logged By: **Michelle Garcia** 10/19/2013 11:00:00 AM *Michelle Garcia*

Completed By: **Michelle Garcia** 10/21/2013 8:46:50 AM *Michelle Garcia*

Reviewed By: *[Signature]* 10/21/13

### Chain of Custody

1. Custody seals intact on sample bottles? Yes  No  Not Present
2. Is Chain of Custody complete? Yes  No  Not Present
3. How was the sample delivered? Courier

### Log In

4. Was an attempt made to cool the samples? Yes  No  NA
5. Were all samples received at a temperature of >0° C to 6.0°C Yes  No  NA
6. Sample(s) in proper container(s)? Yes  No
7. Sufficient sample volume for indicated test(s)? Yes  No
8. Are samples (except VOA and ONG) properly preserved? Yes  No
9. Was preservative added to bottles? Yes  No  NA
10. VOA vials have zero headspace? Yes  No  No VOA Vials
11. Were any sample containers received broken? Yes  No
12. Does paperwork match bottle labels?  
(Note discrepancies on chain of custody) Yes  No
13. Are matrices correctly identified on Chain of Custody? Yes  No
14. Is it clear what analyses were requested? Yes  No
15. Were all holding times able to be met?  
(If no, notify customer for authorization.) Yes  No

# of preserved bottles checked for pH: \_\_\_\_\_  
 (<2 or >12 unless noted)  
 Adjusted? \_\_\_\_\_  
 Checked by: \_\_\_\_\_

### Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes  No  NA

|                      |       |       |   |
|----------------------|-------|-------|---|
| Person Notified:     | _____ | Date: | _____   |
| By Whom:             | _____ | Via:  | <input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person |
| Regarding:           | _____ |       |   |
| Client Instructions: | _____ |       |   |

17. Additional remarks:

### 18. Cooler Information

| Cooler No. | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|------------|---------|-----------|-------------|---------|-----------|-----------|
| 1          | 4.0     | Good      | Yes         |         |           |           |

# Chain-of-Custody Record

LABORATORY TITLE:

Client: **BLAGG ENGR. / BP AMERICA**

Standard  Rush

Mailing Address: **P.O. BOX 87**

Project Name:

**FLORANCE # 27**

**BLOOMFIELD, NM 87413**

Project #:

Phone #: **(505) 632-1199**

Project Manager:

**NELSON VELEZ**

QA/QC Package:

Standard  Level 4 (Full Validation)

Accreditation:

NELAP  Other

EDD (Type)

Sampler: **NELSON VELEZ**

On Ice:  Yes  No

Sample Temperature: **7/0**



## HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

### Analysis Request


| Date                | Time            | Matrix           | Sample Request ID                  | Container Type and #     | Preservative Type         | HEAL No         | BTEX + MTBE (8021B) | BTEX + MTBE + TPH (Gas only) | TPH 8015B (GRO / DRO / HMO) | TPH (Method 418.1) | EDB (Method 504.1) | PAH (8310 or 8270SIMS) | RCRA 8 Metals | Anions (F, Cl, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> ) | 8081 Pesticides / 8082 PCB's | 8260B (VOA) | 8270 (Semi-VOA) | Chloride (soil - 300.0 / water - 300.1) | Grab sample | 4 pt. composite sample |  |
|---------------------|-----------------|------------------|------------------------------------|--------------------------|---------------------------|-----------------|---------------------|------------------------------|-----------------------------|--------------------|--------------------|------------------------|---------------|--|------------------------------|-------------|-----------------|---|-------------|------------------------|--|
| 10/17/13            | 1300            | SOIL             | 4PC - SW @ 2'-3' (95)-B            | 4 oz. - 1                | Cool                      | 1310951<br>-001 | ✓                   |                              | ✓                           | ✓                  |                    |                        |               |  |                              |             |                 | ✓                                       |             | ✓                      |  |
| 10/17/13            | 1255            | WATER            | GW @ 5' (95)-B                     | 40 ml VOA - 2            | HCl & Cool                | -002            | ✓                   |                              |                             |                    |                    |                        |               |  |                              |             |                 |   |             | ✓                      |  |
| 10/17/13            | 1255            | WATER            | GW @ 5' (95)-B                     | 500 ml - 1               | Cool                      | -002            |                     |                              |                             |                    |                    |                        |               |  |                              |             |                 | ✓                                       |             | ✓                      |  |
| <del>10/17/13</del> | <del>1245</del> | <del>SOIL</del>  | <del>4PC - SW @ 2'-3' (95)-C</del> | <del>4 oz. - 1</del>     | <del>Cool</del>           | <del>003</del>  | <del>✓</del>        |                              | <del>✓</del>                | <del>✓</del>       |                    |                        |               |  |                              |             |                 | <del>✓</del>                            |             | <del>✓</del>           |  |
| <del>10/17/13</del> | <del>1255</del> | <del>WATER</del> | <del>GW @ 5' (95)-C</del>          | <del>40 ml VOA - 2</del> | <del>HCl &amp; Cool</del> | <del>004</del>  | <del>✓</del>        |                              |                             |                    |                    |                        |               |  |                              |             |                 |   |             | <del>✓</del>           |  |
| <del>10/17/13</del> | <del>1255</del> | <del>WATER</del> | <del>GW @ 5' (95)-C</del>          | <del>500 ml - 1</del>    | <del>Cool</del>           | <del>004</del>  |                     |                              |                             |                    |                    |                        |               |  |                              |             |                 | <del>✓</del>                            |             | <del>✓</del>           |  |

Date: 10/18/13 Time: 840 Relinquished by: *[Signature]* Received by: *[Signature]* Date: 10/18/13 Time: 840

Date: 10/18/13 Time: 1700 Relinquished by: *[Signature]* Received by: *[Signature]* Date: 10/19/13 Time: 11:00

Remarks: **BILL DIRECTLY TO BP:**  
 Jeff Peace, 200 Energy Court, Farmington, NM 87401  
 Work Order: N15165390 Paykey: ZEVH01BGT2

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.



**BP America Production Company**  
200 Energy Court  
Farmington, NM 87401  
Phone: (505) 326-9200

April 9, 2013

Bureau of Land Management  
Mark Kelly  
1235 La Plata Hwy  
Farmington, NM 87401

**VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED**

Re: Notification of plans to close/remove a below grade tank  
Well Name: FLORANCE 027

Dear Mr. Kelly

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about May 24, 2013. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at 505-326-9214

Sincerely,

Jerry Van Riper  
Surface Land Negotiator  
BP America Production Company

**BP America Production Company**  
200 Energy Court  
Farmington, NM 87401  
Phone: (505) 326-9200

SENT VIA E-MAIL TO: BRANDON.POWELL@STATE.NM.US

April 8, 2013

New Mexico Oil Conservation Division  
1000 Rio Brazos Road  
Aztec, New Mexico 87410

**RE: Notice of Proposed Below-Grade Tank (BGT) Closure**

FLORANCE 027  
API 30-045-07807  
(G) Section 26 – T29N – R09W  
San Juan County, New Mexico

Dear Mr. Brandon Powell:

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close two (2) 95 bbl BGT's that will no longer be operational at this well site.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,



Jeff Peace  
BP Field Environmental Advisor

(505) 326-9479

