

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

- Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
 Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
 Modification to an existing permit
 Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.

Operator: XTO Energy, Inc. OGRID #: 5380
Address: 382 Road 3100, Aztec, New Mexico 87410
Facility or well name: Gallegos Federal 26-13-14 # 1T
API Number: 30-045-31807 OCD Permit Number: _____
U/L or Qtr/Qtr M Section 14 Township 26N Range 13W County: San Juan
Center of Proposed Design: Latitude 36.483245 Longitude -108.19471 NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

RCVD AUG 26 '14
OIL CONS. DIV.
DIST. 3

2. Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A
 Lined Unlined Liner type: Thickness _____ mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: _____ bbl Dimensions: L ___ x W ___ x D ___

3. Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
 Drying Pad Above Ground Steel Tanks Haul-off Bins Other _____
 Lined Unlined Liner type: Thickness _____ mil LLDPE HDPE PVC Other _____
Liner Seams: Welded Factory Other _____

4. Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Steel
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other Visible sidewalls, vaulted, automatic high-level shut off, no liner
Liner type: Thickness _____ mil HDPE PVC Other _____

5. Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

12176
45-31807

27

6.

Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- Four foot height, four strands of barbed wire evenly spaced between one and four feet
- Alternate. Please specify: Four foot high, steel mesh field fence (hogwire) with pipe top railing

7.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- Screen Netting Other: Expanded metal or solid vaulted top
- Monthly inspections (If netting or screening is not physically feasible)

8.

Signs: Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.3.103 NMAC

9.

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
- Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____
- Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

Yes (If yes, please provide the information below) No

Required for impacted areas which will not be used for future service and operations:

Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19. **Operator Application Certification:**
 I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____
 Signature: _____ Date: _____
 E-mail address: _____ Telephone: _____

20. **OCD Approval:** Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature: Approval Date: 9/2/14
 Title: Environmental Spec OCD Permit Number: 12176

21. **Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: 7-7-2014

22. **Closure Method:**
 Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
 If different from approved plan, please explain.

23. **Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**
Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____
 Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?
 Yes (If yes, please demonstrate compliance to the items below) No

Required for impacted areas which will not be used for future service and operations:
 Site Reclamation (Photo Documentation)
 Soil Backfilling and Cover Installation
 Re-vegetation Application Rates and Seeding Technique

24. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

Proof of Closure Notice (surface owner and division)
 Proof of Deed Notice (required for on-site closure)
 Plot Plan (for on-site closures and temporary pits)
 Confirmation Sampling Analytical Results (if applicable)
 Waste Material Sampling Analytical Results (required for on-site closure)
 Disposal Facility Name and Permit Number
 Soil Backfilling and Cover Installation
 Re-vegetation Application Rates and Seeding Technique
 Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: 1927 1983

25. **Operator Closure Certification:**
 I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print) Kurt Hoekstra Title: EHS Coordinator
 Signature: Date: 8-22-2014
 E-mail address Kurt.Hoekstra@xtoenergy.com Telephone: 505-333-3100

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: XTO Energy, Inc.	Contact: Kurt Hoekstra
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3100
Facility Name: Gallegos Federal 26-13-14-1T	Facility Type: Gas Well (Basin Fruitland Coal)

Surface Owner: Federal	Mineral Owner	API No.: 30-045-31807
------------------------	---------------	-----------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
O	14	26N	13W	950	FSL	2435	FEL	San Juan

Latitude 36.483245 Longitude -108.19471

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: Below Grade Tank	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: 6-20-2014 12:00 pm
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* The below grade tank was removed at the Gallegos Federal 26-13-14-1T well site due to P & A of the location. The soil beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1, for BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'pit rule' standards of 0.2 ppm benzene, 50 ppm total BTEX, and 250 ppm chlorides, but above the TPH standard of 100 ppm at 136 ppm via USEPA Method 418.1, confirming that a release has occurred at this location. The site was then ranked according to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases. The site was ranked a 0 due to an estimated depth to groundwater of greater than 100 feet, distance to a water well greater than 1000 feet, and distance to surface water greater than 1000 feet. This set the closure standard to 5000 ppm TPH, 10 ppm benzene, and 50 ppm total BTEX.

Describe Area Affected and Cleanup Action Taken.* Based on TPH results of 136 ppm via USEPA Method 418.1 a release has been confirmed at this location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: *Kurt Hoekstra*

Approved by Environmental Specialist:

Printed Name: Kurt Hoekstra

Title: EHS Coordinator

Approval Date:

Expiration Date:

E-mail Address: Kurt.Hoekstra@xtoenergy.com

Conditions of Approval:

Attached

Date: 8-22-14 Phone: 505-333-3100

* Attach Additional Sheets If Necessary



Analytical Report

Report Summary

Client: XTO Energy Inc.
Chain Of Custody Number: 0440
Samples Received: 6/16/2014 12:30:00PM
Job Number: 98031-0528
Work Order: P406058
Project Name/Location: Gallegos Fed. 26-13-14
#1T

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Tim Cain', is written over a horizontal line.

Date: 6/20/14

Tim Cain, Laboratory Manager

Supplement to analytical report generated on: 6/20/14 11:52 am

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Gallegos Fed. 26-13-14 #1T Project Number: 98031-0528 Project Manager: Kurt Hoekstra	Reported: 20-Jun-14 11:55
---	--	-------------------------------------

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Cellar	P406058-01A	Soil	06/16/14	06/16/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Gallegos Fed. 26-13-14 #1T Project Number: 98031-0528 Project Manager: Kurt Hoekstra	Reported: 20-Jun-14 11:55
---	--	-------------------------------------

**BGT Cellar
P406058-01 (Solid)**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						

Total Petroleum Hydrocarbons by 418.1

Total Petroleum Hydrocarbons	136	19.9	mg/kg	1	1425017	06/18/14	06/18/14	EPA 418.1	
------------------------------	------------	------	-------	---	---------	----------	----------	-----------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Gallegos Fed. 26-13-14 #1T Project Number: 98031-0528 Project Manager: Kurt Hoekstra	Reported: 20-Jun-14 11:55
---	--	------------------------------

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1425017 - 418 Freon Extraction										
Blank (1425017-BLK1) Prepared & Analyzed: 18-Jun-14										
Total Petroleum Hydrocarbons	ND	20.0	mg/kg							
Duplicate (1425017-DUP1) Source: P406058-01 Prepared & Analyzed: 18-Jun-14										
Total Petroleum Hydrocarbons	112	20.0	mg/kg		136			19.2	30	
Matrix Spike (1425017-MS1) Source: P406058-01 Prepared & Analyzed: 18-Jun-14										
Total Petroleum Hydrocarbons	2020	20.0	mg/kg	2020	136	93.1	80-120			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Gallegos Fed. 26-13-14 #1T Project Number: 98031-0528 Project Manager: Kurt Hoekstra	Reported: 20-Jun-14 11:55
---	--	-------------------------------------

Notes and Definitions

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859
Tax I.D. 62-0814289
Est. 1970

Logan Hixon
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

Report Summary

Wednesday June 18, 2014

Report Number: L705019

Samples Received: 06/17/14

Client Project: 30-045-31807

Description: Gallegos Fed 26-13-14 IT

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BIO041, ND - R-140, NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364, EPA - TN002

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859
 Tax I.D. 62-0814289
 Est. 1970

REPORT OF ANALYSIS

Logan Hixon
 XTO Energy - San Juan Division
 382 County Road 3100
 Aztec, NM 87410

June 18, 2014

Date Received : June 17, 2014
 Description : Gallegos Fed 26-13-14 IT
 Sample ID : FARKN-061614-1100
 Collected By : Kurt
 Collection Date : 06/16/14 11:00

ESC Sample # : L705019-01
 Site ID :
 Project # : 30-045-31807

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	17.	10.	mg/kg	9056	06/18/14	1
Total Solids	95.3		%	2540 G-2011	06/18/14	1
Benzene	BDL	0.0026	mg/kg	8021/8015	06/18/14	5
Toluene	BDL	0.026	mg/kg	8021/8015	06/18/14	5
Ethylbenzene	BDL	0.0026	mg/kg	8021/8015	06/18/14	5
Total Xylene	BDL	0.0079	mg/kg	8021/8015	06/18/14	5
TPH (GC/FID) Low Fraction	BDL	0.52	mg/kg	GRO	06/18/14	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	101.		% Rec.	8021/8015	06/18/14	5
a,a,a-Trifluorotoluene(PID)	102.		% Rec.	8021/8015	06/18/14	5
TPH (GC/FID) High Fraction	20.	4.2	mg/kg	3546/DRO	06/18/14	1
Surrogate recovery(%)						
o-Terphenyl	93.0		% Rec.	3546/DRO	06/18/14	1

Results listed are dry weight basis.
 BDL - Below Detection Limit
 Det. Limit - Practical Quantitation Limit(PQL)

Note:
 This report shall not be reproduced, except in full, without the written approval from ESC.
 The reported analytical results relate only to the sample submitted
 Reported: 06/18/14 13:01 Printed: 06/18/14 13:02

Summary of Remarks For Samples Printed
06/18/14 at 13:02:03

TSR Signing Reports: 288
R2 - Rush: Next Day

Domestic Water Well Sampling-see L609759 Lobato for tests EDD's on ALL projects email James,
Kurt and Logan all reports

Sample: L705019-01 Account: XTORNM Received: 06/17/14 09:00 Due Date: 06/18/14 00:00 RPT Date: 06/18/14 13:01



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
 Logan Hixon
 382 County Road 3100
 Aztec, NM 87410

Quality Assurance Report
 Level II

L705019

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 18, 2014

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
TPH (GC/FID) High Fraction o-Terphenyl	< 4	mg/kg % Rec.	82.80	50-150	WG726775 WG726775	06/17/14 22:57 06/17/14 22:57
Total Solids	< .1	%			WG726845	06/18/14 09:31
Chloride	< 10	mg/kg			WG726892	06/18/14 08:35
Benzene	< .0005	mg/kg			WG726966	06/18/14 07:38
Ethylbenzene	< .0005	mg/kg			WG726966	06/18/14 07:38
Toluene	< .005	mg/kg			WG726966	06/18/14 07:38
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG726966	06/18/14 07:38
Total Xylene	< .0015	mg/kg			WG726966	06/18/14 07:38
a,a,a-Trifluorotoluene (FID)		% Rec.	102.0	59-128	WG726966	06/18/14 07:38
a,a,a-Trifluorotoluene (PID)		% Rec.	102.0	54-144	WG726966	06/18/14 07:38

Analyte	Units	Duplicate			Limit	Ref Samp	Batch
		Result	Duplicate	RPD			
Total Solids	%	82.4	78.7	4.68	5	L705014-02	WG726845
Chloride	mg/kg	3700	3700	0.0	20	L704863-01	WG726892
Chloride	mg/kg	3500	3510	1.00	20	L704863-05	WG726892

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	60	59.2	98.6 93.30	50-150 50-150	WG726775 WG726775
Total Solids	%	50	50.1	100.	85-115	WG726845
Chloride	mg/kg	200	198.	99.0	80-120	WG726892
Benzene	mg/kg	.05	0.0474	94.8	70-130	WG726966
Ethylbenzene	mg/kg	.05	0.0481	96.2	70-130	WG726966
Toluene	mg/kg	.05	0.0473	94.6	70-130	WG726966
Total Xylene	mg/kg	.15	0.142	94.7	70-130	WG726966
a,a,a-Trifluorotoluene (FID)				101.0	59-128	WG726966
a,a,a-Trifluorotoluene (PID)				103.0	54-144	WG726966
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.33	97.0	63.5-137	WG726966
a,a,a-Trifluorotoluene (FID)				101.0	59-128	WG726966
a,a,a-Trifluorotoluene (PID)				103.0	54-144	WG726966

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	59.8	59.2	100. 92.70	50-150 50-150	1.06	20	WG726775 WG726775
Chloride	mg/kg	200.	198.	100.	80-120	1.00	20	WG726892

* Performance of this Analyte is outside of established criteria.
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
 Logan Hixon
 382 County Road 3100
 Aztec, NM 87410

Quality Assurance Report
 Level II

L705019

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859
 Tax I.D. 62-0814289
 Est. 1970

June 18, 2014

Analyte	Laboratory Control Sample Duplicate				Limit	RPD	Limit	Batch
	Units	Result	Ref	%Rec				
Benzene	mg/kg	0.0483	0.0474	96.0	70-130	1.77	20	WG726966
Ethylbenzene	mg/kg	0.0482	0.0481	96.0	70-130	0.150	20	WG726966
Toluene	mg/kg	0.0472	0.0473	94.0	70-130	0.250	20	WG726966
Total Xylene	mg/kg	0.142	0.142	95.0	70-130	0.100	20	WG726966
a, a, a-Trifluorotoluene (FID)				101.0	59-128			WG726966
a, a, a-Trifluorotoluene (PID)				104.0	54-144			WG726966
TPH (GC/FID) Low Fraction	mg/kg	5.43	5.33	99.0	63.5-137	1.84	20	WG726966
a, a, a-Trifluorotoluene (FID)				98.70	59-128			WG726966
a, a, a-Trifluorotoluene (PID)				102.0	54-144			WG726966

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	392.	375.	60	28.0*	50-150	L703913-06	WG726775
					102.0	50-150		WG726775
Chloride	mg/kg	3230	2780	50	89.0	80-120	L704863-02	WG726892
Benzene	mg/kg	0.213	0.000263	.05	85.0	49.7-127	L705028-01	WG726966
Ethylbenzene	mg/kg	0.179	0.00110	.05	71.0	40.8-141	L705028-01	WG726966
Toluene	mg/kg	0.199	0.00205	.05	79.0	49.8-132	L705028-01	WG726966
Total Xylene	mg/kg	0.538	0.0118	.15	70.0	41.2-140	L705028-01	WG726966
a, a, a-Trifluorotoluene (FID)					101.0	59-128		WG726966
a, a, a-Trifluorotoluene (PID)					101.0	54-144		WG726966
TPH (GC/FID) Low Fraction	mg/kg	17.5	0.0	5.5	64.0	28.5-138	L705028-01	WG726966
a, a, a-Trifluorotoluene (FID)					98.20	59-128		WG726966
a, a, a-Trifluorotoluene (PID)					101.0	54-144		WG726966

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	325.	392.	0*	50-150	18.7	20	L703913-06	WG726775
				85.40	50-150				WG726775
Chloride	mg/kg	3240	3230	90.8	80-120	0.0	20	L704863-02	WG726892
Benzene	mg/kg	0.238	0.213	95.2	49.7-127	11.3	23.5	L705028-01	WG726966
Ethylbenzene	mg/kg	0.210	0.179	83.5	40.8-141	15.8	23.8	L705028-01	WG726966
Toluene	mg/kg	0.222	0.199	87.9	49.8-132	11.0	23.5	L705028-01	WG726966
Total Xylene	mg/kg	0.623	0.538	81.5	41.2-140	14.6	23.7	L705028-01	WG726966
a, a, a-Trifluorotoluene (FID)				100.0	59-128				WG726966
a, a, a-Trifluorotoluene (PID)				102.0	54-144				WG726966
TPH (GC/FID) Low Fraction	mg/kg	18.0	17.5	65.3	28.5-138	2.79	23.6	L705028-01	WG726966
a, a, a-Trifluorotoluene (FID)				97.40	59-128				WG726966
a, a, a-Trifluorotoluene (PID)				100.0	54-144				WG726966

Batch number / Run number / Sample number cross reference

WG726775: R2943378: L705019-
 WG726845: R2943396: L705019-
 WG726892: R2943550: L705019-
 WG726966: R2943568: L705019-

* * Calculations are performed prior to rounding of reported values.

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
Logan Hixon
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L705019

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 18, 2014

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name: Gallegos Federal 26-13-14-1T

API No.: 30-045-31807

Description: Unit M, Section 14, Township 26N, Range 13W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.
Closure Date is July 7th, 2014
2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
Closure Date is July 7th, 2014
3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.
Required C-144 Form is attached to this document.
4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:
 - Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
 - Soil contaminated by exempt petroleum hydrocarbons
 - Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes
 - Basin Disposal Permit No. NM01-005
 - Produced water**All liquids and sludge were removed from the tank prior to closure activities.**
5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All Equipment will be removed due to the plugging and abandoning of Gallegos Federal 26-13-14-1T well.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.0026 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	0.0391 mg/kg
TPH	EPA SW-846 418.1	100	136 mg/kg
Chlorides	EPA 300.1	250 or background	17 mg/kg

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate. **Due to TPH results of 136 ppm, a release has been confirmed for this location. A C-141 Release Notification form will be sent outlining any remediation activities taken regarding this release**
9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site. **The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.**
10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally. The notification will include the following:
- i. Operator's name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on June 16th, 2014; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested. **The surface owner was notified on June 16th, 2014 via email. Email has been approved as a means of surface owner notification to the BLM by Brandon Powell, NMOCD Aztec Office**

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The location will be recontoured to match the above specifications.

12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The site has been backfilled to match these specifications.

13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

The location will be reclaimed pursuant to the BLM MOU

14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; **attached**
 - ii. Details on capping and covering, where applicable; **per OCD Specifications**
 - iii. Inspection reports; **attached**
 - iv. Confirmation sampling analytical results; **attached**
 - v. Disposal facility name(s) and permit number(s); **see above**
 - vi. Soil backfilling and cover installation; **per OCD Specifications**
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **per BLM MOU**
 - viii. Photo documentation of the site reclamation. **Attached**
15. The closure date is past the one week notification requirement date due to unforeseen delays in the P & A activities at this well site.
16. This closure report is being submitted after the 60 day deadline required by the 'Pit Rule' due to a delay of final reclamation of this well site.

Hoekstra, Kurt

From: Hoekstra, Kurt
Sent: Monday, June 16, 2014 2:14 PM
To: Brandon Powell (brandon.powell@state.nm.us)
Subject: Notification BGT Closure

Brandon,

Please accept this email as the required 72 hour notification for BGT closure activities at the Gallegos Federal 26-13-14#1T well site, API # (30-045-31807) located in Section 14, Township 26N, Range 13W, San Juan County, New Mexico. This BGT is being closed due to the P & A of this location. Thank you for your time in regards to this matter.

Kurt Hoekstra
EHS Coordinator
XTO Energy
505-333-3202 Office
505-486-9543 Cell
Kurt_Hoekstra@xtoenergy.com

Hoekstra, Kurt

From: Hoekstra, Kurt
Sent: Monday, June 16, 2014 2:15 PM
To: Mark Kelly (Mark_Kelly@blm.gov)
Subject: Notification BGT closure

Mark Kelly,

Please accept this email as the required 72 hour notification for BGT closure activities at the Gallegos Federal 26-13-14#1T well site,

API # (30-045-31807) located in Section 14, Township 26N, Range 13W, San Juan County, New Mexico. This BGT is being closed due to the P & A of this location. Thank you for your time in regards to this matter.

Kurt Hoekstra
EHS Coordinator
XTO Energy
505-333-3202 Office
505-486-9543 Cell
Kurt_Hoekstra@xtoenergy.com



Division Denver
 Dates -
 06/01/2008 - 06/01/2014
 Type Route Stop
 Value G

RouteName	StopName	Pumper	Foreman	WellName	APIWellNumber	Section	Range	Townshi			
Below Grade Pit Forms (Temp.)	Gallegos	Fed 26-13	Blackburn, Sha	Unassigned GALLEGOS FED 26 13 14	3004531807	14	13W	26N			
InspectorName	Inspection Date	Inspection Time	Visible Liner	Visible Tank Leak	Collection Of Surface	Visible Layer	Visible Leak	Freeboard	Pit Location	Pit Type	Notes
Billy Pennington	11/18/2008	10:48	No	No	No	No	No	3	Well Wat	Below Ground	
Billy Pennington	12/15/2008	11:06	No	No	No	No	No	3	Well Wat	Below Ground	
Billy Pennington	01/21/2009	12:10	No	No	No	No	No	3	Well Wat	Below Ground	
Billy Pennington	02/24/2009	10:40	No	No	No	No	No	3	Well Wat	Below Ground	
Rondale Anders	10/06/2009	01:00	No	No	No	No	No	4	Well Wat	Below Ground	
Rondale Anders	10/18/2009	01:00	No	No	No	No	No	4	Well Wat	Below Ground	
Rondale Anders	10/23/2009	11:00	No	No	No	No	No	4	Well Wat	Below Ground	
Rondale Anders	11/18/2009	02:00	No	No	No	No	No	3	Well Wat	Below Ground	
Rondale Anders	05/13/2010	12:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	05/16/2010	12:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	06/28/2010	01:45	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	07/16/2010	02:50	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	08/14/2010	01:20	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	08/30/2010	01:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	09/30/2010	07:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	10/08/2010	11:50	No	No	No	Yes	No	1	Well Wat	Below	looks like comp oil
Rondale Anders	10/29/2010	01:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	11/22/2010	03:30	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	12/09/2010	03:00	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	12/21/2010	01:22	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	01/31/2011	02:28	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	02/28/2011	02:28	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	03/01/2011	02:06	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	03/28/2011	12:30	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	04/22/2011	02:17	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	05/05/2011	02:54	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	05/24/2011	01:03	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	06/01/2011	11:52	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	6/1/2011	11:52	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	6/10/2011	11:44	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	6/14/2011	11:49	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	6/21/2011	1:24	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	6/29/2011	2:10	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	7/14/2011	12:12	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	7/28/2011	2:32	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	8/10/2011	3:17	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	8/16/2011	11:54	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	8/19/2011	4:22	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	9/7/2011	12:43	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	9/29/2011	12:50	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	10/21/2011	11:33	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	10/24/2011	10:31	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	10/26/2011	1:21	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	10/31/2011	1:37	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	11/8/2011	12:42	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	11/21/2011	2:01	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	11/25/2011	12:30	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	12/27/2011	12:30	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	1/6/2012	1:57	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	1/9/2012	12:57	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	1/13/2012	12:24	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	1/20/2012	1:14	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	1/24/2012	11:04	No	No	No	Yes	No	2	Well Wat	Below	looks like comp oil
Rondale Anders	2/10/2012	12:04	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	2/13/2012	11:34	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	2/22/2012	10:34	No	No	No	Yes	No	3	Well Wat	Below	looks like comp oil
Rondale Anders	3/7/2012	11:07	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	3/12/2012	1:09	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	3/26/2012	11:55	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	3/30/2012	10:10	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	4/2/2012	1:51	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	4/10/2012	11:35	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	4/18/2012	2:30	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	4/24/2012	10:40	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	5/3/2012	1:09	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	5/23/2012	11:48	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil
Rondale Anders	5/30/2012	12:10	No	No	No	Yes	No	4	Well Wat	Below	looks like comp oil

Rondale Andersc	6/4/2012	2:08	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/7/2012	2:08	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/11/2012	11:49	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/13/2012	12:16	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/21/2012	12:07	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	7/4/2012	1:04	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	7/6/2012	1:09	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	7/16/2012	2:41	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	7/27/2012	2:57	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/6/2012	2:48	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/10/2012	1:48	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/13/2012	12:55	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/24/2012	1:07	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/27/2012	1:07	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	9/6/2012	12:11	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	9/13/2012	2:40	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/10/2012	10:26	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/23/2012	11:12	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/24/2012	9:33	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/29/2012	2:42	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	11/16/2012	2:42	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	12/7/2012	1:15	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	12/12/2012	1:51	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	1/31/2013	1:51	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	2/28/2013	1:51	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	3/8/2013	2:30	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	4/11/2013	1:30	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	5/9/2013	4:16	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	5/14/2013	3:54	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/5/2013	1:13	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/7/2013	3:46	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	6/12/2013	3:46	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	7/1/2013	3:46	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/14/2013	10:04	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	8/28/2013	1:42	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	9/23/2013	12:54	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	9/30/2013	12:54	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/9/2013	2:52	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/16/2013	1:55	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	10/31/2013	1:55	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	11/13/2013	1:40	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	1/30/2014	1:40	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	2/27/2014	1:40	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	3/13/2014	3:07	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	4/18/2014	1:58	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	4/21/2014	1:54	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	4/30/2014	1:05	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	5/12/2014	1:54	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil
Rondale Andersc	5/21/2014	11:04	No	No	No	Yes	No	4	Well Wat Below	looks like comp oil

