

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

12140
45-21214

- Type of action:
- Below grade tank registration
 - Permit of a pit or proposed alternative method
 - Closure of a pit, below-grade tank, or proposed alternative method
 - Modification to an existing permit/or registration
 - Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: XTO Energy, Inc **OIL CONS. DIV DIST. 3** GRID #: 5380
Address: 382 Road 3100 Aztec, NM 87410
Facility or well name: Hun Ne Pah I **AUG 14 2014**
API Number: 30-045-21214 OCD Permit Number: _____
U/L or Qtr/Qtr E Section 10 Township 25N Range 11W County: San Juan
Center of Proposed Design: Latitude 36.41779 Longitude 107.99693 NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
 Lined Unlined Liner type: Thickness _____ mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
 Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Steel
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other _____
Liner type: Thickness _____ mil HDPE PVC Other _____

4.
 Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
 Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
 Four foot height, four strands of barbed wire evenly spaced between one and four feet
 Alternate. Please specify _____

6.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- Screen Netting Other _____
- Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.16.8 NMAC

8.

Variations and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

General siting

Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

- Yes No
- NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

- Yes No
- NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

- Yes No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

- Yes No

Within an unstable area. **(Does not apply to below grade tanks)**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

- Yes No

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

- FEMA map

- Yes No

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

- Yes No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes No

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

- Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

- Yes No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes No

<p>Within 100 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><u>Temporary Pit Non-low chloride drilling fluid</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 300 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><u>Permanent Pit or Multi-Well Fluid Management Pit</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No

10.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11.

Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- A List of wells with approved application for permit to drill associated with the pit.
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13. **Proposed Closure:** 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fluid Management Pit
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method

14. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	<input type="checkbox"/> Yes <input type="checkbox"/> No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

16. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC

Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC

Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17. **Operator Application Certification:**

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

18. **OCD Approval:** Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 9/11/2014

Title: Compliance Officer OCD Permit Number: _____

19. **Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: April 14, 2014

20. **Closure Method:**

Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)

If different from approved plan, please explain.

21. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

Proof of Closure Notice (surface owner and division)

Proof of Deed Notice (required for on-site closure for private land only)

Plot Plan (for on-site closures and temporary pits)

Confirmation Sampling Analytical Results (if applicable)

Waste Material Sampling Analytical Results (required for on-site closure)

Disposal Facility Name and Permit Number

Soil Backfilling and Cover Installation

Re-vegetation Application Rates and Seeding Technique

Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: 1927 1983

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Logan Hixon _____ Title: EHS Coordinator _____

Signature: Logan Hixon _____ Date: August 12, 2014 _____

e-mail address: Logan_Hixon@xtoenergy.com _____ Telephone: (505) 333-3100 _____

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: XTO Energy, Inc.	Contact: Logan Hixon
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3683
Facility Name: Hun Ne Pah 1	Facility Type: Gas Well

Surface Owner: Federal Land	Mineral Owner	API No. 30-045-21214
-----------------------------	---------------	----------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
E	10	25 N	11W	1800	FNL	800	FWL	San Juan

Latitude: N36*.41779 Longitude: W-107*.99693

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: Unknown
Source of Release: BGT	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: March 28, 2014
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom? N/A	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

The below grade tank was taken out of service at the Hun Ne Pah 1 well site due to the P&A'ing of this well site. A composite sample was collected beneath the location of the on-site BGT, and submitted for laboratory analysis for TPH via USEPA Method 418.1 and 8015, Benzene and BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'Pit Rule' spill confirmation standards for Benzene, Total BTEX and the total chlorides, but above the 'pit rule' standards for TPH, confirming that a release has occurred at this location. The site was then ranked according to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases. The site was ranked a 0 due to an estimated depth to groundwater of greater than 100 feet, distance to water well greater than 1000 feet, and distance to surface water greater than 1000 feet. This set the closure standard to 5000 ppm TPH, 10 ppm benzene, and 50 ppm total BTEX.

Describe Area Affected and Cleanup Action Taken.*

Based on TPH results of 471 ppm via USEPA Method 418.1 a release has been confirmed at this location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Logan Hixon</i>	OIL CONSERVATION DIVISION	
Printed Name: Logan Hixon	Approved by Environmental Specialist:	
Title: EHS Coordinator	Approval Date:	Expiration Date:
E-mail Address: Logan_Hixon@xtoenergy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: August 12, 2014	Phone: 505-333-3683	

* Attach Additional Sheets If Necessary

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name: Hun Ne Pah 1

API No.: 30-045-21214

Description: Unit E, Section 10, Township 25N, Range 11W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.
Closure Date is April 14, 2014.
2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
Closure Date is April 14, 2014
3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.
Required C-144 Form is attached to this document.
4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:
 - Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
 - Soil contaminated by exempt petroleum hydrocarbons
 - Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes
 - Basin Disposal Permit No. NM01-005
 - Produced water**All liquids and sludge were removed from the tank prior to closure activities.**
5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All equipment has been removed due to the plugging and abandoning of the Hun Ne Pah 1 well site.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.0027 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.0406 mg/kg
TPH	EPA SW-846 418.1	100	471 mg/kg
Chlorides	EPA 300.1	250 or background	76 mg/kg
TPH	EPA SW-846 8015M	100	260

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.

Due to TPH results of 471 PPM via USEPA 418.1, a release has been confirmed for this location. A C-141 Release Notification form will be sent outlining any remediation activities taken regarding this release.

9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.

The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.

10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally.

The notification will include the following:

- i. Operator's name
- ii. Well Name and API Number
- iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on March 25, 2014; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on March 25, 2014 via email. Email has been approved as a means of surface owner notification to the BLM by Brandon Powell, NMOCD Aztec Office.

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
The location will be recontoured to match the above specifications.
12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.
The site will be backfilled to match these specifications.
13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.
Site will be reclaimed pursuant to BLM MOU.
14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; **attached**
 - ii. Details on capping and covering, where applicable; **per OCD Specifications**
 - iii. Inspection reports; **attached**
 - iv. Confirmation sampling analytical results; **attached**
 - v. Disposal facility name(s) and permit number(s); **see above**
 - vi. Soil backfilling and cover installation; **per OCD Specifications**
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **per BLM MOU**
 - viii. Photo documentation of the site reclamation. **Attached**
15. **This closure report is being submitted after the 60 day deadline required by the 'Pit Rule' due to a delay of final reclamation of this well site.**
16. **The closure date is past the one week notification requirement date due to unforeseen delays in the P&A operations at this well site.**



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Logan Hixon
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

Report Summary

Friday March 28, 2014

Report Number: L690044

Samples Received: 03/26/14

Client Project:

Description: Hun NE PAH #1

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By: Daphne R Richards
Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BIO041, ND - R-140. NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364, EPA - TN002

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



YOUR LAB OF CHOICE

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Logan Hixon
 XTO Energy - San Juan Division
 382 County Road 3100
 Aztec, NM 87410

March 28, 2014

Date Received : March 26, 2014
 Description : Hun NE PAH #1
 Sample ID : FARLH-032514-1030
 Collected By : Logan Hixon
 Collection Date : 03/25/14 10:30

ESC Sample # : L690044-01

Site ID :

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	76.	11.	mg/kg	9056	03/27/14	1
Total Solids	91.1		%	2540 G-2011	03/27/14	1
Benzene	BDL	0.0027	mg/kg	8021/8015	03/27/14	5
Toluene	BDL	0.027	mg/kg	8021/8015	03/27/14	5
Ethylbenzene	BDL	0.0027	mg/kg	8021/8015	03/27/14	5
Total Xylene	BDL	0.0082	mg/kg	8021/8015	03/27/14	5
TPH (GC/FID) Low Fraction	BDL	0.55	mg/kg	GRO	03/27/14	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	98.4		% Rec.	8021/8015	03/27/14	5
a,a,a-Trifluorotoluene(PID)	103.		% Rec.	8021/8015	03/27/14	5
TPH (GC/FID) High Fraction	260	22.	mg/kg	3546/DRO	03/27/14	5
Surrogate recovery(%)						
o-Terphenyl	88.4		% Rec.	3546/DRO	03/27/14	5

Results listed are dry weight basis.
 BDL - Below Detection Limit
 Det. Limit - Practical Quantitation Limit (PQL)

Note:
 This report shall not be reproduced, except in full, without the written approval from ESC.
 The reported analytical results relate only to the sample submitted
 Reported: 03/28/14 08:48 Printed: 03/28/14 08:48

Summary of Remarks For Samples Printed
03/28/14 at 08:48:26

TSR Signing Reports: 288
R3 - Rush: Two Day

Domestic Water Well Sampling-see L609759 Lobato for tests EDD's on ALL projects email James,
Kurt and Logan all reports

Sample: L690044-01 Account: XTORNM Received: 03/26/14 09:30 Due Date: 03/28/14 00:00 RPT Date: 03/28/14 08:48



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
Logan Hixon
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L690044

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 28, 2014

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Total Solids	< .1	%			WG712887	03/27/14 07:57
Chloride	< 10	mg/kg			WG712604	03/26/14 20:29
Benzene	< .0005	mg/kg			WG713012	03/27/14 13:07
Ethylbenzene	< .0005	mg/kg			WG713012	03/27/14 13:07
Toluene	< .005	mg/kg			WG713012	03/27/14 13:07
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG713012	03/27/14 13:07
Total Xylene	< .0015	mg/kg			WG713012	03/27/14 13:07
a, a, a-Trifluorotoluene (FID)		% Rec.	99.50	59-128	WG713012	03/27/14 13:07
a, a, a-Trifluorotoluene (PID)		% Rec.	104.0	54-144	WG713012	03/27/14 13:07
TPH (GC/FID) High Fraction	< 4	mg/kg			WG712951	03/26/14 22:37
o-Terphenyl		% Rec.	98.30	50-150	WG712951	03/26/14 22:37

Analyte	Units	Result	Duplicate		Limit	Ref Samp	Batch
			Duplicate	RPD			
Total Solids	%	84.7	84.5	0.242	5	L689995-02	WG712887
Chloride	mg/kg	0.0	61.8	NA	20	L689580-02	WG712604
Chloride	mg/kg	5500	4800	13.6	20	L689713-03	WG712604

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids	%	50	50.1	100.	85-115	WG712887
Chloride	mg/kg	200	217.	109.	80-120	WG712604
Benzene	mg/kg	.05	0.0482	96.3	70-130	WG713012
Ethylbenzene	mg/kg	.05	0.0486	97.3	70-130	WG713012
Toluene	mg/kg	.05	0.0487	97.5	70-130	WG713012
Total Xylene	mg/kg	.15	0.149	99.6	70-130	WG713012
a, a, a-Trifluorotoluene (PID)				103.0	54-144	WG713012
TPH (GC/FID) Low Fraction	mg/kg	5.5	4.91	89.3	63.5-137	WG713012
a, a, a-Trifluorotoluene (FID)				101.0	59-128	WG713012
TPH (GC/FID) High Fraction	mg/kg	60	52.5	87.5	50-150	WG712951
o-Terphenyl				94.40	50-150	WG712951

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
Chloride	mg/kg	221.	217.	110.	80-120	1.83	20	WG712604
Benzene	mg/kg	0.0481	0.0482	96.0	70-130	0.140	20	WG713012
Ethylbenzene	mg/kg	0.0486	0.0486	97.0	70-130	0.0800	20	WG713012
Toluene	mg/kg	0.0484	0.0487	97.0	70-130	0.730	20	WG713012
Total Xylene	mg/kg	0.149	0.149	99.0	70-130	0.550	20	WG713012
a, a, a-Trifluorotoluene (PID)				104.0	54-144			WG713012

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
 Logan Hixon
 382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
 Level II

L690044

12065 Lebanon Rd.
 Mt. Juliet, TN 37122
 (615) 758-5858
 1-800-767-5859
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 28, 2014

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
TPH (GC/FID) Low Fraction a,a,a-Trifluorotoluene (FID)	mg/kg	4.64	4.91	84.0 100.0	63.5-137 59-128	5.68	20	WG713012 WG713012
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	52.5	52.5	88.0 94.90	50-150 50-150	0.0300	20	WG712951 WG712951

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
Chloride	mg/kg	1420	1200	500	44.0*	80-120	L689713-01	WG712604
Benzene	mg/kg	0.232	0.000562	.05	93.0	49.7-127	L690031-01	WG713012
Ethylbenzene	mg/kg	0.229	0.000285	.05	92.0	40.8-141	L690031-01	WG713012
Toluene	mg/kg	0.234	0.00106	.05	93.0	49.8-132	L690031-01	WG713012
Total Xylene	mg/kg	0.703	0.00178	.15	93.0	41.2-140	L690031-01	WG713012
a,a,a-Trifluorotoluene (PID)					103.0	54-144		WG713012
TPH (GC/FID) Low Fraction a,a,a-Trifluorotoluene (FID)	mg/kg	20.4	0.0	5.5	74.0 100.0	28.5-138 59-128	L690031-01	WG713012 WG713012

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
Chloride	mg/kg	1490	1420	58.0*	80-120	4.81	20	L689713-01	WG712604
Benzene	mg/kg	0.228	0.232	91.2	49.7-127	1.62	23.5	L690031-01	WG713012
Ethylbenzene	mg/kg	0.222	0.229	88.7	40.8-141	3.33	23.8	L690031-01	WG713012
Toluene	mg/kg	0.226	0.234	90.1	49.8-132	3.36	23.5	L690031-01	WG713012
Total Xylene	mg/kg	0.677	0.703	90.0	41.2-140	3.71	23.7	L690031-01	WG713012
a,a,a-Trifluorotoluene (PID)				103.0	54-144				WG713012
TPH (GC/FID) Low Fraction a,a,a-Trifluorotoluene (FID)	mg/kg	18.7	20.4	68.1 99.10	28.5-138 59-128	8.57	23.6	L690031-01	WG713012 WG713012

Batch number / Run number / Sample number cross reference

WG712887: R2898040: L690044-01
 WG712604: R2898179: L690044-01
 WG713012: R2898250: L690044-01
 WG712951: R2898256: L690044-01

* * Calculations are performed prior to rounding of reported values.
 * Performance of this Analyte is outside of established criteria.
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
Logan Hixon
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L690044

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 28, 2014

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



Analytical Report

Report Summary

Client: XTO Energy Inc.

Chain Of Custody Number: 0366

Samples Received: 3/25/2014 11:11:00AM

Job Number: 98031-0528

Work Order: P403088

Project Name/Location: Hun NE PAH #1

Entire Report Reviewed By:

Date: 3/27/14

Tim Cain, Laboratory Manager

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Hun NE PAH #1 Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 27-Mar-14 11:26
---	---	------------------------------

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Composite	P403088-01A	Soil	03/25/14	03/25/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Hun NE PAH #1 Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 27-Mar-14 11:26
---	---	------------------------------

**BGT Composite
P403088-01 (Solid)**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
Total Petroleum Hydrocarbons by 418.1									
Total Petroleum Hydrocarbons	471	19.9	mg/kg	1	1413011	03/25/14	03/25/14	EPA 418.1	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Hun NE PAH #1 Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 27-Mar-14 11:26
---	---	------------------------------

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1413011 - 418 Freon Extraction

Blank (1413011-BLK1)		Prepared & Analyzed: 25-Mar-14								
Total Petroleum Hydrocarbons	ND	20.0	mg/kg							
Duplicate (1413011-DUP1)		Source: P403072-01 Prepared & Analyzed: 25-Mar-14								
Total Petroleum Hydrocarbons	23.9	20.0	mg/kg		32.0			28.7	30	
Matrix Spike (1413011-MS1)		Source: P403072-01 Prepared & Analyzed: 25-Mar-14								
Total Petroleum Hydrocarbons	1810	20.0	mg/kg	2000	32.0	89.0	80-120			


Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Hun NE PAH #1 Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 27-Mar-14 11:26
---	---	------------------------------

Notes and Definitions

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Hixon, Logan

From: Hixon, Logan
Sent: Tuesday, March 25, 2014 1:41 PM
To: MARK KELLY (mark_kelly@blm.gov); BRANDON POWELL (brandon.powell@state.nm.us)
Cc: McDaniel, James; Hoekstra, Kurt; Naegele, Otto
Subject: BGT Closure Notification- Hun Ne Pah #1 (30-045-21214)

Mark & Brandon,
Please accept this email as the required 72 hour notification for BGT closure activities at the following site:

-Hun Ne Pah #1 (API 30-045-21214) located in Section 10 (E), Township 25N, Range 11W, San Juan County, New Mexico.

This BGT is being closed due to the P&A'ing of this well site.

Thank you and have a good day!

Thank You!

XTO ENERGY INC., an ExxonMobil subsidiary
Logan Hixon | 72 Suttle Street, Suite J | Durango, CO 81303 | ph: 970-247-7708 | Cell: 505-386-8018
Logan Hixon | 382 CR 3100 | Aztec, NM 87410 | ph: 505-333-3100 | Logan_Hixon@xtoenergy.com



Well Below Tank Inspection Report

RouteName	StopName	Pumper	Foreman	WellName	APIWellNumber	Section	Range	Township			
Below Grade Pit Forms (Temp.)	hun ne pah	Blackburn, Shawn	Unassigned	HUN NE PAH 01 (PA)	3004521214	10	11W	25N			
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	Visible TankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation	PitType	Notes
Billy Pennington	08/27/2008	13:25	No	No	No	Yes	No	4			
Billy Pennington	09/24/2008	11:48	No	No	No	Yes	No	3			
Billy Pennington	10/15/2008	11:55	No	No	No	Yes	No	5	Well Water	Below Ground	
Nick Rybacki	11/22/2008	13:17	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	12/23/2008	14:23	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	01/15/2009	12:45	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	02/25/2009	13:48	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	03/11/2009	13:27	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	04/23/2009	12:25	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	05/30/2009	13:17	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	06/19/2009	12:43	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	07/29/2009	11:41	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	08/27/2009	12:50	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	09/17/2009	09:55	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	10/28/2009	12:30	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	11/16/2009	12:00	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	12/31/2009	13:01	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	01/21/2010	11:09	No	No	No	Yes	No	2	Well Water	Below Ground	
Nick Rybacki	02/28/2010	15:43	No	No	No	Yes	No	2	Well Water	Below Ground	
Nick Rybacki	03/20/2010	12:46	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	04/22/2010	13:47	No	No	No	Yes	No	2	Well Water	Below Ground	
Nick Rybacki	05/12/2010	10:07	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	06/23/2010	11:45	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	07/29/2010	13:17	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	08/15/2010	14:00	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	09/06/2010	08:40	No	No	No	Yes	No	3	Well Water	Below Ground	
Nick Rybacki	10/08/2010	11:51	No	No	No	Yes	No	4	Well Water	Below Ground	
Nick Rybacki	11/11/2010	14:55	No	No	No	Yes	No	4	Well Water	Below Ground	
Bryan Parker	12/27/2010	13:45	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	01/27/2011	09:05	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	02/13/2011	09:05	No	No	No	Yes	No	4	Well Water	Below Ground	
Gary Derrera	03/10/2011	09:05	No	No	No	Yes	No	2	Well Water	Below Ground	
Gary Derrera	04/07/2011	08:45	No	No	No	Yes	No	2	Well Water	Below Ground	
Gary Derrera	05/04/2011	10:35	No	No	No	Yes	No	2	Well Water	Below Ground	
Gary Derrera	06/03/2011	10:35	No	No	No	Yes	No	2	Well Water	Below Ground	
Gary Derrera	07/07/2011	02:20	No	No	No	Yes	No	2	Well Water	Below Ground	
Gary Derrera	08/11/2011	11:20	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	09/09/2011	09:48	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	10/05/2011	10:45	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	11/02/2011	11:15	No	No	No	Yes	No	3	Well Water	Below Ground	
Gary Derrera	12/09/2011	11:15	No	No	No	No	No	3	Well Water	Below Ground	
Gary Derrera	02/09/2012	03:00	No	No	No	No	No	2	Well Water	Below Ground	
Gary Derrera	03/07/2012	11:25	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	04/04/2012	10:40	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	05/02/2012	10:10	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	06/05/2012	09:45	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	07/03/2012	10:40	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	08/07/2012	08:30	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	09/07/2012	08:15	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	10/02/2012	09:45	No	No	No	No	No	5	Well Water	Below Ground	
Gary Derrera	11/08/2012	11:00	No	No	No	No	No	5	Well Water	Below Ground	
mes	12/28/2012	03:25	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	01/09/2013	16:13	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	02/05/2013	11:22	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	03/08/2013	16:15	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	05/29/2013	09:20	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	06/04/2013	13:07	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	07/04/2013	14:50	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	08/09/2013	10:43	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	09/12/2013	12:42	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	10/03/2013	10:45	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	11/06/2013	09:38	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	12/03/2013	15:28	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	01/10/2014	11:30	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	02/06/2014	14:59	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	03/04/2014	11:15	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	04/04/2014	11:15	No	No	No	No	No	5	Well Water	Below Ground	
Billy Pennington	05/05/2014	11:06	No	No	No	No	No	4	Well Water	Below Ground	

XTO Energy, Inc.
Hun Ne Pah 1 (30-045-21214)
Section 10 (E), Township 25N, Range 11W
Closure Date: April 14, 2014



Photo 1: Hun Ne Pah 1 after leveling of location.



Photo 2: Hun Ne Pah 1 after leveling of location.