

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-045-32835
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Elm Ridge Exploration Co LLC		6. State Oil & Gas Lease No. SL-2062
3. Address of Operator PO BOX 156 Bloomfield NM 87413		7. Lease Name or Unit Agreement Name Bisti Coal 2
4. Well Location Unit Letter C : 1160' feet from the North line and 1405' feet from the West line Section 2 Township 25N Range 12W NMPM San Juan County		8. Well Number 1T
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6280'		9. OGRID Number 149052
10. Pool name or Wildcat Basin Fruitland Coal		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


Elm Ridge Exploration Co LLC plans to Plug and abandon this well according to the attached procedure.

Notify NMOCD 24 hrs
 prior to beginning
 operations


Spud Date: **01-03-2006**

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **Sr. Regulatory Supervisor** DATE **9-9-14**

Type or print name **Amy Archuleta** E-mail address: **aarchuleta@elmridge.net** PHONE: **505-632-3476**
For State Use Only

APPROVED BY:  TITLE **DEPUTY OIL & GAS INSPECTOR, DIST. 4** DATE **11/6/14**
 Conditions of Approval (if any): **ke**

Elm Ridge Resources

Pertinent Data Sheet

Well Name: Bisti Coal 2-1T
Footage: 1160' FNL and 1405' FWL
Location: NENW Section 2, T25N, R12W
County: San Juan County, NM
API#: 30-045-32835

Field: Basin Fruitland Coal **Elevation:** 6293' KB **TD:** 1363' KB

Completed: 08/04/2006

Casing Record:

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
12-1/4"	8-5/8"	24#	J-55	134'	115 sx (Circ. to surface)
7-7/8"	5-1/2"	15.5#	J-55	1353'	265 sx (Circ. to surface)

Tubing: 2-3/8" tubing set at 1215'

Formation Tops:

Nacimiento Surface
Fruitland 897'
Pictured Cliffs 1195'

Perforations:


Fruitland perforations: 1184'-1204'

Notes:

Wellbore Diagram
Bisti Coal 2-1T
NENW Sec. 2, T25N, R12W
San Juan County, NM
API #30-045-32835

After

Nacimiento - surface



12-1/4" OH
8-5/8" 24# J-55 set @ 134'
Circulated cmt to surface

Fruitland - 897'

Pictured Cliffs - 1195'


Fruitland perforations: 1184'-1204'
2-3/8" tbq set at 1215'

7-7/8" OH
5-1/2" 15.5# J-55 set @ 1353'
Circulated cmt to surface
TD: 1363'

Wellbore Diagram
Bisti Coal 2-1T
NENW Sec. 2, T25N, R12W
San Juan County, NM
API #30-045-32835

After

Nacimiento - surface



12-1/4" OH
8-5/8" 24# J-55 set @ 134'
Circulated cmt to surface

Fruitland - 897'

Pictured Cliffs - 1195'

Fruitland perforations: 1184'-1204'
2-3/8" tbq set at 1215'

7-7/8" OH
5-1/2" 15.5# J-55 set @ 1353'
Circulated cmt to surface
TD: 1363'

Plugging Program for Bisti Coal 2-1T

- 1) MOL RU. TOOH with 2-3/8" tubing.
- 2) PU and TIH with 5-1/2" retainer to 1182'. Squeeze below retainer with 13 sx cmt.
- 3) Sting out, mix and pump 135 sx, or sufficient volume, to bring cement to surface inside 5-1/2" casing.
- 4) Cut off well head 4 feet below surface and remediate location in accordance with regulatory agencies' conditions of approval.