

Form C-102
Revised August 1, 2011

DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, N.M. 87505

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, N.M. 87505
Phone: (505) 476-3480 Fax: (505) 476-3482

"AS DRILLED PLAT"

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 330-039-31260		*Pool Code 71599 / 72319	*Pool Name BASIN DAKOTA / BLANCO MESA VERDE	
*Property Code 7465	*Property Name SAN JUAN 29-7 UNIT			*Well Number 140P
*OGRID No. 14538	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			*Elevation 6281

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	8	29 N	7 W		1762	SOUTH	1010	WEST	RIO ARRIBA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	8	29 N	7 W		819	SOUTH	1566	WEST	RIO ARRIBA

12 Dedicated Acres 320 (W/2)	13 Joint or Infill	14 Consolidation Code	15 Order No.
---------------------------------	--------------------	-----------------------	--------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: [Signature] Date: 2/11/2015

Signature _____ Date _____

DENISE JOURNEY

Printed Name _____

Denis.Journey@conocophillips.com
E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

01/06/2014

Date of Survey _____

Signature and Seal of Project Director

17078
Certificate Number

A



COP Deviation Report
SAN JUAN 29-7 UNIT #140P

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 29-7 UNIT #140P	API / UWI 3003931260	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 008-029N-007W-L	N/S Dist (ft) 1,762.00	N/S Ref FSL	E/W Dist (ft) 1,010.00	E/W Ref FWL


Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
12/31/2014	115.00	0.20	0.00	Inc-Drop	MO-TE DRILLING INC
12/31/2014	236.00	1.90	0.00	Inc-Drop	MO-TE DRILLING INC
1/26/2015	7,612.00	1.00	0.00	Inc-Drop	Phoenix Services LLC
1/15/2015	243.00	2.10	84.40	IncAzi-MWD	CATHEDRAL
1/15/2015	274.00	2.30	84.30	IncAzi-MWD	CATHEDRAL
1/15/2015	304.00	2.60	89.30	IncAzi-MWD	CATHEDRAL
1/15/2015	337.00	2.80	97.30	IncAzi-MWD	CATHEDRAL
1/15/2015	366.00	3.10	101.40	IncAzi-MWD	CATHEDRAL
1/15/2015	397.00	3.30	107.10	IncAzi-MWD	CATHEDRAL
1/15/2015	427.00	3.60	110.60	IncAzi-MWD	CATHEDRAL
1/15/2015	457.00	3.90	112.10	IncAzi-MWD	CATHEDRAL
1/15/2015	488.00	4.20	115.90	IncAzi-MWD	CATHEDRAL
1/15/2015	518.00	4.60	116.00	IncAzi-MWD	CATHEDRAL
1/15/2015	548.00	5.00	119.00	IncAzi-MWD	CATHEDRAL
1/15/2015	579.00	5.40	120.50	IncAzi-MWD	CATHEDRAL
1/15/2015	610.00	5.80	124.60	IncAzi-MWD	CATHEDRAL
1/15/2015	640.00	6.20	127.50	IncAzi-MWD	CATHEDRAL
1/15/2015	671.00	6.50	131.60	IncAzi-MWD	CATHEDRAL
1/15/2015	701.00	6.70	132.70	IncAzi-MWD	CATHEDRAL
1/15/2015	732.00	7.00	135.50	IncAzi-MWD	CATHEDRAL
1/15/2015	763.00	7.70	136.80	IncAzi-MWD	CATHEDRAL
1/15/2015	794.00	8.40	137.80	IncAzi-MWD	CATHEDRAL
1/15/2015	825.00	9.20	138.70	IncAzi-MWD	CATHEDRAL
1/15/2015	855.00	9.90	140.60	IncAzi-MWD	CATHEDRAL
1/15/2015	886.00	10.50	142.80	IncAzi-MWD	CATHEDRAL
1/15/2015	918.00	11.30	145.90	IncAzi-MWD	CATHEDRAL
1/15/2015	949.00	12.20	147.60	IncAzi-MWD	CATHEDRAL
1/15/2015	981.00	12.60	149.60	IncAzi-MWD	CATHEDRAL
1/15/2015	1,011.00	13.20	151.10	IncAzi-MWD	CATHEDRAL
1/15/2015	1,043.00	13.80	152.00	IncAzi-MWD	CATHEDRAL
1/15/2015	1,075.00	14.20	152.90	IncAzi-MWD	CATHEDRAL

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this 11th day of February, 2015

Notary Public in and for San Juan County, New Mexico

My Commission expires 5/26/2015



Survey Data					
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
1/15/2015	1,107.00	15.10	152.80	IncAzi-MWD	CATHEDRAL
1/15/2015	1,138.00	15.90	153.40	IncAzi-MWD	CATHEDRAL
1/15/2015	1,170.00	16.60	153.60	IncAzi-MWD	CATHEDRAL
1/15/2015	1,202.00	17.00	154.70	IncAzi-MWD	CATHEDRAL
1/15/2015	1,233.00	17.70	154.90	IncAzi-MWD	CATHEDRAL
1/15/2015	1,265.00	18.40	156.10	IncAzi-MWD	CATHEDRAL
1/16/2015	1,297.00	19.30	155.80	IncAzi-MWD	CATHEDRAL
1/16/2015	1,329.00	20.00	155.80	IncAzi-MWD	CATHEDRAL
1/16/2015	1,361.00	20.60	155.70	IncAzi-MWD	CATHEDRAL
1/16/2015	1,392.00	21.50	155.80	IncAzi-MWD	CATHEDRAL
1/16/2015	1,456.00	23.30	154.80	IncAzi-MWD	CATHEDRAL
1/16/2015	1,519.00	22.90	154.30	IncAzi-MWD	CATHEDRAL
1/16/2015	1,583.00	22.50	153.70	IncAzi-MWD	CATHEDRAL
1/16/2015	1,647.00	22.50	153.50	IncAzi-MWD	CATHEDRAL
1/16/2015	1,710.00	21.80	153.00	IncAzi-MWD	CATHEDRAL
1/16/2015	1,774.00	21.50	152.90	IncAzi-MWD	CATHEDRAL
1/16/2015	1,838.00	21.70	153.60	IncAzi-MWD	CATHEDRAL
1/16/2015	1,902.00	22.10	154.50	IncAzi-MWD	CATHEDRAL
1/16/2015	1,966.00	23.40	156.80	IncAzi-MWD	CATHEDRAL
1/16/2015	2,030.00	24.10	157.90	IncAzi-MWD	CATHEDRAL
1/16/2015	2,094.00	23.30	157.80	IncAzi-MWD	CATHEDRAL
1/16/2015	2,158.00	23.80	157.00	IncAzi-MWD	CATHEDRAL
1/16/2015	2,222.00	24.40	155.90	IncAzi-MWD	CATHEDRAL
1/16/2015	2,286.00	24.70	155.70	IncAzi-MWD	CATHEDRAL
1/16/2015	2,350.00	24.00	154.00	IncAzi-MWD	CATHEDRAL
1/16/2015	2,413.00	24.00	151.80	IncAzi-MWD	CATHEDRAL
1/16/2015	2,477.00	24.50	150.90	IncAzi-MWD	CATHEDRAL
1/16/2015	2,542.00	24.90	150.10	IncAzi-MWD	CATHEDRAL
1/16/2015	2,605.00	25.20	149.50	IncAzi-MWD	CATHEDRAL
1/16/2015	2,668.00	24.00	148.50	IncAzi-MWD	CATHEDRAL
1/16/2015	2,732.00	22.90	145.70	IncAzi-MWD	CATHEDRAL
1/16/2015	2,796.00	22.30	145.30	IncAzi-MWD	CATHEDRAL
1/16/2015	2,860.00	21.50	144.20	IncAzi-MWD	CATHEDRAL
1/17/2015	2,924.00	20.70	142.60	IncAzi-MWD	CATHEDRAL
1/17/2015	2,988.00	20.10	143.30	IncAzi-MWD	CATHEDRAL

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report
SAN JUAN 29-7 UNIT #140P

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
1/17/2015	3,052.00	18.50	143.30	IncAzi-MWD	CATHEDRAL
1/17/2015	3,116.00	16.00	144.70	IncAzi-MWD	CATHEDRAL
1/17/2015	3,179.00	13.20	147.40	IncAzi-MWD	CATHEDRAL
1/17/2015	3,243.00	11.70	149.20	IncAzi-MWD	CATHEDRAL
1/17/2015	3,307.00	12.80	150.30	IncAzi-MWD	CATHEDRAL
1/17/2015	3,370.00	13.10	151.30	IncAzi-MWD	CATHEDRAL
1/17/2015	3,434.00	12.70	151.90	IncAzi-MWD	CATHEDRAL
1/17/2015	3,498.00	12.40	151.30	IncAzi-MWD	CATHEDRAL
1/17/2015	3,561.00	11.20	149.40	IncAzi-MWD	CATHEDRAL
1/17/2015	3,625.00	10.50	147.00	IncAzi-MWD	CATHEDRAL
1/17/2015	3,689.00	9.60	145.40	IncAzi-MWD	CATHEDRAL
1/17/2015	3,753.00	9.00	145.90	IncAzi-MWD	CATHEDRAL
1/17/2015	3,817.00	8.20	145.50	IncAzi-MWD	CATHEDRAL
1/17/2015	3,880.00	8.10	144.10	IncAzi-MWD	CATHEDRAL
1/17/2015	3,944.00	8.00	144.70	IncAzi-MWD	CATHEDRAL
1/17/2015	4,008.00	7.90	143.90	IncAzi-MWD	CATHEDRAL
1/18/2015	4,072.00	8.10	145.20	IncAzi-MWD	CATHEDRAL
1/18/2015	4,135.00	7.80	146.40	IncAzi-MWD	CATHEDRAL
1/18/2015	4,199.00	6.70	147.70	IncAzi-MWD	CATHEDRAL
1/18/2015	4,263.00	6.20	147.50	IncAzi-MWD	CATHEDRAL
1/18/2015	4,327.00	5.70	147.60	IncAzi-MWD	CATHEDRAL
1/18/2015	4,390.00	5.60	146.80	IncAzi-MWD	CATHEDRAL
1/18/2015	4,454.00	5.60	146.00	IncAzi-MWD	CATHEDRAL
1/18/2015	4,517.00	4.80	143.30	IncAzi-MWD	CATHEDRAL
1/18/2015	4,581.00	3.70	147.50	IncAzi-MWD	CATHEDRAL
1/18/2015	4,645.00	3.00	152.60	IncAzi-MWD	CATHEDRAL
1/18/2015	4,707.00	2.50	160.20	IncAzi-MWD	CATHEDRAL
1/18/2015	4,733.00	2.50	173.00	IncAzi-MWD	CATHEDRAL

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

**Conoco Phillips
Rio Arriba County, NM
S8-T29N-R7W
San Juan 29-7 Unit 140P
Build and Drop**

**Job No. 155011
Survey Date: 13 January 2015**

***Cathedral Energy Services Ltd.
Survey Report***

17 January 2015

Surface Coordinates: 2074058.05 N, 580297.47 E (36° 41' 58.9020" N, 107° 33' 33.9480" W)
Grid Coordinate System: NAD27 New Mexico State Planes, Western Zone, US Foot

Surface Coordinates relative to S8-T29N-R7W: 0.00 N, 0.00 E (True)

RKB Elevation: 6313.00ft above Mean Sea Level
RKB Elevation: 17.00ft above Ground Level

RKB Elevation: 17.00ft above Ground Level
Ground Level: 6296.00ft

Survey Ref: svy180
Date of Survey: 13 January 2015

Survey Report for S8-T29N-R7W, San Juan 29-7 Unit 140P, Build and Drop

Survey Depth (ft)	Incl. (°)	(True) Azim. (°)	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)	Dogleg Rate (%/100ft)
0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.00	
243.00	2.10	84.40	242.95	0.43 N	4.43 E	1.87	0.864
274.00	2.30	84.30	273.92	0.55 N	5.62 E	2.37	0.645
304.00	2.60	89.30	303.90	0.62 N	6.90 E	2.95	1.227
337.00	2.80	97.30	336.86	0.53 N	8.44 E	3.82	1.291
366.00	3.10	101.40	365.82	0.28 N	9.91 E	4.77	1.264
397.00	3.30	107.10	396.77	0.15 S	11.59 E	5.99	1.212
427.00	3.60	110.60	426.72	0.73 S	13.30 E	7.36	1.221
457.00	3.90	112.10	456.65	1.45 S	15.12 E	8.90	1.052
488.00	4.20	115.90	487.58	2.34 S	17.12 E	10.68	1.298
518.00	4.60	116.00	517.49	3.35 S	19.19 E	12.60	1.334
548.00	5.00	119.00	547.38	4.51 S	21.41 E	14.72	1.574
579.00	5.40	120.50	578.25	5.90 S	23.85 E	17.16	1.363
610.00	5.80	124.60	609.11	7.53 S	26.40 E	19.86	1.824
640.00	6.20	127.50	638.94	9.38 S	28.93 E	22.73	1.673
671.00	6.50	131.60	669.75	11.56 S	31.57 E	25.95	1.753
701.00	6.70	132.70	699.55	13.88 S	34.13 E	29.24	0.789
732.00	7.00	135.50	730.33	16.45 S	36.78 E	32.80	1.448
763.00	7.70	136.80	761.08	19.31 S	39.53 E	36.66	2.321
794.00	8.40	137.80	791.77	22.50 S	42.47 E	40.90	2.303
825.00	9.20	138.70	822.41	26.04 S	45.63 E	45.55	2.619
855.00	9.90	140.60	851.99	29.84 S	48.85 E	50.45	2.559
886.00	10.50	142.80	882.50	34.15 S	52.25 E	55.89	2.307
918.00	11.30	145.90	913.92	39.07 S	55.77 E	61.91	3.098
949.00	12.20	147.60	944.27	44.35 S	59.22 E	68.22	3.110
981.00	12.60	149.60	975.53	50.21 S	62.80 E	75.09	1.834
1011.00	13.20	151.10	1004.77	56.03 S	66.11 E	81.79	2.290
1043.00	13.80	152.00	1035.89	62.60 S	69.67 E	89.25	1.987
1075.00	14.20	152.90	1066.94	69.47 S	73.25 E	96.98	1.423
1107.00	15.10	152.80	1097.89	76.67 S	76.94 E	105.06	2.814
1138.00	15.90	153.40	1127.77	84.06 S	80.69 E	113.33	2.632
1170.00	16.60	153.60	1158.49	92.07 S	84.69 E	122.26	2.194
1202.00	17.00	154.70	1189.12	100.39 S	88.72 E	131.48	1.597
1233.00	17.70	154.90	1218.71	108.76 S	92.65 E	140.69	2.266
1265.00	18.40	156.10	1249.14	117.78 S	96.76 E	150.55	2.477
1297.00	19.30	155.80	1279.42	127.22 S	100.98 E	160.83	2.829
1329.00	20.00	155.80	1309.56	137.04 S	105.39 E	171.53	2.188
1361.00	20.60	155.70	1339.57	147.16 S	109.95 E	182.56	1.878
1392.00	21.50	155.80	1368.50	157.31 S	114.52 E	193.63	2.906
1456.00	23.30	154.80	1427.67	179.46 S	124.72 E	217.90	2.875
1519.00	22.90	154.30	1485.62	201.78 S	135.34 E	242.53	0.707
1583.00	22.50	153.70	1544.66	223.98 S	146.17 E	267.15	0.722
1647.00	22.50	153.50	1603.79	245.92 S	157.06 E	291.58	0.120
1710.00	21.80	153.00	1662.14	267.13 S	167.74 E	315.29	1.151
1774.00	21.50	152.90	1721.62	288.16 S	178.48 E	338.86	0.472
1838.00	21.70	153.60	1781.13	309.20 S	189.09 E	362.37	0.510
1902.00	22.10	154.50	1840.51	330.66 S	199.53 E	386.17	0.816
1966.00	23.40	156.80	1899.53	353.21 S	209.72 E	410.77	2.461
2030.00	24.10	157.90	1958.11	377.00 S	219.64 E	436.31	1.294
2094.00	23.30	157.80	2016.71	400.82 S	229.34 E	461.77	1.252



Survey Report for S8-T29N-R7W, San Juan 29-7 Unit 140P, Build and Drop

Survey Depth (ft)	Incl (°)	(True) Azim (°)	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)
2158.00	23.80	157.00	2075.38	424.43 S	239.17 E	487.10	0.927
2222.00	24.40	155.90	2133.80	448.38 S	249.61 E	513.05	1.171
2286.00	24.70	155.70	2192.02	472.64 S	260.51 E	539.49	0.486
2350.00	24.00	154.00	2250.33	496.52 S	271.72 E	565.76	1.548
2413.00	24.00	151.80	2307.88	519.33 S	283.39 E	591.34	1.420
2477.00	24.50	150.90	2366.23	542.40 S	296.00 E	617.61	0.972
2542.00	24.90	150.10	2425.29	566.04 S	309.37 E	644.77	0.802
2605.00	25.20	149.50	2482.36	589.09 S	322.79 E	671.44	0.624
2668.00	24.00	148.50	2539.64	611.57 S	336.29 E	697.67	2.016
2732.00	22.90	145.70	2598.36	632.96 S	350.11 E	723.10	2.446
2796.00	22.30	145.30	2657.44	653.23 S	364.04 E	747.63	0.968
2860.00	21.50	144.20	2716.82	672.72 S	377.82 E	771.42	1.405
2924.00	20.70	142.60	2776.53	691.22 S	391.55 E	794.32	1.540
2988.00	20.10	143.30	2836.52	709.02 S	404.99 E	816.48	1.012
3052.00	18.50	143.30	2896.92	725.98 S	417.63 E	837.51	2.500
3116.00	16.00	144.70	2958.04	741.33 S	428.80 E	856.39	3.959
3179.00	13.20	147.40	3019.00	754.47 S	437.69 E	872.23	4.573
3243.00	11.70	149.20	3081.49	766.20 S	444.95 E	886.02	2.421
3307.00	12.80	150.30	3144.03	777.94 S	451.79 E	899.60	1.757
3370.00	13.10	151.30	3205.43	790.26 S	458.67 E	913.72	0.594
3434.00	12.70	151.90	3267.81	802.83 S	465.47 E	928.00	0.659
3498.00	12.40	151.30	3330.28	815.06 S	472.08 E	941.89	0.511
3561.00	11.20	149.40	3391.95	826.26 S	478.45 E	954.77	2.002
3625.00	10.50	147.00	3454.81	836.50 S	484.79 E	966.81	1.302
3689.00	9.60	145.40	3517.83	845.79 S	490.99 E	977.96	1.472
3753.00	9.00	145.90	3580.98	854.33 S	496.83 E	988.28	0.946
3817.00	8.20	145.50	3644.26	862.23 S	502.22 E	997.83	1.253
3880.00	8.10	144.10	3706.63	869.53 S	507.37 E	1006.73	0.353
3944.00	8.00	144.70	3770.00	876.82 S	512.59 E	1015.65	0.204
4008.00	7.90	143.90	3833.38	884.01 S	517.75 E	1024.47	0.233
4072.00	8.10	145.20	3896.76	891.26 S	522.92 E	1033.34	0.421
4135.00	7.80	146.40	3959.15	898.47 S	527.82 E	1042.03	0.544
4199.00	6.70	147.70	4022.64	905.24 S	532.21 E	1050.10	1.738
4263.00	6.20	147.50	4086.24	911.31 S	536.07 E	1057.29	0.782
4327.00	5.70	147.60	4149.89	916.91 S	539.63 E	1063.92	0.781
4390.00	5.60	146.80	4212.58	922.12 S	542.99 E	1070.11	0.202
4454.00	5.60	146.00	4276.28	927.32 S	546.44 E	1076.35	0.122
4517.00	4.80	143.30	4339.02	931.99 S	549.74 E	1082.04	1.328
4581.00	3.70	147.50	4402.84	935.87 S	552.45 E	1086.76	1.785
4645.00	3.00	152.60	4466.73	939.10 S	554.33 E	1090.50	1.188
4707.00	2.50	160.20	4528.66	941.82 S	555.53 E	1093.45	0.996
4733.00	2.50	173.00	4554.64	942.91 S	555.79 E	1094.52	2.143
Bit Projection							
4785.00	2.50	173.00	4606.59	945.16 S	556.07 E	1096.61	0.000



Survey Report for S8-T29N-R7W, San Juan 29-7 Unit 140P, Build and Drop

All data is in Feet (US Survey) unless otherwise stated. Directions and coordinates are relative to True North. Vertical depths are relative to RKB. Northings and Eastings are relative to S8-T29N-R7W.

The dogleg severity is in Degrees per 100 feet (US Survey).
Vertical Section is from S8-T29N-R7W calculated along an azimuth of 149.60° (True).

Based upon minimum curvature calculations, at a measured depth of 4733.00ft, the bottom hole displacement is 1094.53ft, in the direction of 149.48° (True).

Disclaimer Notice

Cathedral Energy Services Ltd. makes no warranty of any kind with respect to the subject matter included herein or the completeness or accuracy of this document.

Cathedral Energy Services Ltd. are not responsible for any actions (or lack thereof) taken as a result of relying on or in any way using information contained in this document and in no event shall be liable for any damages resulting from reliance on or use of this information.

A handwritten signature in black ink, appearing to read "J. Henry", is written over the disclaimer text.

AFFIRMATION

(Applicant must sign in front of a notary public)



1/26/15


Official Signature of Applicant

Date

Carin Rathjen

Subscribed and sworn to or affirmed before me this 26th day of
January, 2015, in the county of Denver,

State of Colorado.



Nancy Barrett

Signature of Notary Public

9/18/16

Commission Expiration Date

